

► L-BRACKET SPILL CONTAINMENT BERM

The newest addition to the L-Bracket line!

In a word, or four – simple, rugged, quick, inexpensive. The Black Diamond L-Bracket spill containment berm is designed for quick and simple setup with durability and budget in mind.

Quality Assurance:

- Liquid tested and reviewed for leaks
- CAD designed and cut components
- All berms include serial numbers for quality tracking

Various sizes and applications:

- **Small sizes** commonly contain light plants, generators, light equipment, 55-gallon drums, and IBCs
- **Medium sizes** include containment for medium-size equipment, small vehicles, IBCs, and machinery
- **Large sizes** commonly contain large tankers, military vehicles, large equipment, and bulk storage of drums/IBCs

FOLDS TO A FRACTION OF ITS SIZE FOR STORAGE AND TRANSPORT

GROUND PAD AND TRACMAT AVAILABLE TO PROLONG LIFE OF BERM (NOT PICTURED)

ONCE INSTALLED, WIRE BRACKETS REMAIN ATTACHED

ENDURALINE 40 – FIRST-CLASS CHEMICAL, RIP, TEAR, AND PUNCTURE RESISTANCE

FAST AND EASY SETUP

MANY SIZES AND CUSTOMIZABLE TO APPLICATION

TESTED WELDS TO ENSURE MAXIMUM PERFORMANCE

L-BRACKET ENDURALINE 40

PART NUMBER	DIMENSIONS LxWxH FT. (M.)	WEIGHT LB. (KG.)	SPILL CAPACITY* GAL. (L.)
BD-44-WB-L	4 x 4 x 1 (1.2 x 1.2 x 0.3)	16 (7.3)	119 (450)
BD-46-WB-L	4 x 6 x 1 (1.2 x 1.8 x 0.3)	18 (8.1)	179 (677)
BD-55-WB-L	5 x 5 x 1 (1.5 x 1.5 x 0.3)	19 (8.6)	187 (707)
BD-48-WB-L	4 x 8 x 1 (1.2 x 2.4 x 0.3)	20 (9)	239 (904)
BD-66-WB-L	6 x 6 x 1 (1.8 x 1.8 x 0.3)	21 (9.5)	269 (1,018)
BD-68-WB-L	6 x 8 x 1 (1.8 x 2.4 x 0.3)	22 (10)	359 (1,358)
BD-88-WB-L	8 x 8 x 1 (2.4 x 2.4 x 0.3)	24 (10.8)	478 (1,809)
BD-810-WB-L	8 x 10 x 1 (2.4 x 3 x 0.3)	25 (11.3)	598 (2,263)
BD-1010-WB-L	10 x 10 x 1 (3 x 3 x 0.3)	29 (13.2)	748 (2,831)
BD-1020-WB-L	10 x 20 x 1 (3 x 6.1 x 0.3)	98 (44)	1,496 (5,662)
BD-1030-WB-L	10 x 30 x 1 (3 x 9.1 x 0.3)	105 (47)	2,244 (8,494)
BD-1040-WB-L	10 x 40 x 1 (3 x 12.2 x 0.3)	140 (63)	2,992 (11,325)
BD-1050-WB-L	10 x 50 x 1 (3 x 15.2 x 0.3)	160 (72)	3,740 (14,157)
BD-1060-WB-L	10 x 60 x 1 (3 x 18.3 x 0.3)	192 (87)	4,488 (16,988)
BD-1212-WB-L	12 x 12 x 1 (3.6 x 3.6 x 0.3)	77 (35)	1,077 (4,077)
BD-1220-WB-L	12 x 20 x 1 (3.6 x 6.1 x 0.3)	100 (45)	1,795 (6,795)
BD-1226-WB-L	12 x 26 x 1 (3.6 x 7.9 x 0.3)	105 (47)	2,334 (8,835)
BD-1230-WB-L	12 x 30 x 1 (3.6 x 9.1 x 0.3)	115 (52)	2,692 (10,190)
BD-1236-WB-L	12 x 36 x 1 (3.6 x 11 x 0.3)	140 (63)	3,231 (12,230)
BD-1240-WB-L	12 x 40 x 1 (3.6 x 12.2 x 0.3)	150 (68)	3,590 (13,589)
BD-1250-WB-L	12 x 50 x 1 (3.6 x 15.2 x 0.3)	175 (79)	4,488 (16,989)
BD-1440-WB-L	14 x 40 x 1 (4.2 x 12.2 x 0.3)	170 (77)	4,189 (15,857)
BD-1550-WB-L	15 x 50 x 1 (4.5 x 15.2 x 0.3)	240 (108)	5,654 (21,402)
BD-2525-WB-L	25 x 25 x 1 (7.6 x 7.6 x 0.3)	200 (91)	4,675 (17,696)
BD-2550-WB-L	25 x 50 x 1 (7.6 x 15.2 x 0.3)	400 (182)	9,350 (35,393)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES



*The berm spill capacity is based on dimensions, low flow rate, a level surface and no displaced volume.