



**SPILL CONTAINMENT, OVERPACK SALVAGE DRUMS, SPILL PALLETS, SORBENTS,  
SPILL RESPONSE, PORTABLE CONTAINMENT, SPILL KITS, STORMWATER**





ENPAC®  
CUSTOMER SERVICE:  
1-800-936-7229  
  
TOLL FREE FAX:  
1-800-993-6722  
  
VISIT OUR WEBSITE:  
WWW.ENPAC.COM  
  
EMAIL:  
INFO@ENPAC.COM

## THE GLOBAL LEADER IN SPILL PREVENTION, CONTAINMENT AND CONTROL PRODUCTS



Since 1988, ENPAC® has introduced over 800 market-leading products engineered to store, clean up and transport your hazardous materials safely, comply with codes and regulations, and be your everyday containment solution.

Setting the standard high, we offer an industry renowned technical support and customer service staff.

Knowledgeable in EPA, OSHA and DOT compliances, we will answer your questions, help you find the perfect product, and strive for a 100% satisfaction experience!

Offering the largest and “World’s Best” spill prevention product line on the market, we promise to help solve your toughest spill containment, control, and clean-up projects. So take the few, simple steps to reduce accidents and workplace threats by letting ENPAC® cover your company’s bottom line.



## TABLE OF CONTENTS

### Overpacks / Salvage Drum

NEW 95 Gallon Poly-Overpack®	
Salvage Drum.....	4
Envirosalv™ Poly	
Salvage Drum Plus.....	4
Envirosalv™ Lock	
Down Security Kit .....	4
Poly-Overpack® 95	
Salvage Drum.....	5
Poly-Overpack® 110	
Salvage Drum.....	5
Drum Lifter.....	5
Poly-Overpack® 20	
Salvage Drum.....	6
Poly-Overpack® 30	
Salvage Drum.....	6
Poly-Overpack® 65	
Salvage Drum.....	6
Wheeled Overpack® 50	
Salvage Drum.....	7
Wheeled Poly-Overpack® 95	
Salvage Drum.....	7
Poly-Overpack® 180T	
Drum.....	7
Poly-Overpack® 600	
Drum.....	7

### Spill Pallets

Nestable 2-Drum Spillpallet™.....	8
Poly-Spillpallet™	
2000, 3000, & 6000 .....	8-9
Poly-Slim-Line™ 6000 .....	9
Poly-Ramp™.....	9
Ramp Extender.....	9
2 & 4-Drum Hardcover & Spillpallet.....	10
Cross-Contain™	
Poly-Spillpallets.....	10
2,4,6 & 8-Drum Workstation™ ..	11
Link-Lock™.....	12
Multi-Purpose Work Ramp™ .....	12
Econo Spill Shell™.....	12
Tarps.....	13
Duck Ponds.....	14
Flexible Rack Sump Inserts.....	15
Filter Spillpads.....	15
Poly-Spillpad™.....	15

### Portable Containment

Grates.....	16
Spillpal™.....	16
Drip Dam.....	17
Leak Diverter Accessories.....	17
Drop Ceiling Leak Diverter .....	17
Round Leak Diverter.....	17
Stinger Econo-Berm.....	18
Stinger Spillpal™ w/removable foam sidewalls.....	19
Dripillow Berm™.....	20
Stinger Yellow Jacket™.....	20
Stinger Snap-Up Berm™.....	21
Stinger L-Bracket Berm.....	21
Stinger Snap-Foam Berm™.....	22
Stinger PolyBerm .....	23
Ground Pad .....	24
Tracmat™.....	24
Storage and Transport Bag .....	24
Hose Bridge.....	24
Berm Repair Kit™.....	24
Deluxe Berm Repair Kit.....	24
Bazooka .....	25
Railcar Track Pans.....	26
Stinger Rail Berm™.....	26
Rail Containment Mats.....	26
Prowler™ Pool.....	27
HazMat Pool™.....	27

### Dispensing

Poly-Dolly® .....	28
Poly-Dolly® ATD.....	28
Poly-Dolly® Conversion Kit.....	28
Mini-Racker™.....	29
Mini-Racker™ Mobile Unit .....	29
Mini-Stacker™.....	29
Poly-Safetypack® .....	29
Poly-Safetypack® Plus .....	29
Poly-Racker™.....	30
Poly-Stacker™.....	30
Poly-Shelf™.....	30
Universal Well Liner .....	31
Single Poly-Racker™.....	31
Single Poly-Stacker™.....	31
Multi-Purpose	
Racker/Stacker™ .....	31
Poly-Spillcart™.....	32
Poly-Spillcart™ ATC .....	32
Spill Scooter™.....	33
Spill Scooter™ Handle .....	33
Q-VAC 100™.....	33
Q-VAC 100™ Plus.....	33
Poly-Labtray™ .....	33
Drums-Up™.....	33
Drums-Up Jr.™.....	33
Poly-Tank™ Containment	
Unit 275™.....	34
Poly-Tank™ Containment	
Unit 550™.....	34
Bulkhead Fitting .....	34
Poly-Funnels & Covers.....	35

### Storage

Hazard Hut® .....	36
Hazard Hut® Poly-Ramp .....	36
Poly-Edge™.....	36
Job Hut™.....	37
Multi-Purpose Work Ramp .....	37
IBC 2000i™.....	38
IBC Space-Saver.....	38
IBC 4000i™.....	39
Double IBC Low-Top™.....	39
Dispensing IBC.....	39
IBC Bins .....	40
ibcBERM.....	40
Poly-Collector™ 66.....	41
Poly-Collector™ 66 (Shell Only) .	41
Poly-Collector™ 110 .....	41
Drum Dolly.....	41
Large Tote.....	41
Extra Large Tote .....	41

### Spill Kits

20 Gallon Spill Kit.....	42
30 Gallon Spill Kit.....	42
65 Gallon Spill Kit.....	42
95 Gallon Spill Kit.....	42
Envirosalv™ Locking 95	
Gallon Spill Kit.....	42
50 Gallon Wheeled Spill Kit.....	43
95 Gallon Wheeled Spill Kit.....	43
Large & XLarge Tote™ Spill Kit ..	43
Multi-Responder SHT Kits.....	44
Wall Mount Spill Lockers.....	45
ENSORB® Spill Station.....	45
ENSORB® Super Absorbent	
Spill Kit .....	45
Spillpak.....	47
Econo™ Spill Pak.....	48

Hand Carried Spill Kit.....	48
Long Haul Truck Spill Kit™.....	48
Long Haul Econo Spill Kit.....	48
Econo Saftey Pail Spill Kit™ .....	49
Forklift Vehicle Spill Kit™ .....	49
Fast Pack™ Spill Kit.....	49
Speedy Duffel™ Spill Kit .....	49
ENPAC® Leak Repair Kit .....	50
Spill Caution Sign .....	50
Poly-Top Tarp .....	50
Tamper Seal Label.....	50
PPE Spill Pak.....	50
Replacement & Refill Kits.....	51

### Sorbents

ENSORB.....	52
Chemkrenz.....	53
Sorbent Pads.....	54
Sorbent Socks.....	54
Sorbent Rolls.....	54
Trauma-Sorb™ Heavy	
Sorbent Pillows .....	56
Drumtopper™ Pads .....	56
Sorbent Booms .....	56
Weight Lab Sheet.....	57
Trauma-Sorb™ O.R. Mat.....	57
Trauma-Sorb™ Pads.....	57
Trauma-Sorb™ Flat Socks.....	57
Trauma-Sorb™ Wipes .....	57
Trauma-Sorb™ Spill Kits.....	58
Imbiber Beads® Imbicator™ .....	58
Drip Sentinel™ Hose Wraps.....	59
Drip Sentinel™ Hose Bibb™.....	59
Drip Sentinel™	
Maintenance Blankets.....	59

### Stormwater

Storm Sentinel Adjustable	
Catch Basin Insert®.....	60
Storm Sentinel Adjustable	
Curb Inlet Insert®.....	61
Drain Dam.....	61
Boss Dewatering Bags.....	61
Spill Protector™ Drain Cover .....	62
Frameless Storm Sentinel® .....	62
Concrete Washout.....	63

### Steel

1, 2 & 4 Drum Steelpal .....	64
IBC & Double IBC Steel Tote.....	64
2 & 4 Drum Hazmat Locker .....	65
2 & 4 Drum Steel Stacker .....	65
Pallet Rack Sump Inserts .....	65
HazMat Storage Buildings.....	66
Storage Building Shelving & Ramp ..	67
IBC Storage Lockers .....	67
Steel Spill Decks & Ramps.....	68

### Cylinders

Universal Cylinder Bracket.....	65
6-Pack Cylinder Rack™.....	66
6-Pack Ramp .....	66
Caster Frame .....	66
Single Cylinder Dolly™ HD.....	69
Dual Cylinder Dolly™.....	69
2-Cylinder Poly-Stand™ HD .....	70
4-Cylinder Poly-Stand™ .....	70
Bollard Covers.....	71

SALVAGE/OVERPACK DRUMS... 4

SPILL PALLETS ..... 8

PORTABLE CONTAINMENT..... 16

DISPENSING..... 28

STORAGE ..... 36

SPILL KITS ..... 42

SORBENTS ..... 52

STORMWATER ..... 60

STEEL..... 64

CYLINDER PRODUCTS..... 69



Join us on Facebook and Twitter for news and updates.





**NEW!**



PAGE  
**2**

**55 GALLON  
SPILLKITS**  
WITH LEVER LOCK RINGS



PAGE  
**26**

**RAIL CAR TRACK PANS™**  
COMPLETE RAILROAD SPILL CONTAINMENT SYSTEM

**FILTER SPILL PADS**  
CONTAIN. ABSORB. REPLACE. REUSE.



PAGE  
**15**

**DOUBLE IBC  
DISPENSING STATION**



PAGE  
**39**

PAGE  
**17**

**ROUND PIPE LEAK DIVERter**



PAGE  
**46**

**POLY SPILLPACKS**  
THE SLIP TOP LID SLIDES ON AND OFF WITH EASE!

PAGE  
**17**

**DROP CEILING  
LEAK DIVERter**



**CONCRETE WASHOUT**



PAGE  
**63**







DID YOU KNOW?

A qualified Salvage Drum meets or exceeds the key features defined in Department of Transportation Regulation 49 CFR 173.3 in the following critical ways:

- Meets or exceeds UN performance requirements and is marked for Packing Group 1.
- Passes a 3-psi pressure test.
- Is marked with the specific words “salvage” or “salvage drum.”
- Passes extensive Drop and Stack testing.



55 GALLON SPILLKITS  
WITH LEVER LOCK RING

These spill kits offer superior performance in a standard drum. The plastic lever-lock closure is easy to operate, allowing for rapid access to cleanup materials. They also feature plenty of absorbents to soak up the average spill.

REFILL KITS  
ALSO  
AVAILABLE

55 GALLON SPILLKITS

Part #	Description	Absorbs up to gal. (L)	Kit Includes
13-55-U	Universal	20 (75.7)	1 - 55 gallon Drum, (1) 1-Gallon Jug ENSORB, (50) Pads, (4) Med. Socks, (1) Goggles, (1) Pair of Nitrile Gloves, (6) Disposal Bags with Ties, (1) Emergency Response Guide, (1) Instruction Sheet and SDS(s)
13-55-A	Aggressive	20 (75.7)	1 - 55 gallon Drum, (1) 1-Gallon Jug ENSORB, (50) Pads, (4) Med. Socks, (1) Goggles, (1) Pair of Nitrile Gloves, (6) Disposal Bags with Ties, (1) Emergency Response Guide, (1) Instruction Sheet and SDS(s)
13-55-O	Oil-Only	20 (75.7)	1 - 55 gallon Drum, (1) 1-Gallon Jug ENSORB, (50) Pads, (4) Med. Socks, (1) Goggles, (1) Pair of Nitrile Gloves, (6) Disposal Bags with Ties, (1) Emergency Response Guide, (1) Instruction Sheet and SDS(s)

10 GALLON SPILLKITS  
WITH LEVER LOCK RING

Small but mighty, this kit is easy to transport and features plenty of absorbents to tackle smaller spills. The open head drum seals with a plastic lever lock for use outdoors or on vehicles. It is a truly versatile sized kit that packs quite the spill-cleaning punch.



10 GALLON SPILLKITS

Part #	Description	Absorbs up to gal. (L)	Kit Includes
13-10-U	Universal	4 (15)	1 - 10 gallon drum, (1) 1-Quart Bag ENSORB, (10) Pads, (2) Med. Socks, (1) Pair of Nitrile Gloves, (1) Disposal Bag with Tie, (1) Instruction Sheet and SDS(s)
13-10-A	Aggressive	4 (15)	1 - 10 gallon drum, (1) 1-Quart Bag ENSORB, (10) Pads, (2) Med. Socks, (1) Pair of Nitrile Gloves, (1) Disposal Bag with Tie, (1) Instruction Sheet and SDS(s)
13-10-O	Oil-Only	4 (15)	1 - 10 gallon drum, (1) 1-Quart Bag ENSORB, (10) Pads, (2) Med. Socks, (1) Pair of Nitrile Gloves, (1) Disposal Bag with Tie, (1) Instruction Sheet and SDS(s)

DRUM REPAIR KIT

Quickly plug punctured drums before they create a massive mess. This handy, portable bag kit features all the materials needed to seal a leaking drum and soak up any liquid that has already escaped.

DRUM REPAIR KIT

Part #	Description	Absorbs up to gal. (L)	Kit Includes
13-DRK-U	Drum Repair Kit	6 (22.7)	1 Heavy Duty Duffel, (3) Med. Socks, (15) Pads, (1) Disposal Bag with Tie, 1/2 Tub Plug and Dike, (1) Instruction Sheet and SDS(s)



JOBSITE & CONTRATOR SPILLKITS

This tough kit is built to handle the rigors of any jobsite. Sorbents and personal protective equipment are stored in a weather-proof tote for ease of use and reliable performance.

JOBSITE & CONTRACTOR SPILLKITS

Part #	Description	Absorbs up to gal. (L)	Kit Includes
13-JCSK	Jobsite Spill Kit	24 (90.8)	(1) Heavy Duty Storage Bin, (50) Universal Pads, (8) Med Universal Socks, (1) 1-Gallon jug ENSORB, (1) Pair of Nitrile Gloves, (5) Disposal Bags & Ties, (1) Instruction Sheet with SDS.

MULTI RESPONDER SPILL RESPONSE CENTER

The triple crown of spill prevention, this unit has you covered with three cleanup kits in one convenient package. The plastic main storage cabinet houses three portable, fast pack bags loaded with universal, oil only, or aggressive absorbents for swift action when time matters most.



MULTI RESPONDER SPILL RESPONSE CENTER

Part #	Description	Absorbs up to gal. (L)	Kit Includes
13-SRC-XL	Modular Spill Response Center	21 (79.5)	1 - Cabinet (1) 1300-YE, (1) 1301-YE, (1) 1302-YE, (1) 13-DRK, (2) Gal ENSORB®, (1) Instruction Sheet and SDS(s)



95 GALLON POLY-OVERPACK® SALVAGE DRUM  
THE FUTURE OF SALVAGE DRUMS

Taking industry standards to a whole new level, ENPAC introduces the newest 95-gallon overpack and salvage drum. Engineered with safety in mind, the innovative 1095-YE stacks, locks, and transports more securely and efficiently than any other drum in the market.



Stacking two drums? These drums are specifically designed to lock once stacked as a preventative safety measure for both your employees and product.

Now ships in 4 packs with 4 lids saving both space and transportation costs.

Nesting lids create a safer and stronger nested stack for storage.

All new design allows for two tightening bars making this product more user friendly than any on the market!



With a double start thread, the 1095-YE only requires half a turn to tightly secure your leaking drums.



NEW!

Canadian Patent Number:  
U.S. Patent Number: 9,592,927B2

NEW OVERPACK® 95

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1095-YE	31.5 (80)	25.88 (65.75)	40 (101.6)	47 (21)	95 (359.6)	650 (295)

Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

ENVIROSALV POLY SALVAGE DRUM PLUS  
THE “LOCKING” OVERPACK SALVAGE DRUM.

The lockable, stackable and UN certified Envirosalv™ Salvage Drum Plus is built stronger and seals tighter for added strength, security and convenience!



Lock Down Kit (1295-LK) is available as an optional - lockable, serialized, identification security system when accountability matters most.

U.S. Patent Number: 8,281,948



ENVIROSALV™ POLY SALVAGE DRUM PLUS & LOCK DOWN SECURITY KIT

Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1295-YE	95-Gallon	32 (81.2)	26 (66)	44 (111.7)	56 (26.4)	95 (359.6)	650 (295)
1295-LK	Lock Down Kit	11 x 8 x 1			1 (.45)		

Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

POLY-OVERPACK® 95 SALVAGE DRUM  
IS YOUR OVERPACK REALLY A SALVAGE DRUM?

Our Poly-Overpack® 95 meets Group 1 packaging standards and salvage drum regulations. Unlike competing overpacks, our Poly-Overpack® 95 safely contains a wide range of hazardous materials typically stored in 55-gallon drums including: acids, corrosives and damaged parts.

Closing is simple, place any long object, like a wooden 2x4”, in the handy lid slots and turn 180° to create a tight, secure and leak free container.

Meets performance-oriented packaging requirements of US DOT and UN regulations.

Canadian Patent Number:  
U.S. Patent Number: 9,592,927B2

POLY-OVERPACK® 95

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1037-YE	31.5 (80)	25.88 (65.75)	40 (101.6)	45 (20.4)	95 (359.6)	500 (227)

Regulations: UN 1H2/X227/S, DOT 49 CFR 173.3(C), EPA, SPCC and NPDES



Canadian Patent Number:  
U.S. Patent Number: 9,592,927B2

NEW!



POLY-OVERPACK® 110 SALVAGE DRUM  
THE ONLY 110 GALLON SCREW TOP DRUM ON THE MARKET.

Containing irregular drums is not a problem with this handy-sized overpack. With all the great performance features of the Poly-Overpack® 95, but built taller to handle misshapen drums.

POLY-OVERPACK® 110

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1040-YE	31.5 (80)	25.75 (65)	45 (114)	49 (22.2)	103 (390)	650 (295)

Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

DRUM LIFTER

Salvage drum loading is one of the trickiest drum handling jobs. This lifter makes it easy! Unique slim design allows unit to be used where clearance is tight. Works great for general drum handling and with only one moving part, it is practically maintenance free.

DRUM LIFTER

Part #	Weight lb. (kg)	Load Cap. lb. (kg)
3100-BU	22 (9.9)	1,000 (453.7)

- Lifts open-head or tight-head pails and drums
- Slim design for loading drums into salvage drums
- 1,000 lb. handling capacity



**Roller Technique:** Place damaged drum and overpack on their sides with metal rollers underneath drum (i.e. water pipe). Roll drum most of the way inside.



**Angle Roll Technique:** Place overpack and drum on side with the two angled in a wide vee. Roll together, working the drum inside the overpack. When inward progress stops, reverse the angle and roll the other way. Turn upright when



**Inverted Overpack Technique:** Place damaged drum on overpack lid. Slide overpack over the drum. Rotate upright.



**Upright Overpack Technique:** Remove overpack lid while using Part #: 3100-BU to raise and lower drum. Reduces risk and increases use.





# OVERPACKS IN SMALL, MEDIUM, LARGE, & HUGE!

Whether your need be large or small, we have the pack to fit them all!



## POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

**BIG FEATURES AND BIG SAVINGS!**

20 and 30-gallon Salvage Drums are versatile units that can directly contain solids and sludges with security. With a half-turnlid, these ergonomically designed units allow for easy access, unlike competing “hoop-ring designs” that need a bolt and nut. The 20-gallon unit accepts bottles, cans, and 5-gallon pails, while the 30-gallon unit can contain drums w/capacities up to 16 gallons. Units are also nestable, which allows for ease of shipment. Save on shipping cost and storage space!



### POLY-OVERPACKS®

Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1220-YE	20-Gallon	22.25 (57)	18 (46)	19 (48)	10 (4.5)	20 (75.7)	166 (75.3)
1230-YE	30-Gallon*	22.25 (57)	18 (46)	30 (76)	13 (6)	30 (113.5)	220 (100)

Regulations: UN 1H2/X75/S, UN 1H2/Y100/S, \*UN 1H2/X100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

## POLY-OVERPACK® 65 SALVAGE DRUM

**JUST THE RIGHT SIZE FOR 30-GALLON DRUMS.**

Our Poly-Overpack® 65 meets Group 1 packaging standards, Salvage Drum regulations, and is designed to overpack 30-gallon drums. This salvage drum nests for easy storage and has a lid gasket for secure containment. No wasted space! No wasted money!

### GREAT AS A SPILL KIT CONTAINER!

It's light enough for one person to handle and large enough to store sufficient absorbent and response equipment for incidental spills.



### POLY-OVERPACK® 65

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1065-YE	27.75 (70)	23 (58)	37.5 (95)	47 (21)	65 (246.1)	440 (200)

Regulations: UN 1H2/X200/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

**IF IT'S NOT AN ENPAC SALVAGE DRUM,  
IT'S PROBABLY JUST A TRASH CAN.**



**YOU  
SHOULD  
USE...**

**OVERPACKS-** to provide protection for packages of solids OR for convenience in handling a package or consolidating packages of solids. Not to be used for transportation of hazardous material. **SALVAGE DRUMS-** All mentioned above and for the transport of damaged or leaking drums containing hazardous liquids and hazardous materials.

# WHEELED POLY-OVERPACK® SALVAGE DRUMS



ENPAC® Wheeled Poly-Overpacks® are the original mobile one-piece over-pack. Completely eliminate the need for a separate dolly to transport the 95-gallon and the 50-gallon polyethylene UN-rated Salvage Drums. Both have built-in handles and 6” polyolefin wheels that allow for easy steering through doorways and around obstacles. With newly enhanced handles for better gripping and ideal for mobile Spill Kits. (see pg. 43) A Salvage Drum and dolly all in one!

\*Tarps available on pages 13 & 48.



### WHEELED POLY-OVERPACKS®

Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1259-YE	50-Gallon	24 (61)	18.5 (47)	45.38 (115)	47 (21)	50 (189.3)	275 (125)
1299-YE	95-Gallon*	31.38 (80)	25.75 (65)	47.5 (121)	56 (25)	95 (359.6)	250 (113)

Regulations: UN 1H2/X125/S, \*UN 1H2/X113/S, 49 CFR 173.3, SPCC and NPDES



## POLY-OVERPACK® 180T OVERPACK DRUM

**IDEAL FOR TRANSPORTING AND STORING TRANSFORMERS.**

The Poly-Overpack® 180T offers a large 180-gallon capacity to handle the big jobs, while its *Tight Grip* feature ensures a secure seal, saving you time and money.

### POLY-OVERPACK® 180T

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1180-YE	40.25 (102)	30 (76)	57 (145)	102 (46.3)	180 (681.4)	2,500 (1,134)

Regulations: EPA 40 CFR 761.65, SPCC and NPDES



## POLY-OVERPACK® 600 OVERPACK DRUM

**A HUGE 600-GALLON CAPACITY.**

Designed specifically for the storage of large transformers, the Poly-Overpack® 600 offers an easy, cost-effective way to keep larger quantities of hazardous fluids contained.

**IT'S  
HUGE!**



### POLY-OVERPACK® 600

Part #	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1051-YE	71 (180)	49.25 (125)	69 (175)	225 (102)	600 (2,271)	5,000 (2,268)

Regulations: EPA 40 CFR 761.65, SPCC and NPDES






NESTABLE 2-DRUM POLY-SPILLPALLET™  
TO NEST IS BEST



Maximize space by minimizing storage! Capture drips and spills within the Nestable 2-Drum Poly-Spillpallet™ sump. The 21" height design and 2,000 lb. load capacity keep your drums within easy reach at a secure level. The unit provides chemical, UV, rust and corrosion resistance while the textured removable grate keeps drums from sliding and provides unrestricted and hassle-free sump. Optional drain available.



LINK  
TOGETHER!

Store multiple Poly-pallets in a minimal amount of space with a 4" nest height! Links together for customization and security.

SHIP 3X  
MORE!



\*Patents Pending

NESTABLE 2-DRUM POLY-SPILLPALLET

Part #	Description	Ext. Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5222-YE	2-Drum	51 x 26 x 21 (130 x 66 x 53)	54 (24.5)	66 (249.8)	2,000 (907)
5222-YE-D	(w/Drain)				

Regulations: EPA 40 CFR 264.175, SPCC, UFC and NPDES



2-DRUM POLY-SPILLPALLET™ 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment. Made with 100% polyethylene, it provides excellent chemical resistance. Optional drain with plug.

- Meets EPA 40 CFR 264.175
- 2,000 lb. Handling Capacity
- Forkliftable
- Removable grate for easy cleaning

Optional tarp available (Part # 5253-TARP, p. 13)

2-DRUM POLY-SPILLPALLET™ 2000

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5253-YE	2-Drum	53.5 x 29 x 17 (136 x 74 x 43)	57 (25.9)	58 (219.5)	2,000 (907)
5253-YE-D	(w/drain)				


Regulations: EPA 40 CFR 264.175, SPCC and NPDES

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000  
WHERE NO DRUM STORAGE HAS GONE BEFORE.

Store drums in-line along a wall, between columns, and in all those spaces once thought to be unusable. Optional drain.

- Holds four (4) 55-gallon drums
- Low 12" profile
- 3,000 lb Handling Capacity
- Raised edge on back and sides helps orient barrels on pallet
- Non-skid, removable grates
- 66-gallon sump capacity meets EPA 40 CFR 264.175
- 100% polyethylene

Optional tarp available (Part # 5102-TARP, p. 13)



IN-LINE POLY-SPILLPALLET™ 3000

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5102-YE	4-Drum	98 x 25.25 x 12 (249 x 64 x 30)	78 (35.4)	66 (249.8)	3,000 (1,361)
5102-YE-D	(w/drain)				

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC



POLY-SLIM-LINE™ 6000  
SLIM IS IN.

Poly-Slim-Line™ 6000 offers all of the same advantages as our Poly-SpillPallet™ 6000...and more! This addition to our pallet family features a low 12" profile and a handling capacity of 6000 lb. Optional drain.

- 6000lb Handling Capacity
- Low profile side wall



Optional tarp available (Part # 5400-TARP, p. 13)

POLY-SLIM-LINE™ 6000

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5400-YE	4-Drum	54 x 54 x 11.25 (137 x 137 x 28.6)	84 (38.1)	66 (249.8)	6,000 (2,722)
5400-YE-D	(w/drain)		84 (38.1)		

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

POLY-SPILLPALLET™ 6000  
DESIGNED FOR MAXIMUM LOAD.

Rated at 6,000 lb handling capacity weight with a 83-gallon sump capacity that meets EPA 40 CFR 264.175. Square 50" x 50" footprint saves space, yet easily holds four (4) 55-gallon drums. Optional drain.

- Two (2) removable grates
- Forkliftable from all sides

Optional tarp available (Part # 5001-TARP, p. 13)



POLY-SPILLPALLET™ 6000

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5001-YE	4-Drum	50 x 50 x 17 (127 x 127 x 43)	84 (38.1)	83 (314.1)	6,000 (2,722)
5001-YE-D	(w/drain)				

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

POLY-RAMP™  
WALK UP TO REAL VALUE.

Get big performance at a great price with our Poly Ramp™. The ribbed non-skid surface allows for safe walk-ups and traction loading.

- 100% polyethylene construction
- 10° ramp slope
- Ribbed, non-skid surface for safe walking
- Used with Part # 5102-BK, 5400-YE, 4062-YE and 4064-YE.
- 1000 lb Handling Capacity



RAMP EXTENDER

Ramp extender works with the ENPAC® Poly-Ramp™ to accommodate 17" high pallets and 2-Drum Hardcover™. No more relying on expensive and obtrusive metal ramps. Simply retrofit your existing Poly-Ramp™ (Part # 5039-BK) with our Ramp Extender.



POLY-RAMP™ & EXTENDER

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
5039-BK	Ramp	68 x 30.75 x 12.5 (172 x 78 x 32)	65 (29.5)	1,000 (454)
5038-BK	Extender	29.5 x 8.5 x 5.5 (75 x 22 x 14)	6 (2.7)	1,000 (454)

DID  
YOU  
KNOW?

Many establishments are required by government standards to have a 'Spill Plan' to help prevent toxic and hazardous materials from damaging the environment.





2 & 4-DRUM HARDCOVER™ & SPILLPALLETS

ENPAC Hardcovers are a sturdy, ideal solution for indoor & outdoor storage of up to four (4) 55-gallon drums. Available in a 2 and 4 drum unit, these uniquely engineered, roll-top cover designed Spillpallets allow for ample use in limited space or next to buildings where swing-doors would be a problem. Extended vertical space allows for continued use of drum pumps and funnels while removable grates provide access to the spill sump for easy cleaning. The Hardcover Spillpallet units are completely weather-proof and feature a newly-enhanced lockable door! Some assembly required.


Features Include:

- Award-winning and best-selling ENPAC Spillpallet Base (5253-YE, 5400-YE)
- Removable grates for easy cleaning
- Lockable Door for added security (Lock not included)
- Weatherproof for the harshest conditions
- Optimal height for drum dispensing advantage
- Ships unassembled to save on freight

Options:

- Drain
- Ramp (See page 9)
- Ramp Extender (2-Drum Unit) (See page 9)

ENHANCED  
DOOR!



2 & 4-DRUM HARDCOVER™ & SPILLPALLET

Part #	Description	Ext. Dimensions L x W x H in. (cm)	Int. Dimension in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
4062-YE	2-Drum	60 x 37.25 x 72.63 (152 x 95 x 184)	51 x 30 x 52 (130 x 76 x 132)	210 (95)	58 (249.8)	2,000 (907)
4062-YE-D	(w/drain)			210 (95)		
4064-YE	4-Drum	65 x 58 x 69 (165 x 147 x 175)	49 x 54 x 53.5 (124 x 137 x 136)	269 (122)	66 (249.8)	6,000 (2,722)
4064-YE-D	(w/drain)			269 (122)		

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

CROSS-CONTAIN™ POLY-SPILLPALLETS  
DEFINING SHIPPING AND STORAGE EFFICIENCY

The Cross-Contain™ Poly-Spillpallets are our lowest platform, highest containment structure available for up to 4-drums. Dynamic low profile designs allow for easy dispensing, filling and pumping.

The open sump grate configurations promote easy inspection and direct access to spills without needing to move the drums. Placing weight on the internal platform and not the sump walls allows the units to store up to (4) 55- gallon drums, with a spill capacity of up to 85 gallons. Maintain productivity while satisfying government regulations with these compact and economical units!



SuperShipper™

CROSS-CONTAIN™ POLY-SPILLPALLET

Part #	Description	Ext. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5393-BK	2-Drum	58 x 34.5 x 12 (147 x 88 x 31)	27 (12.2)	66 (250)	2,000 (907)
5393-BK-SUMPSump Only				70 (265)	
5394-BK	4-Drum	56 x 56 x 10 (142 x 142 x 25)	37 (16.8)	75 (284)	4,000 (1,814)
5394-BK-SUMPSump Only				85 (322)	

Regulations: 40 CFR 264.175, SPCC, NPDES and UFC

2, 4, 6 AND 8-DRUM WORKSTATIONS™

There's no need to worry about incidental spills on your factory floor. Workstations™ are easy to load with a low profile design and optional ramp. Each Workstation™ is designed for stand-alone use or can connect with other Workstations™, using link-locks™, for a customized work area.

- Forkliftable when empty.
- Tough, one-piece polyethylene construction that will not rust or corrode.
- Low-profile Workstations™ actually become part of your factory floor, optimizing space for increased safety and efficiency.
- Low profile drip and leak protection.
- Large sump capacity catches incidental spills.
- Removable heavy-duty structural foam grates for easy cleaning.
- Rolled-edge design helps resist cracking and warpage.
- Multi-Purpose Work Ramp™ hooks onto any Workstation™ for easy loading. (See page 12)
- Link-Locks™ create a solid workspace by attaching units. (See page 12)
- Tarps available for added protection. (See page 13)



WORKSTATIONS™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5117-YE	2-Drum	53 x 28.5 x 6 (135 x 72 x 15)	34 (15.4)	22 (83.2)	2,000 (907)
5116-YE	4-Drum	53 x 53 x 6 (135 x 135 x 15)	69 (31.3)	40 (151.4)	4000 (1814)
5115-YE	*6-Drum	77 x 53 x 6 (196 x 135 x 15)	102 (46.3)	61 (230.9)	6000 (2722)
5110-YE	*8-Drum	100 x 53.25 x 6 (254 x 135 x 15)	145 (65.8)	77 (291.4)	8,000 (3,629)

\*Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC






MULTI-PURPOSE WORK RAMP™  
RAMP UP YOUR WORK STATIONS.

For easy loading, hook the Multi-Purpose Work Ramp™ onto any Workstation™ to provide maximum efficiency with minimum effort.

The work ramp is small enough to stay out of your way, saving you valuable work and floorspace.



LINK-LOCK™  
SECURELY HOOKS MULTIPLE WORKSTATIONS™ TOGETHER.

Link and lock multiple Workstations™ together safely in a wide variety of configurations. Sold in pairs.

WORK RAMP™ & LINK-LOCK™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)	Quantity
5111-BK	Ramp	46 x 25.38 x 6.13 (117 x 64 x 16)	29.8 (13.5)	1,000 (454)	
5112-BK	Link-Lock	9.5 x 7 x 3.5 (24 x 18 x 9)	3 (1.3)		1 Pair

Regulations: EPA 40 CFR 264.175, SPCC, NPDES, and UFC (when used with workstation™)

ECONO SPILL SHELL™  
ECONOMICAL SPILL CONTAINMENT

Engineered drainage channels help facilitate the flow of spilled liquids away from containers for safe and effective clean-up.



4-DRUM ECONO  
SPILL SHELL™



2-DRUM ECONO  
SPILL SHELL™

- One-piece polyethylene construction that will not rust or corrode.
- Low profile design for easy loading
- Economy model spill pallet and spill tray designed for smaller containers
- 5" Sidewall allows for more sump space
- Diamond center pulls spills away from the drums
- Drip perimeter retains liquids for cleaner sump area

ECONO SPILL SHELL™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Sump Cap. gal. (L)
5002-BK	2-Drum	45 x 35 x 5 (115 x 89 x 12.5)	16.5 (7.5)	21.5 (81.4)
5004-BK	4-Drum	51 x 47 x 5 (130 x 119 x 12.5)	19.1 (8.7)	36 (136)

Regulations: EPA, SPCC and NPDES

TARPS

Specifically designed to fit ENPAC® Spill Containment Products, these reinforced HDPE tarps are used to cover drums stored on spill pallets and IBC's. Tarps prevent contamination of drums and sump area, permit easy visual inspection, and keep rainwater and debris out.

- Quick, easy way to protect spill pallets and IBCs outdoors
- Tarps are made with an elasticized bottom with adjustable straps
- UV-inhibitors resist the effects of weathering
- Constructed of High Density Polyethylene fabric
- Attached document pouch for holding chemical information, MSDS, and other documents

PERFECT  
PROTECTION

TARPS

Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)
5001-TARP	56.5 x 56.5 x 44 (144 x 144 x 112)	7 (3.2)
5102-TARP	99.5 x 30.75 x 43 (253 x 78 x 109)	9 (4)
5116-TARP	56.5 x 56.5 x 44 (144 x 144 x 112)	7 (3.2)
5117-TARP	60 x 39.25 x 43.31 (152 x 100 x 108)	5 (2.4)
5222-TARP	60 x 39.25 x 43.31 (152 x 100 x 108)	5 (2.4)
5253-TARP	60 x 39.25 x 43.31 (152 x 100 x 108)	5 (2.4)
5275-TARP	82.25 x 45 x 45.5 (209 x 114 x 116)	10 (4.5)
5300-TARP	71 x 34 x 26 (180 x 86 x 66)	4 (1.8)
5400-TARP	56.5 x 56.5 x 44 (144 x 144 x 112)	7 (3.2)
5469-TARP	80 x 76 x 73.75 (203 x 183 x 187)	15 (6.8)
5480-TARP	115 x 75 x 95 (292 x 191 x 191)	16 (7.3)
5550-TARP	115 x 75 x 50.5 (292 x 191 x 128)	12 (5.5)
2030-TARP (Poly-Top)	Diameter 24 (61)	1.3 (.6)
6595-TARP (Poly-Top)	Diameter 33 (84)	3 (1.4)
1259-TARP (Poly-Top)	Diameter 27 (69)	2.5 (1.1)
1299-TARP (Poly-Top)	Diameter 33 (84)	3 (1.4)

TARP FOR  
POLY-SPILLPALLET™ 2000  
PART # 5253-TARP



TARP FOR  
POLY-TANK/550™  
PART # 5550-TARP



TARP FOR  
LOW PROFILE IN-LINE  
POLY-SPILLPALLET™ 3000  
PART # 5102-TARP



TARP FOR  
POLY-SPILLPALLET™ 6000  
PART # 5001-TARP



TARP FOR  
POLY-TANK/275™  
PART # 5275-TARP



TARP FOR  
POLY-SLIM-LINE™ 6000  
PART # 5400-TARP



TARP FOR  
POLY-DOLLY®  
PART # 5300-TARP



TARP FOR  
IBC 2000I™  
PART # 5469-TARP



POLY-TOP  
OVERPACK TARPS



Note: Tarps may hold static electricity. Grounding straps available, call for details.  
Custom sizes available.





# DUCK PONDS

Our duck ponds are perfect for projects where storage space is limited. Small enough to fit in a cabinet or store on a shelf, a Duck Pond can hold various drum sizes with ease and affordability. Providing both reliable and reusable secondary containment for oils, fluids, and gasolines; ponds are easy to maneuver and can withstand extreme cold temperatures to -55°F/-48°C.

The uses are endless! For quick response to leaking machines, preventative maintenance, and emergency drips, ponds are the perfect quick-grab item. Ideal for small areas and rapid deployment.

Great for:

- Quick use under leaking vehicles/machines
- Truck/Tractor emergency drips
- A low-sidewall pop-up pool alternative
- Changing oils/fluids
- Protecting a ground surface while dispensing
- Performing maintenance on any item that has spill potential



Duck Ponds are available in various sizes, contain a 4" low-profile sidewall, and are leak tested with an unbeatable ENPAC warranty.

## DUCK PONDS

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
5622-YE	2 x 2 x 4" (.6 x .6 x 10 cm)	7 (3.2)	10 (38)
5623-YE	2 x 3 x 4" (.6 x .9 x 10 cm)	8 (3.6)	15 (57)
5624-YE	2 x 4 x 4" (.6 x 1.2 x 10 cm)	10 (4.5)	20 (76)
5633-YE	3 x 3 x 4" (.9 x .9 x 10 cm)	10 (4.5)	22.5 (85)
5634-YE	3 x 4 x 4" (.9 x 1.2 x 10 cm)	12 (5.5)	29 (109)
5635-YE	3 x 5 x 4" (.9 x 1.5 x 10 cm)	14 (6.4)	37 (140)
5644-YE	4 x 4 x 4" (1.2 x 1.2 x 10 cm)	14 (6.4)	40 (151)
5645-YE	4 x 5 x 4" (1.2 x 1.5 x 10 cm)	16 (7.3)	49 (185)
5646-YE	4 x 6 x 4" (1.2 x 1.8 x 10 cm)	18 (8.2)	60 (227)
5648-YE	4 x 8 x 4" (1.2 x 2.4 x 10 cm)	26 (11.8)	79 (299)
5655-YE	5 x 5 x 4" (1.5 x 1.5 x 10 cm)	18 (8.2)	62 (234)
5656-YE	5 x 6 x 4" (1.5 x 1.8 x 10 cm)	22 (10)	74 (280)
5666-YE	6 x 6 x 4" (1.8 x 1.8 x 10 cm)	26 (11.8)	89 (336)

Regulations: EPA, SPCC and NPDES

# FOLDING DUCK PONDS

Made with the same durable, quality as the standard Duck Pond, the new Folding Duck Ponds feature a thinner, 2" sidewall with a safety-secure strap for easy folding and compact storage to create ample travel space.

The extended 6" sidewall height allows for up to 30% more spill capacity and 100% peace of mind.



Conveniently folds saving shipping and storage space!

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE



## FOLDING DUCK PONDS

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
5622-YE-F	2 x 2 x 6" (.6 x .6 x 15 cm)	5 (2.3)	14 (53)
5623-YE-F	2 x 3 x 6" (.6 x .9 x 15 cm)	6 (2.7)	22 (83)
5624-YE-F	2 x 4 x 6" (.6 x 1.2 x 15 cm)	8 (3.6)	29 (109)
5633-YE-F	3 x 3 x 6" (.9 x .9 x 15 cm)	7 (3.2)	33 (124)
5644-YE-F	4 x 4 x 6" (1.2 x 1.2 x 15 cm)	9 (4)	59 (223)
5646-YE-F	4 x 6 x 6" (1.2 x 1.8 x 15 cm)	14 (6.4)	59 (223)
5648-YE-F	4 x 8 x 6" (1.2 x 2.4 x 15 cm)	18 (8.2)	79 (299)
5656-YE-F	5 x 6 x 6" (1.5 x 1.8 x 15 cm)	16 (7.3)	74 (280)

Regulations: EPA, SPCC and NPDES

# POLY-SPILLPAD™

Keep the floor clean with Poly-Spillpad™! Handles spent batteries, 5-gallon pails, 16-gallon drums, and the messiest of "smaller" jobs. Sturdy inner polyethylene grate provides protection while vinyl berm keeps incidental spills contained. Poly-Spillpad™ is lightweight and easily moved. Great on your plant floors or to prevent incidental spills on the go! The large sump area allows for an extended response time.

- Removable 100% polyethylene grate allows easy access to the sump.



## POLY-SPILLPAD™

Part #	Description	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
5600-YE	Small	2 x 2 x 2" (.6 x .6 x 5cm)	11 (5)	2 (7.6)
5610-YE	Medium	4 x 2 x 2" (1.2 x .6 x 5cm)	20 (9.07)	7.5 (28.5)
5620-YE	Large	4 x 4 x 2" (1.2 x 1.2 x 5cm)	40 (18.14)	12 (45.5)

Regulations: EPA, SPCC and NPDES



NEW!

# FILTER SPILLPADS™

Contain. Absorb. Replace. Reuse.

The ENPAC Filter Spillpad offers the same great features as the classic Poly-Spillpad, with the added convenience of built-in absorbent socks. The replaceable universal absorbents soak up any liquid spilled in the containment area for a quick, hassle free clean up.

## FILTER SPILLPADS™

Part #	Dimensions L x W x H ft. (m)	Absorption oz. (L)	Flow Rate GPM (LPM)	Weight lb. (kg)
5603-YE	2 x 2 x 3" (.6 x .6 x 7.6 cm)	76 (2.25)	8.5 (32.18)	8 (3.3)
5605-YE	2 x 4 x 3" (.6 x 1.2 x 7.6 cm)	76 (2.25)	8.5 (32.18)	10 (4.5)
5607-YE	4 x 4 x 3" (1.2 x 1.2 x 7.6 cm)	76 (2.25)	8.5 (32.18)	12 (5.4)
56-38-SOCLOG	3" x 8 (8 x 20cm)	76 (2.25)	8.5 (32.18)	1 (.45) (4/case)

# FLEXIBLE RACK SUMP INSERTS

The ENPAC Flexible Rack Sump is an innovative solution to your shelving storage containment needs. Durable, yet portable design allows this unit to be easily moved without any equipment. Simply secure it in place around the rack using the integral grommets for immediate spill containment. CAD designed and built with heavy-duty materials for precision and resilience, this unit makes a great permanent addition to any chemical storage area, but conveniently folds out of the way when not in use. This unique product can be manufactured in custom sizes to fit any storage rack system. The Flexible Rack Sump is the ideal addition to a well-rounded, safety-conscious work environment.

Features:

- Drain
- Sloping base to allow for easy draining
- Optional Accessories: Page 17

NEW!



## FLEXIBLE RACK SUMP INSERTS

Part #	Dimensions L x W in. (cm)	Rack Size in. (cm)
464248-RS	42 x 48 x 3 (107 x 123 x 7.5)	3.5 (8.9)







# SPILLPAL™

THE MOST AFFORDABLE, AND CONVENIENT TEMPORARY STORAGE.

The flexible-sidewall SpillPal™ line is the easiest to use and the most affordable hazardous material storage product on the market today. SpillPal™ provides incidental spill control during temporary storage of drums, machine parts, tanks, and generators. It can also be used as a washdown pad or pumping station. A great alternative to hard plastic pallets, the ENPAC® SpillPal™ features foam sidewalls that easily spring back into place after any type of pressure is applied. With 6 configurations and custom sizes available, SpillPal™ is perfect for any job.



SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE



Reusable! When you're done, just clean, fold, and place on a shelf!  
Frees up valuable floor space!



SPILLPAL™				
Part #	Description	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
5750-YE	1-Drum	2 x 2 x 3" (.6 x .6 x 8 cm)	2 (1)	7 (26)
5750-YE-G	(with grate)		11 (5)	6 (22.7)
5755-YE	2-Drum	2 x 4 x 3" (.6 x 1.2 x 8 cm)	4 (2)	14 (53)
5755-YE-G	(with grate)		22 (10)	12 (45.4)
5760-YE	4-Drum	4 x 4 x 3" (1.2 x 1.2 x 8 cm)	5 (2.5)	29 (110)
5760-YE-G	(with grates)		41 (18.5)	24 (91)
5765-YE	4-Drum In-Line	2 x 8 x 3" (.6 x 2.4 x 8 cm)	6 (2.7)	29 (110)
5765-YE-G	(with grates)		42 (19)	24 (91)
5770-YE	6-Drum	4 x 6 x 3" (1.2 x 1.8 x 8 cm)	7 (3.2)	44 (167)
5770-YE-G	(with grates)		61 (28)	36 (136)
5775-YE	8-Drum	4 x 8 x 3" (1.2 x 2.4 x 8 cm)	9 (4.1)	59 (223)
5775-YE-G	(with grates)		81 (37)	48 (182)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

Store anything from one drum to two IBCs! Six models are available, each with optional grates.




No need for ramps. Flexible sidewalls spring back to form. Allows easy drive-in and drive-out with a hand truck or forklift. The 4-drum unit holds one

## GRATES

New replacement grates are available for when contamination occurs. Call ENPAC® customer service for details.

GRATES			
Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)
7006-BK	Full Grate	48 x 23 x 2 (122 x 58 x 5)	18 (8)
7007-BK	1/2 Grate	24 x 23 x 2 (61 x 58 x 5)	9 (4)



# DRIP DAM™

LEAK DIVERTER

Get instant drip diversion with the Drip Dam™ leak diverter. Available in custom sizes, this funnel-style fast response tool will channel away liquids minimizing the risk of slip-and-fall injuries and contamination. A flowrate of over three (3) gallons per minute and a convenient hose connector with cap make containing and redirecting drips, drops, and leaks a breeze!

CUSTOM  
SIZES  
AVAILABLE



Key Features Include:

- Fast & efficient response to overhead leaks
- Lightweight
- Easy to handle, use, & store
- High chemical resistance
- Flow rate of over 3 gallons per minute
- Reusable & reliable
- Custom sizes & shapes available!

DRIP DAM™ LEAK DIVERTERS		
Part #	Dimensions L x W ft. (m)	Weight lb. (kg)
460303-YE	3 x 3 (.9 x .9)	2 (.9)
460306-YE	3 x 6 (.9 x 1.8)	3.5 (1.6)
460310-YE	3 x 10 (.9 x 3)	5 (2.3)
460505-YE	5 x 5 (1.5 x 1.5)	4 (1.8)
460606-YE	6 x 6 (1.8 x 1.8)	5 (2.3)
460610-YE	6 x 10 (1.8 x 3)	7 (3.2)
460612-YE	6 x 12 (1.8 x 3.7)	9 (4.1)
461010-YE	10 x 10 (3 x 3)	9 (4.1)
461012-YE	10 x 12 (3 x 3.7)	9 (4.1)
461212-YE	12 x 12 (3.7 x 3.7)	10 (4.5)
461220-YE	12 x 20 (3.7 x 6.1)	13.5 (6.1)
461818-YE	18 x 18 (5.5 x 5.5)	14 (6.4)
462424-YE	24 x 24 (7.3 x 7.3)	15 (6.8)



## DROP CEILING LEAK DIVERTER

Drop Ceiling Leak Diverter is designed to perfectly replace your ceiling tiles while capturing leaks.

### DROP CEILING LEAK DIVERTER

Part #	Dimensions L x W in. (cm)	Weight lb. (kg)
4622-YE-DC	24 x 24 (61 x 61)	2 (.9)
4624-YE-DC	24 x 48 (61 x 122)	4 (1.8)

Hose not included

## ROUND LEAK DIVERTER

Leaky pipes pose a serious safety hazard to people and property. Easily contain drips with this funnel-shaped leak diverter, then re-route them to an appropriate drain by connecting a hose (Not included) to the standard 3/4" fitting.

### ROUND LEAK DIVERTER

Part #	Dimensions L x W in. (cm)	Weight lb. (kg)
46R18-YE	18 x 18 x 18" (.45 x .45 x .45)	1 (.5)

NEW!



## DIVERTER ACCESSORIES

DIVERT THE SPILLS WHERE YOU WANT THEM.

Designed to fit all ENPAC leak diverters and rack sump inserts, this hose is manufactured with a clear PVC & nylon fittings allowing captured liquid to safely flow to your choice of containment.



### LEAK DIVERTER ACCESSORIES

Part #	Dimensions L x W ft. (m)
46-HOSE-10	10 x 3/4" (3 x 1.9cm)
46-HOSE-25	25 x 3/4" (7.6 x 1.9cm)





# STINGER ECONO-BERM™

YOUR LOW COST SOLUTION FOR ALL FLEXIBLE CONTAINMENT NEEDS

ENPAC's new Stinger Econo-berm, featuring a highly chemically resistant fabric and removable aluminum stays, creates a cost effective alternative to comparable products. The light, yet durable fabric and 12" supports allow for efficient transportation, convenient setup, and easy tear-down. Versatile engineering allows setup to be customized to user's preference. Depending on your unique setup, stays can be turned in or out for ultimate convenience. The Stinger Econo-berm is the perfect, low cost, low profile solution for your flexible containment needs.



NEW!

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE



## STINGER ECONO-BERM™

Part #	Dimensions W x L x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-441-AS	4 x 4 x 1 (1.2 x 1.2 x 30cm)	16 (7.3)	119 (450)
48-461-AS	4 x 6 x 1 (1.2 x 1.8 x 30cm)	20 (9.1)	179 (677)
48-551-AS	5 x 5 x 1 (1.5 x 1.5 x 30cm)	22 (10)	187 (707)
48-661-AS	6 x 6 x 1 (1.8 x 1.8 x 30cm)	25 (11.3)	269 (1018)
48-861-AS	8 x 6 x 1 (2.4 x 1.8 x 30cm)	33 (15)	359 (1358)
48-10101-AS	10 x 10 x 1 (3 x 3 x 30cm)	54 (24.5)	748 (2831)
48-12201-AS	12 x 20 x 1 (3.7 x 6.1 x 30cm)	108 (49)	1795 (6794)
48-12301-AS	12 x 30 x 1 (3.7 x 9.1 x 30cm)	155 (70.3)	2692 (10190)
48-12401-AS	12 x 40 x 1 (3.7 x 12.2 x 30cm)	200 (90.7)	3590 (13589)
48-12501-AS	12 x 50 x 1 (3.7 x 15.24 x 30cm)	250 (113.4)	4488 (16988)
48-12601-AS	12 x 60 x 1 (3.7 x 18.3 x 30cm)	295 (133.8)	5385 (20384)

Regulations: EPA, SPCC, NPDES

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.

# STINGER SPILLPAL™ WITH REMOVABLE FOAM SIDEWALLS

Keeping the job moving without sacrificing safety or compliance, Stinger Spillpal™ increases product versatility while featuring drive thru removable foam sidewall logs; providing protection from harsh chemicals and minimizing storage space. Available in (13) standard sizes and (3) material variations. The sturdy, user-friendly 4.5" sidewall construction incorporates high strength connectors and a two-way air relief system that facilitates entry & exit capabilities at any angle.



- *Economy* Stinger Spillpal™ is designed for indoor and temporary outdoor use.
- *Standard* Stinger Spillpal™ is designed for indoor and outdoor use with moderate to heavy traffic.
- *Heavy Duty* Stinger Spillpal™ is designed for rugged outdoor use with heavy to extreme traffic.

WORLD'S  
BEST!  
FOR DRILLERS

## STINGER SPILLPAL™

Size ft.	Description	Part #	Dimensions W x L x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)	Ground Pad	TracMat
12 x 15	Economy	4901-YE	12 x 15 x 4" (3.7 x 4.6 x 10 cm)	65 (29.5)	505 (1,910)	4901-GP	4901-TM
	Standard	4901-BK	12 x 15 x 4" (3.7 x 4.6 x 10 cm)	80 (36.3)	505 (1,910)		
	Heavy Duty	4901-TN	12 x 13 x 4" (3.7 x 4 x 10 cm)	80 (36.3)	438 (1,658)		
12 x 20	Economy	4902-YE	12 x 21 x 4" (3.7 x 6.4 x 10 cm)	87 (39.5)	707 (2,696)	4902-GP	4902-TM
	Standard	4902-BK	12 x 21 x 4" (3.7 x 6.4 x 10 cm)	111 (50.3)	707 (2,696)		
	Heavy Duty	4902-TN	12 x 19 x 4" (3.7 x 5.8 x 10 cm)	105 (47.6)	640 (2,422)		
12 x 30	Economy	4903-YE	12 x 33 x 4" (3.7 x 10 x 10 cm)	120 (54.4)	1,110 (4,201)	4903-GP	4903-TM
	Standard	4903-BK	12 x 33 x 4" (3.7 x 10 x 10 cm)	154 (69.9)	1,110 (4,201)		
	Heavy Duty	4903-TN	12 x 30 x 4" (3.7 x 9.1 x 10 cm)	150 (68)	1,010 (3,823)		
12 x 40	Economy	4904-YE	12 x 39 x 4" (3.7 x 11.9 x 10 cm)	140 (63.5)	1,310 (4,958)	4904-GP	4904-TM
	Standard	4904-BK	12 x 39 x 4" (3.7 x 11.9 x 10 cm)	185 (83.9)	1,310 (4,958)		
	Heavy Duty	4904-TN	12 x 41 x 4" (3.7 x 12.5 x 10 cm)	192 (87)	1,380 (5,223)		
12 x 50	Economy	4905-YE	12 x 51 x 4" (3.7 x 15.5 x 10 cm)	175 (79.4)	1,715 (6,492)	4905-GP	4905-TM
	Standard	4905-BK	12 x 51 x 4" (3.7 x 15.5 x 10 cm)	250 (113.4)	1,715 (6,492)		
	Heavy Duty	4905-TN	12 x 52 x 4" (3.7 x 15.8 x 10 cm)	250 (113.4)	1,750 (6,624)		
12 x 60	Economy	4906-YE	12 x 63 x 4" (3.7 x 19.2 x 10 cm)	220 (99.8)	2,121 (8,029)	4906-GP	4906-TM
	Standard	4906-BK	12 x 63 x 4" (3.7 x 19.2 x 10 cm)	280 (127)	2,121 (8,029)		
	Heavy Duty	4906-TN	12 x 63 x 4" (3.7 x 19.2 x 10 cm)	300 (136.1)	2,121 (8,029)		
24 x 40	Economy	4907-YE	24 x 39 x 4" (7.3 x 11.9 x 10 cm)	235 (106.6)	2,626 (9,940)	4907-GP	4907-TM
	Standard	4907-BK	24 x 39 x 4" (7.3 x 11.9 x 10 cm)	310 (140.6)	2,626 (9,940)		
	Heavy Duty	4907-TN	24 x 41 x 4" (7.3 x 12.5 x 10 cm)	330 (149.7)	2,760 (10,448)		
24 x 50	Economy	4908-YE	24 x 51 x 4" (7.3 x 15.5 x 10 cm)	285 (129.3)	3,434 (12,999)	4908-GP	4908-TM
	Standard	4908-BK	24 x 51 x 4" (7.3 x 15.5 x 10 cm)	390 (176.9)	3,434 (12,999)		
	Heavy Duty	4908-TN	24 x 52 x 4" (7.3 x 15.8 x 10 cm)	410 (186)	3,501 (13,253)		
24 x 60	Economy	4909-YE	24 x 63 x 4" (7.3 x 19.2 x 10 cm)	345 (156.5)	4,241 (16,053)	4909-GP	4909-TM
	Standard	4909-BK	24 x 63 x 4" (7.3 x 19.2 x 10 cm)	470 (213)	4,241 (16,053)		
	Heavy Duty	4909-TN	24 x 63 x 4" (7.3 x 19.2 x 10 cm)	485 (220)	4,241 (16,053)		
36 x 40	Economy	4910-YE	36 x 39 x 4" (11 x 11.9 x 10 cm)	290 (131.5)	3,939 (14,911)	4910-GP	4910-TM
	Standard	4910-BK	36 x 39 x 4" (11 x 11.9 x 10 cm)	410 (186)	3,939 (14,911)		
	Heavy Duty	4910-TN	36 x 41 x 4" (11 x 12.5 x 10 cm)	435 (197.3)	4,140 (15,672)		
36 x 50	Economy	4911-YE	36 x 51 x 4" (11 x 15.5 x 10 cm)	390 (176.9)	5,150 (19,495)	4911-GP	4911-TM
	Standard	4911-BK	36 x 51 x 4" (11 x 15.5 x 10 cm)	530 (240.4)	5,150 (19,495)		
	Heavy Duty	4911-TN	36 x 52 x 4" (11 x 15.8 x 10 cm)	555 (251.7)	5,251 (19,877)		
60	Economy	4912-YE	36 x 63 x 4" (11 x 19.2 x 10 cm)	500 (226.8)	6,362 (24,083)	4912-GP	36 x 4912-TM
	Standard	4912-BK	36 x 63 x 4" (11 x 19.2 x 10 cm)	650 (294.8)	6,362 (24,083)		
	Heavy Duty	4912-TN	36 x 63 x 4" (11 x 19.2 x 10 cm)	670 (303.9)	6,362 (24,083)		
48 x 60	Economy	4913-YE	48 x 63 x 4" (14.6 x 19.2 x 10 cm)	640 (290.2)	8,483 (32,112)	4913-GP	4913-TM
	Standard	4913-BK	48 x 63 x 4" (14.6 x 19.2 x 10 cm)	831 (376.9)	8,483 (32,112)		
	Heavy Duty	4913-TN	48 x 63 x 4" (14.6 x 19.2 x 10 cm)	855 (387.8)	8,483 (32,112)		

Can't find the size you need? ENPAC® offers unlimited custom sizes and materials upon request.

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.





# STINGER YELLOW JACKET™



Optional grates available.  
(Part # 7006-BK).

Stop storing truck, automobile, and other batteries on the ground or wooden pallets. Carry this lightweight, portable unit to prevent spills from occurring. Made of industrial vinyl-coated polyester, it is chemical-resistant and stands up to corrosive battery acid. Optional polyethylene grates remove for easy access to the sump. Stinger Yellow Jacket™ folds for compact storage and transport. Unique snap-up support stays create a sturdy sidewall when unit is opened. Excellent for decontamination applications! (Cold rated to -55° F/-48° C.)

### STINGER YELLOW JACKET™

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
57-448-YE-SU	4 x 4 x 8" (1.22 x 1.22 x 20 cm)	15 (7)	80 (302)
57-468-YE-SU	4 x 6 x 8" (1.22 x 1.83 x 20 cm)	18 (8)	120 (454)
57-488-YE-SU	4 x 8 x 8" (1.22 x 2.44 x 20 cm)	28 (13)	160 (605)
57-668-YE-SU	6 x 6 x 8" (1.83 x 1.83 x 20 cm)	24 (11)	180 (681)
57-888-YE-SU	8 x 8 x 8" (2.44 x 2.44 x 20 cm)	31 (14)	320 (1,211)
57-8108-YE-SU	8 x 10 x 8" (2.44 x 3.05 x 20 cm)	38 (17.3)	400 (1,514)
57-10108-YE-SU	10 x 10 x 8" (3.05 x 3.05 x 20 cm)	36 (16.4)	501 (1,896)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

# DRIPILLOW BERMS™

Dripillow Berm™ is now available in (2) variations and (8) sizes to capture all outdoor leaks and drips. Designed for utilization as a durable, portable drip-pan, Dripillow is compatible with all fuels and hydrocarbons. The stable weighted base prevents flips and splashes of your contained liquids in the harshest weather conditions. All units fold for easy carrying and eliminate nuisance drips under vehicles, hydraulic lines, or equipment.

- No flipping or splashing
- Refill pads available
- Folds for easy carrying
- Additional colors & sizes available by request

### Features:

- Standard** – Best-selling design and quality including grounding strap, weighted base and UV resistant removable pad.
- Off-Road** – Corner grommets and an additional weighted base allow for easy staking and added peace of mind in high-wind and rugged terrain applications.

### STANDARD DRIPILLOW BERMS™

Part #	Size	Description	Ext. Dimensions L x W in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Quantity
5650-YE	Small	Dripillow Berm w/Pad	22 x 22 (51 x 51)	7 (3.2)	1 (3.8)	1
5655-WH	Small	Refill Pads				5/case
5660-YE	Medium	Dripillow Berm w/Pad	24 x 36 (61 x 91)	8 (3.6)	2 (7.6)	1
5665-WH	Medium	Refill Pads				5/case
5670-YE	Large	Dripillow Berm w/Pad	24 x 54 (61 x 137)	9 (4.1)	3 (11.4)	1
5675-WH	Large	Refill Pads				5/case
5680-YE	X-Large	Dripillow Berm w/Pad	38 x 42 (96 x 107)	9 (4.1)	4 (15.1)	1
5685-WH	X-Large	Refill Pads				5/case

### OFF-ROAD DRIPILLOW BERMS™

Part #	Size	Description	Ext. Dimensions L x W in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Quantity
5690-YE	Small	Off-Road Dripillow Berm w/Pad	36 x 36 (91 x 91)	12 (5.4)	4 (15)	1
5690-WH	Small	Refill Pads				5/case
5691-YE	Medium	Off-Road Dripillow Berm w/Pad	36 x 72 (91 x 183)	15 (6.8)	10 (38)	1
5691-WH	Medium	Refill Pads				5/case
5692-YE	Large	Off-Road Dripillow Berm w/Pad	48 x 48 (122 x 122)	19 (8.6)	8 (30)	1
5692-WH	Large	Refill Pads				5/case
5693-YE	X-Large	Off-Road Dripillow Berm w/Pad	48 x 60 (122 x 152)	21 (9.5)	12 (45)	1
5693-WH	X-Large	Refill Pads				5/case

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.

# STINGER SNAP-UP BERM™

THE WORLDWIDE LEADER IN LARGE, AGGRESSIVE AND IMMEDIATE SPILL RESPONSE.

The ENPAC® Stinger Berm™ leads the industry with its wide range of sizes and capacities for large-scale spill containment. Stinger Berms feature excellent rip, tear, and puncture resistance for the most demanding application or terrain. Ground Pad and TracMat™ provide additional protection.

- Easy to assemble snap-up design provides immediate response
- Compact storage and transport
- Air-lance tested containment welds for maximum product performance
- Lap joint welds for maximum strength
- Individual serial numbers
- CAD designed and cut components
- Fuel/chemical resistant containment area
- Custom sizes and special materials available
- Cold rated to -30° F/-34° C
- Available in Arctic Grade
- Now available in a 2' L-Bracket sidewall!



NEW SIZES!



Easy set up and take down.  
Custom sizes and special materials available.



### STINGER SNAP-UP BERMS™

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-448-BK-SU	4 x 4 x 8" (1.2 x 1.2 x 20 cm)	11 (5)	80 (302)
48-441-BK-SU	4 x 4 x 1 (1.2 x 1.2 x 30 cm)	18 (11.4)	119 (451)
48-468-BK-SU	4 x 6 x 8" (1.2 x 1.8 x 20 cm)	25 (8)	119 (451)
48-461-BK-SU	4 x 6 x 1 (1.2 x 1.8 x 30 cm)	28 (13)	179 (678)
48-488-BK-SU	4 x 8 x 8" (1.2 x 2.4 x 20 cm)	21 (9.5)	159 (602)
48-5101-BK-SU	5 x 10 x 1 (1.5 x 3 x 30 cm)	45 (20)	374 (1,416)
48-661-BK-SU	6 x 6 x 1 (1.8 x 1.8 x 30 cm)	37 (16.3)	269 (1,018)
48-888-BK-SU	8 x 8 x 8" (2.4 x 2.4 x 20 cm)	35 (16)	319 (1,207)
48-10101-BK-SU	10 x 10 x 1 (3 x 3 x 30 cm)	60 (27.3)	748 (2,831)
48-12121-BK-SU	12 x 12 x 1 (3.7 x 3.7 x 30 cm)	80 (36.3)	1,077 (4,077)
48-16161-BK-SU	16 x 16 x 1 (4.9 x 4.9 x 30 cm)	113 (51)	1,914 (7,245)
48-10261-BK-SU	10 x 26 x 1 (3 x 7.9 x 30 cm)	122 (55)	1,944 (7,359)
48-10401-BK-SU	10 x 40 x 1 (3 x 12.2 x 30 cm)	150 (68)	2,992 (11,326)
48-10451-BK-SU	10 x 45 x 1 (3 x 13.7 x 30 cm)	155 (70)	3,366 (12,742)
48-12201-BK-SU	12 x 20 x 1 (3.7 x 6 x 30 cm)	130 (58)	1,795 (6,795)
48-12261-BK-SU	12 X 26 X 1 (3.7 X 7.9 X 30 cm)	140 (63)	2,334 (8,835)
48-12361-BK-SU	12 x 36 x 1 (3.7 x 11 x 30 cm)	165 (74.8)	3,231 (12,230)
48-12501-BK-SU	12 x 50 x 1 (3.7 x 15.2 x 30 cm)	250 (113)	4,488 (16,989)
48-15501-BK-SU	15 x 50 x 1 (4.6 x 15.2 x 30 cm)	268 (121)	5,610 (21,236)
48-14541-BK-SU	14 x 54 x 1 (4.3 x 16.5 x 30 cm)	252 (114.5)	5,654 (21,402)
48-12601-BK-SU	12 x 60 x 1 (3.7 x 18.3 x 30 cm)	285 (129)	5,385 (20,384)
48-14661-BK-SU	14 x 66 x 1 (4.3 x 20.1 x 30 cm)	337 (153)	6,911 (26,160)
48-14851-BK-SU	14 x 85 x 1 (4.3 x 25.9 x 30 cm)	500 (227)	8,901 (33,693)
48-20401-BK-SU	20 x 40 x 1 (6 x 12.2 x 30 cm)	280 (127)	5,984 (22,652)
48-20601-BK-SU	20 x 60 x 1 (6 x 18.3 x 30 cm)	600 (272)	8,976 (33,979)
48-25401-BK-SU	25 x 40 x 1 (7.6 x 12.2 x 30 cm)	310 (140)	7,480 (28,314)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES



### STINGER 2' L-BRACKET BERMS™

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-10102-BK-SS	10 x 10 x 2 (3 x 3 x 61 cm)	180 (81)	1,496 (5,663)
48-10242-BK-SS	10 x 24 x 2 (3 x 7.3 x 61 cm)	275 (124.7)	3,591 (13,592)
48-15152-BK-SS	15 x 15 x 2 (4.6 x 4.6 x 61 cm)	220 (99)	3,366 (12,742)
48-20202-BK-SS	20 x 20 x 2 (6.1 x 6.1 x 61 cm)	380 (172)	5,984 (22,652)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE





# STINGER SNAP-FOAM BERM™

TRUE DRIVE-IN/DRIVE-OUT CAPABILITY



After one-time setup, the ENPAC® Snap-Foam Berm allows for continual drive in and out without ever having to modify the side-walls! The Foam Sidewall system consists of (PE) polyethylene foam encased in a fuel and chemical resistant membrane cover. The end sidewall design incorporates high strength connectors and a system that facilitates automatic entry and exit without assistance. The foam logs utilized with this this system ensure that tankers may move at will. The Snap-Foam Berm is manufactured and tested to the most stringent quality controls. The Snap-Foam Berm is made of the highest quality material in the industry. Custom sizes available, standard color is black.

- True drive in/drive out capability
  - Easy-to-assemble design permits immediate response
  - Compact storage and transport
  - Air-lance tested containment welds for maximum product performance
  - Foam end caps form system to snap end sidewalls back to their upright position
  - Cold rated to -30° F/-34 °C
- Lap joint welds for maximum strength
  - Individual serial numbers
  - CAD designed and cut components
  - Fuel/chemical resistant containment area
  - Custom sizes and special materials available



Custom sizes and special materials available.

Shown with TracMat™

Detail view

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE

**BERM ACCESSORIES:**  
**GROUND PAD, TRACMAT™,**  
**STORAGE BAG, BAZOOKA®**  
**TRICKLE FILTER**  
**SEE PAGES 24 & 25**



**STINGER SNAP-FOAM BERM™**

Part #	Dimensions W x L x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-10261-BK-SF	10 x 26 x 1 (3 x 7.9 x 30 cm)	142 (64.4)	1,944 (7,358)
48-12361-BK-SF	12 x 36 x 1 (3.7 x 11 x 30 cm)	198 (89.8)	3,231 (12,230)
48-14541-BK-SF	14 x 54 x 1 (4.3 x 16.5 x 30 cm)	252 (114)	5,654 (21,402)
48-12601-BK-SF	12 x 60 x 1 (3.7 x 18.3 x 30 cm)	293 (132)	5,385 (20,384)
48-14851-BK-SF	14 x 85 x 1 (4.3 x 25.9 x 30 cm)	475 (215)	8,901 (33,693)

Regulations: EPA, SPCC, NPDES

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.

# STINGER POLYBERM™

CONTAINMENT SYSTEMS

LINK & LATCH YOUR WAY TO CUSTOM CONTAINMENT

The PolyBerm™ System is a heavy duty, re-useable secondary containment unit with an innovative modular design and an ENPAC® Approved sump liner. All components are stacked and nested to implement quick, easy setup and efficient, cost-effective shipping and storage. No special tools or lifting equipment are required, allowing for ease of assembly and site flexibility. In addition, PolyBerm™ is not secured to the substrate, making it perfect for both long term and temporary use in parking lots, sand, rocky or muddy soil, frozen ground or on concrete areas.

**PolyBerm™'s Benefits Include:**

- 4' long by 3' high straight walls
- 8' long by 3' high corner walls
- Rugged, yet low-cost secondary containment system for storage tanks
- No excavation or no anchoring to substrate required – ideal for paved areas no loose parts
- Light weight, modular design installed by as few as two people
- Ideal for construction zones as movable barricades and safety barriers
- Portable plastic units stack when not in use
- Flexible use in cold, hot, or wet environments
- Removable sump liner for easy decontamination



Stacks for convenient storage and transport.



Lightweight for easy lifting & positioning.



Rugged & reliable construction provide an easy-assembly barricade.

**STINGER POLYBERM™ CONTAINMENT**

Part #	Dimensions W x L x H ft. (m)	Spill Cap. gal. (L)
45-21213-PB-L	21 x 21 x 3 (6.4 x 6.4 x .9)	9,896 (37,460)
45-17533-PB-L	17 x 53 x 3 (5.2 x 16.2 x .9)	20,219 (76,537)
45-25653-PB-L	25 x 65 x 3 (7.6 x 19.8 x .9)	36,467 (138,042)
45-49493-PB-L	49 x 49 x 3 (14.9 x 14.9 x .9)	53,882 (203,965)
45-33813-PB-L	33 x 81 x 3 (10 x 24.7 x .9)	59,986 (227,071)
45-21214-PB-L	21 x 21 x 4 (6.4 x 6.4 x 1.2)	13,195 (49,948)
45-17534-PB-L	17 x 53 x 4 (7.6 x 19.8.2 x 1.2)	26,959 (102,050)
45-25654-PB-L	25 x 65 x 4 (6.4 x 6.4 x 1.2)	48,623 (184,058)
45-49494-PB-L	49 x 49 x 4 (14.9 x 14.9 x 1.2)	71,842 (271,951)
45-33814-PB-L	33 x 81 x 4 (10 x 24.7 x 1.2)	79,981 (302,761)

Regulations: EPA, SPCC, NPDES

The berm capacity is based on dimensions, low flow rate, a level surface and no displaced volume.  
Manufactured by Polystar



NOW  
AVAILABLE  
WITH 1, 2 & 4'  
SIDEWALLS

NEW!



Each interlocking joint is secured with a Locking Connector integral to the wall strut. This joining system ensures high structural strength with minimal installation effort.



# BERM ACCESSORIES

## BERM REPAIR KITS™

Fix or repair your damaged berms with a Berm Repair Kit. Choose the standard option for a quick-fix or Deluxe for everything needed to get your berm good as new.

### DELUXE BERM REPAIR KIT™




#### BERM REPAIR KITS™

Part #	Description	Weight lb. (kg)	Kit Includes
48-BRK	Standard	1 (.5)	(5) 8" x 11" Peel and Stick Sheets
48-BRK-DLX-12	Deluxe For 12" side walls	15 (6.8)	1 Leister Professional Heat Gun, XR Material 1 sq. yd. (Black), PVC material 1 sq.yd. (Yellow),
48-BRK-DLX-8	Deluxe For 8" side walls	15 (6.8)	4 Replacement Berm Stays, 5 8" x 11" Peel & stick sheets, 1 Rubber Brayer Roller, 1 Cutting Knife, 1 Locking Tool Box

### HOSE BRIDGE

Connect your containment sumps without damaging sidewalls with the convenient Hose Bridge.



### TRACMAT™

When placed inside the berm, TracMat™ allows trucks to drive in and out while protecting the berm from punctures and tears. Available in sizes and dimensions to match any style Stinger Berm™.



### STORAGE AND TRANSPORT BAG

Heavy duty, chemically resistant bag for ease in maneuverability and storage.



### GROUND PAD

To protect berms from rough terrain, ENPAC offers the super-tough Ground Pad. Place under the berm directly to prevent underside punctures from sharp objects.



#### BERM ACCESSORIES

Part #	Description	For Use With
48-8-AL-BR	Hose Bridge	All Berms
48-36-TM2	TracMat™	6' Length (2, 3' x 6')
48-38-TM2	TracMat™	8' Length (2, 3' x 8')
48-310-TM2	TracMat™	10' Length (2, 3' x 10')
48-312-TM2	TracMat™	12' Length (2, 3' x 12')
48-316-TM2	TracMat™	16' Length (2, 3' x 16')
48-326-TM2	TracMat™	26' Length (2, 3' x 26')
48-336-TM2	TracMat™	36' Length (2, 3' x 36')
48-350-TM2	TracMat™	50' Length (2, 3' x 50')
48-354-TM2	TracMat™	54' Length (2, 3' x 54')
48-360-TM2	TracMat™	60' Length (2, 3' x 60')
48-366-TM2	TracMat™	66' Length (2, 3' x 66')
48-385-TM2	TracMat™	85' Length (2, 3' x 85')
48-1010-BAG	Transport Bag	Berms up to 10' x 10'
48-1616-BAG	Transport Bag	Berms up to 16' x 16'
48-1026-BAG	Transport Bag	Berms up to 10' x 26'
48-1236-BAG	Transport Bag	Berms up to 12' x 36'
48-1454-BAG	Transport Bag	Berms up to 14' x 54'
48-1485-BAG	Transport Bag	Berms up to 14' x 85'
48-46-GP1	Ground Pad	4' x 6' Berm
48-66-GP1	Ground Pad	6' x 6' Berm
48-68-GP2	Ground Pad	8' x 10' Berm
48-610-GP2	Ground Pad	10' x 10' Berm
48-612-GP2	Ground Pad	12' x 12' Berm
48-616-GP3	Ground Pad	16' x 16' Berm
48-626-GP2	Ground Pad	10' x 26' Berm
48-636-GP2	Ground Pad	12' x 36' Berm
48-650-GP2	Ground Pad	15' x 50' Berm
48-654-GP2	Ground Pad	14' x 54' Berm
48-660-GP2	Ground Pad	12' x 60' Berm
48-666-GP2	Ground Pad	14' x 66' Berm
48-685-GP2	Ground Pad	14' x 85' Berm

## BAZOOKA & BAZOOKA KIT

SAME GREAT FEATURES AS THE ORIGINAL BAZOOKA WITH A NEW AND ENHANCED DESIGN!

Bazooka®, with Imbiber Bead® technology, is an automated shut off system that allows water drainage for containment applications. Utilizing an innovative system for detection of Class I and II organics, such as diesel fuel, water continually drains through the filter. In case of a spill within the berm (when an organic substance is detected), the Imbiber Bead® technology takes over and the flow is completely shut off. It is a virtually maintenance-free design with very simple upkeep!

- Trickle filter allows water flow rate of 20 gallons per hour.
- Unique Imbiber Bead® Imbicator pre-filter signals presence of organic substance with a distinct color change.
- Imbiber Beads® swell while capturing the organic substance, and by doing so, shut off flow through the filter.
- Absorbs and locks up to 2 liters of hydrocarbons.
- Virtually maintenance free!



NEW DESIGN!

#### BAZOOKA®

Part #	Description	Dimensions L x W in. (cm)	Weight lb. (kg)
BAZOOKA	Filter Only	22 x 5.5 x 5.5 (56 x 14 x 14)	6.5 (2.9)
BAZOOKA-12KIT	Installation Kit		7.5 (3.4)

Regulations: EPA, SPCC, NPDES

## WATER SCRUBBER

CLEAN YOUR CONTAMINATED WATER!

The ENPAC Water Scrubber is a simple yet highly effective product designed for the removal of oil from water. Contaminated water is purified by replaceable absorbent media intended to capture hydrocarbons from collected liquid. Simply pour oil contaminated water into the unit and allow the decontaminated water to flow from the ¾" drain located at the bottom of the unit.

(Available in 5 & 50 gallon drums.)



#### WATER SCRUBBER

Part #	Description	Dimensions in. (cm)	Weight lb. (kg)	Cap. gal. (L)
4305-WS	5-Gallon	13 x 13 x 17 (33 x 33 x 43.2)	8 (3.6)	5 (18.9)
4305-WS-RF	5-Gallon Refill		6 (2.7)	2.5 (9.5)
4350-WS	50-Gallon Wheeled	24 x 24 x 45.5 (61 x 61 x 115)	58 (26.3)	50 (189.3)
4350-WS-RF	50-Gallon Refill Wheeled		12 (5.5)	48 (181.7)

Regulations: EPA, SPCC, NPDES





# RAILCAR TRACK PANS

## COMPLETE RAILROAD SPILL CONTAINMENT SYSTEM



ENPAC’s railcar track pans are a heavy-duty modular fiberglass system designed specifically for railroad spill containment. Contains small leaks as well as large spills without interfering with normal railcar operations. Simply connect multiple units to provide spill containment for hundreds of feet of railcar. Plumb drains to a remote holding tank to provide collection for large capacity spills. No removal of, or modification to your current track is required. Each pan fits tight against the rail and is secured in place with special weldment fasteners to create a low maintenance, money saving unit.



Typical installation requires (1) 4” PVC Manifold per unit. Connected units may all use (1) Manifold, though this configuration may result in reduced flow. Additional manifolds may be installed based on customer preference and optimized drainage.

### RAIL CAR TRACK PANS

NEW!

Part #	Description	Dimensions in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
ENP500FS	20' Full System (1 Center Pan, 2 Outrigger Pans)	See below for Pan Dimensions	400 (181.4)	470 (1779)
ENP500CP20	20' Center Pan	20' x 56.5 x 4 (6m x 17.2 x 10)	200 (90.7)	220 (832.8)
ENP500OR20	20' Outrigger Pan	20' x 30 x 4 (6m x 9.1 x 10)	100 (45.4)	125 (473.2)
ENP4PVCMNFD	4" PVC Manifold			

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

# STINGER RAIL BERM™

## THE EASIEST, PORTABLE RAIL SPILL CONTAINMENT BERM AVAILABLE.



The Stinger Rail Berm™ is designed to provide portable spill containment and control for bottom loading and unloading rail tank cars! This lightweight containment pad is designed to provide a temporary bermed containment area around the valves below a rail tank car during loading/unloading operations. At only 38 lb., can be set down by a single operator!

The berm provides a 4’ x 4’ x 12” sump area that sits in the void between the tracks directly under the valves. Should a large release occur, captured liquid would begin to fill this berm. The spilled product would then be directed over the outside rail to an alternate compartment 4’ x 18” x 12” H. This outside compartment is fitted with two

2” drains that includes a male CAM-LOC fitting for quick coupling of system to hoses that can transport the spilled materials to a nearby containment area.

### STINGER RAIL BERM™

Part #	Dimensions L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-RSB-FS	4 x 6 x 1 (1.83 x 1.22 x 30 cm)	38 (17.23)	120 (455)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

# RAIL CONTAINMENT MATS

Protect railway yards and other transportation facilities from leaks during maintenance. Designed specifically to fit between and along railway tracks, ENPAC Rail Containment Mats absorb liquids, drips and spills. Interior and exterior mats included. Custom sizes are also available.

### RAIL CONTAINMENT MATS

Part #	Dimensions W x L ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
477235-BK Rail Mat Kit	Interior Mat - 56" X 35 (142cm x 10.7m)	27 (12.2)	30 (114)
	Exterior Mat - 16" X 35 (41cm x 10.7m)	7 (3.2)	10 (38)



# PROWLER POOL™

## THE EASIEST, LIGHTEST SPILL CONTAINMENT POOL AVAILABLE.

Pop-up Prowler Pools™ offer immediate containment and excellent resistance to the widest range of chemicals, acids, fuels, and other hazardous materials. They are also resistant to abrasions, punctures, UV Rays, and cold temperatures as low as –60° F. The Prowler is half the weight of comparably sized pools while offering twice the strength. Fits easily into spill response kits.



Lightweight, compact, and portable are traits that make the Prowler Pool excellent for immediate spill response.

### PROWLER POOL™

Part #	Description	Top dia. in. (cm)	Base dia. in. (cm)	Height in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
5920-YE	20-Gallon	18 (46)	28 (71)	13 (33)	2 (1)	20 (75.7)
5966-YE	66-Gallon	36 (91)	48 (122)	14 (35.6)	3 (1.4)	66 (250)
5900-YE	100-Gallon	32 (81)	48 (122)	18 (46)	5 (2.3)	100 (378.5)
5950-YE	150-Gallon	44 (112)	60 (152)	18 (46)	8 (3)	150 (567.8)

Regulations: EPA, SPCC and NPDES



# HAZMAT POOL™

The Hazmat Pool™ is an inexpensive, quick deployment pool that is small enough to be stored on any truck or emergency response vehicle. Decontaminate for reuse or discard according to regulations.

Hazmat Pool™ has excellent puncture abrasion and chemical resistance along with a –60° F cold crack. With resistance to the widest range of chemicals, and set up in seconds, the ENPAC® Hazmat Pool™ is your answer to decontamination. Optional drain.

### HAZMAT POOL™

Part #	Description	Top in. (cm)	Base in. (cm)	Height in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
5901-YE	100-Gallon	67 (170)	74 (188)	8 (20)	5 (2.3)	100 (378.5)
5901-YE-D	w/drain					

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE





IF IT'S NOT A  
POLY-DOLLY®,  
IT'S PROBABLY  
JUST A  
WHEELBARROW.



HANDLING IS A CINCH.


POLY-DOLLY®



A U-shaped barrel platform and double looped strap make for easy loading. A lightweight design, kick plate, and rolled-grip handles make for easy tipping. Large 10" wheels and ergonomic design make transport easy and trouble free.

The Poly-Dolly® transports 55-gallon drums with ease, tilts to become an efficient self-dispensing station, and acts as its own secondary containment unit. By reducing unnecessary and dangerous drum handling, Poly-Dolly® protects workers, improves efficiency, and helps improve profits.

Made of long-lasting tough polyethylene, Poly-Dolly® is strong enough to withstand daily bumps and scuffs and will not rust or corrode. That is why companies are saying: "Goodbye dolly. Hello Poly-Dolly®."



Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5300-YE	Poly-Dolly	69 x 31.75 x 26.5 (175 x 81 x 67)	88 (39.9)	70 (265)	600 (272)
5300-YE-A	Poly-Dolly ATD	69 x 32.5 x 26.5 (175 x 83 x 67)	104 (47.2)	70 (265)	600 (272)
6005-BK	Universal Well Liner	14.5 x 17.5 x 2.5 (36.8 x 44.5 x 6.3)	1.25 (.6)	0.4 (1.5)	

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

ATD POLY-DOLLY®  
CONVERSION KIT

Sold separately, the Conversion Kit comes complete with solid rubber wheels and washers. Need an even more rugged dolly for outdoor terrain? Poly-Dolly® can easily be converted into one with our Poly-Dolly Conversion Kit.



Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)
5311-BK	4 x 10 (10 x 25) wheels only	12 (5.4)

POLY-DOLLY® TARP

Snug fitting, durable cover protects the Poly-Dolly® from outdoor elements. Built in document pouch and cinch straps.




Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)
5300-TARP	56 x 34 x 26 (142 x 86 x 66)	4 (1.8)

(see page 13)

THE MINI-RACKER™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM YOU CAN BUY!



The Mini Racker-Stacker™ System is ideal for storage and dispensing of small containers with built-in spill protection and patented enclosed sump. This System helps save liquids that are routinely lost during the dispensing process and helps protect worker safety by keeping the dispensing area neat and clean.

The complete system consists of the base Racker that will hold two (2) 20 liter cube containers, 5–6.5 US gallon metal or plastic lidded pails or cans, or two (2) 5 US gallon or smaller metal or plastic "jerry cans". The Mini-Racker™ module is available in two (2) versions: "Place and Use" (6010-YE) and "Mobile" version (6011-YE-M) which includes wheels and handle. The Mini-Stacker™ module can be used in conjunction with the Racker to add an extra level of storage, or separately with another containment solution to mix-and-match the user's specific need.



Handle flips up on the Mobile Unit for compact storage.\*

MINI-STACKER™

MINI-RACKER™ & STACKER™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
6011-YE -M Mobile Unit		31 x 29 x 15.25 (79 x 74 x 39)	32 (14.5)	10 (38)	200 (91)
6010-YE	Mini-Racker	31 x 29 x 15 (79 x 74 x 38)	24.25 (11)	10 (38)	200 (91)
6012-YE	Mini Stacker	31 x 19 x 18.25 (79 x 48 x 46)	15.1 (6.8)		100 (46.4)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

Shown with optional workstation- See page 11.

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE.

This tough, indoor/outdoor performer protects two (2) 55-gallon drums while containing leaks with a 130-gallon sump capacity. Unique gull-wing covers provide easy drum access and removal while items inside are protected from the weather with overlapping lid design.

Security locks are included to secure the covers and contents. 100% polyethylene has excellent resistance to chemicals and weather. Translucent sidewalls allow for an immediate view of liquids so you won't need to open the lids to see if there has been a leak. The Poly-Safetypack® is easily handled by forklift from two sides. Optional drain.



ALLOWS  
PUMPS  
TO STAY  
IN PLACE

POLY-SAFETYPACK® PLUS

TALLER FOR SECURE PUMPING STATIONS.

Poly-Safetypack® Plus provides the same results as the Poly-Safetypack® with the key advantage of a 54.25" inside height. This feature allows the lids to be closed and locked with the pumps in place to create a versatile pumping station. Convenience meets functionality with the large 264-gallon capacity. Drain Optional.

POLY-SAFETYPACK®

Part #	Description	Ext. Dimension L x W x H in. (cm)	Int. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
2038-YE	Standard	60.5 x 37.25 x 45.75 (154 x 95 x 116)	52.4 x 26.25 x 37 (133 x 67 x 94)	103 (46.7)	130 (492)	1,200 (544)
2038-YE-D	(w/drain)					
2077-YE	Plus	60.25 x 34.1 x 64 (153 x 87 x 163)	51.25 x 26.25 x 54.25 (130 x 67 x 138)	137 (62)	264 (999)	1,200 (544)
2077-YE-D	(w/drain)					
2200-BK	Caster Frame					

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC



BASE ONLY  
AVAILABLE





# THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING & STORAGE SYSTEM YOU CAN BUY!

## POLY-RACKER™

Featured as the base of the Poly-Rack™ System, the unique one-piece Poly-Racker™ securely holds two (2) 55-gallon drums with a large, 102-gallon spill capacity. The deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump. Dispensing wells have scalloped edges so pails can be easily removed. Poly-Racker™ can be transported by forklift and contains two (2) standard drain plugs.

## POLY-STACKER™

Combine Poly-Stacker™ and Poly-Racker™ to stack up to (4) drums.

Each Poly-Stacker™ holds two (2) 55-gallon drums and can easily be stacked with a forklift. Any spills from the second level fall into the dispensing well for containment and easy clean-up. When combined, Poly-Racker™ and Poly-Stacker™ create the most efficient drum storage and dispensing system available.



## POLY-SHELF™

Save money while preventing drips and spills! Increase safety and efficiency when Poly-Shelf™ is added to the Poly-Rack™ System. Easily attaches to Poly-Stacker™ and allows simultaneous dispensing from all drums. A drain hole in the bottom diverts liquids into the Poly-Racker's dispensing well.

### POLY-RACKER™ & STACKER™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
6000-YE	Poly-Racker	49 x 53 x 23 (124 x 135 x 58)	105 (47.6)	102 (386.1)	3,000 (1,361)
6002-YE	Poly-Stacker	49 x 40.75 x 12.75 (124 x 104 x 32)	50 (22.7)		1500 (680)
6003-YE	Poly-Shelf	17 x 22 x 17.5 (43 x 56 x 44)	8 (3.6)		60 (27.2)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

Note: Do not use plastic drums at load-bearing levels.  
Do not forklift while loaded.

# SINGLE POLY-RACKER™ SYSTEM

An economical, space-saving solution for storing and dispensing 55-gallon drums. The system consists of Poly-Racker™, Poly-Stacker™, Universal Well Liner and Poly Shelf™. The Poly Stacker™ allows for stacking of a second 55-gallon drum. The system holds 1,600 lb and the Poly-Racker™ features a 66-gallon sump capacity.

### SINGLE POLY-RACKER™ SYSTEM

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
6006-YE	Single Racker	31 x 53 x 32.38 (79 x 135 x 82)	95.5 (43.2)	66 (249.8)	1,600 (725.7)
6007-YE	Single Stacker	31 x 40.75 x 20 (79 x 104 x 51)	45 (20.4)		800 (363)
6003-YE	Poly-Shelf	17 x 22 x 17.5 (43 x 56 x 44)	8 (3.6)		60 (27.2)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

## LOADING IS EASY AS 1-2-3!



**PATENTED ENCLOSED SUMP**



3/4" spout recommended

## UNIVERSAL WELL LINER

The Universal Well Liner provides extra spill protection and makes clean-up fast and easy. Widely used with both racking systems and Poly-Dolly® (pg 28).



### UNIVERSAL WELL LINER

Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
6005-BK	14.5 x 17.5 x 2.5 (36.8 x 44.5 x 6.3)	1.25 (.6)	0.4 (1.5)



## MULTI-PURPOSE RACKER/STACKER™

Maximize floor space with the Multi-Purpose Racker/Stacker™. A single unit holds two (2) 55-gallon drums. The stackable unit allows you to double your efficiency to store up to four (4) 55-gallon drums. Use with the Poly-Shelf™ (Part # 6003-YE) for easy dispensing into 5 or 6-gallon pails. The Multi-Purpose Racker-Stacker™ can be placed on the floor (no sump) or on the Poly-Slim-Line™ 6000 pallet (Part # 5400-YE see page 9). Forkliftable while empty!

### MULTI-PURPOSE RACKER/STACKER™

Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
6004-YE	48.5 x 41 x 20 (123 x 104 x 51)	60 (27.2)	2,400 (1,088.6)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

\*EPA compliant when used in conjunction with Part # 5400-YE. (see pg 9)





# POLY-SPILLCART™

GET ON THE MOVE!

Transporting 55-gallon drums, pails, paint cans, and other materials around your plant with full containment, has never been easier. Poly-Spillcart™ eliminates the risk of accidents during transport with its large spill capacity.

Poly-Spillcart™’s caster wheels help you move around freely while its ergonomically-designed handle makes maneuvering a breeze. A tray for tool storage keeps tools handy while the structural foam grate removes for easy cleaning. Features drain plug and lets you empty the sump without effort.



# POLY-SPILLCART™ ATC



Need an even more rugged Poly-Spillcart for outdoor terrain? Poly-Spillcart™ is available in an All-Terrain Cart (ATC). The Poly-Spillcart™ ATC’s heavy-duty solid rubber wheels and durable axle are designed to handle even the most demanding environments smoothly and with ease. Wheel brakes are not available with the ATC model.



Large internal sump holds incidental spills.



Built-in tool tray keeps tools and other small objects easily accessible.

POLY-SPILLCART™						
Part #	Description	Dimensions L x W x H in. (cm) w/ handle	Dimensions L x W x H in. (cm) w/o handle	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5200-YE	Spillcart	66.5 x 29 x 43.9 (169 x 74 x 112)	62.75 x 29 x 13.13 (159 x 74 x 33)	115 (52.2)	57 (215.7)	500 (227)
5200-YE-A	Spillcart ATC	66.5 x 29 x 46.9 (169 x 74 x 119)	62.75 x 29 x 16 (159 x 74 x 41)	123 (55.8)	57 (215.7)	500 (227)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

# SPILL SCOOTER™

THE ORIGINAL MOBILE DISPENSING SCOOTER.

Thanks to the Spill Scooter™, dispensing from drums while transporting them around the plant is no longer a problem! Spill Scooter™ provides secondary containment for incidental spills and drips that often occur during vertical dispensing applications and are contained in the well with a pour spout for easy draining. Spill Scooter™ fits all drums up to 55 gallons and is made of 100% polyethylene that will not rust or corrode.



Shown with optional metal T-Handle (Part # 5206-BK).

SPILL SCOOTER™						
Part #	Description	Ext. Dimension in. (cm)	Int. Dimension in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5205-YE	Scooter	35 x 8.75 (88 x 22)	27.25 x 5.5 (69 x 14)	22 (10)	11 (41.6)	500 (227)
5206-BK	Handle	36.62 x 10 (93 x 25)		4 (1.8)		


Regulations: SPCC and NPDES

# POLY-LABTRAY™

BRINGS SPILL PROTECTION TO THE LABORATORY BENCH.

Poly-Labtray™ reduces spills and overflows of liquid and free-flowing powder chemicals during transfer of material in the laboratory. The large surface holds four (4) 1-gallon bottles (up to 40 lb. static load weight) and features a 2.5 gallon sump capacity. This also makes it perfect for mixing small containers at production sites. There are no metal parts to rust or corrode.

- Low-profile unit is only 3” high
- Small 25” x 21.5” footprint



- Controls spills as they happen
- Removable grate for easy pen.

POLY-LABTRAY™						
Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)	
5248-YE	Lab tray (Grate)	25.5 x 22 x 3.25 (65 x 56 x 8) 20.75 x 17.25 (53 x 44)	4 (1.8)	2.5 (9.4)	40 (18)	

Regulations: EPA, SPCC and NPDES

# Q-VAC™ 100

SHOWN WITH OPTIONAL DRUM AND SCOOTER

Reliable and easy-to-use, Q-VAC™100 pumps liquid directly into a standard drum for convenient storage or recycling. A liquid overflow shutoff valve ensures vacuum automatically turns off when the drum is full. QVAC 100™ Plus includes Spill Scooter.

- MORE Q-VAC™ 100 ADVANTAGES**
- Works on shop air.
  - Fits on a standard 55-gallon closed top drum
  - Requires no filters
  - No moving parts to break or replace



Q-VAC 100



Q-VAC 100™ Plus (drum optional, but not included)

Q-VAC 100™					
Part #	Description	Air Flow at 87 psi	Compressor PSI (Minimum/Optimum)	Sound Level	Optimum Compressor
QVAC	Standard	35 cfm	30 / 87 psi	80 dB (A)	10 HP
QVAC PLUS	Plus (w/Scooter)	35 cfm	30 / 87 psi	80 dB (A)	10 HP
8089-BK	Steel Closed Head Drum				



ENHANCED DESIGN

# DRUMS-UP™

THE INCIDENTAL SPILL SOLUTION.

Need temporary protection against incidental barrel spills? Drums-Up™ and Drums-Up Jr.™ let you control nuisance spills from drums sized up to 55 gallons. A 20-gallon spill capacity catches liquid before it reaches your floor and reduces the risk of slip-and-fall injuries. Includes a newly enhanced convenient pour spout and built-in bung fitting holder.

Perfect for use as a drum pumping station!



Built-in bung fitting holder



Convenient pour spout

# DRUMS-UP JR.™

Inexpensive containment for 16-gallon drums, 5-gallon pails and various jugs and bottles.



DRUMS-UP™						
Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
8091-YE	Drums-Up	Int. 30.5 (77) Ext. 37.5 (95)	Int. 26.25 (67) Ext. 28.5 (72)	7.5 (19)	6.1 (2.8)	20 (75.7)
8200 - YE	Drums-Up Jr.	Int. 18.5 (47) Ext. 22.75 (58)	Int. 15.5 (39) Ext. 17.25 (44)	7.5 (19)	2 (9)	7.5 (28.3)

Regulations: EPA, SPCC and NPDES





POLY-TANK CONTAINMENT UNIT/275™



For the widely-used 275-gallon obround tank, Poly-Tank Containment Unit/275™ helps protect against hazardous and costly spills. Poly-Tank 275 is designed to save space and provide easy access to the tank and pump preventing harmful spills from contaminating your yard. Optional fitted tarp (Part #: 5275-TARP) and trickle filter (Bazooka).



(see Tarp on page 13)

POLY-TANK CONTAINMENT UNIT/275™

Part #	Description	Ext. Dimension L x W x H in. (cm)	Int. Top Dimension in. (cm)	Int. Bottom Dimension (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
5275-BK	Poly-Tank	82 x 45 x 35.38 (208 x 114 x 90)	77 x 39.5 (196 x 188)	66 x 29 (168 x 74)	98 (44.5)	275 (1,041)
5275-BK-D	(w/drain)					
5275-TARP	Tarp	82.25 x 45 x 45.5 (208.9 x 114 x 115.5)			10 (4.5)	

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

POLY-TANK CONTAINMENT UNIT/550™

KEEP HAZARDOUS LIQUID STORED SAFELY ABOVE THE GROUND.

Designed for the 550-gallon skid tank, (and 150-gallon, 300-gallon skid elevated tanks) this unit safely protects against hazardous liquid discharge into the ground. Large interior leaves space for hoses and related equipment. Ideal for construction sites, marine, and farm use. Optional fitted tarp (Part #: 5550-TARP), drain (5551), and trickle filter (Bazooka).



POLY-TANK CONTAINMENT UNIT/550™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
5550-BK	Poly-Tank	113 x 71 x 32 (287 x 180 x 81)	190 (86.2)	750 (2,082)
5550-BK-D	(w/drain)			
5550-TARP	Tarp	115 x 75 x 50.5 (292 x 190.5 x 128)	12 (5.5)	

EPA 40 CFR 264.175, SPCC, NPDES and UFC



(see Tarp on page 13)



BULKHEAD FITTINGS™

Optional bulkhead fittings make pumping and draining fast and easy. (For Part # 5275-BK and 5550-BK)

BULKHEAD FITTING

Part #	Dimensions Ext. Dia in. (cm)	Connection Dimensions in. (cm)	Weight lb. (kg)
5276	3 (8)	.75 (2)	1 (.5)



(See Bazooka on page 25.)

UNIVERSAL POLY-DRUM™ FUNNEL & COVER

UNIVERSAL POLY-DRUM™ FUNNEL WITH OPTIONAL COVER

Just set it and forget it! Fits both closed-head and open-head 55-gallon drums, 30-gallon drums, and other containers. Exclusive features include patented scalloped design, high side wall and bung fitting holders as well as an optional lockable cover for added protection and more value! Optional lockable cover (lock not included) for use with Part # 3004-YE and 3004-YE-SF.

Easy to install with all necessary hardware; instructions included.



POLY-PAIL FUNNEL™

Part # 3005-YE  
Mounts to 3.5, 5, and 6-gallon tight-head pails. Also fits open-top pails with 12" diameter.




POLY-PAIL FUNNEL™ COVER

Part # 3051-YE  
For use with Part # 3005-YE



POLY-DRUM TOPPER™

Part # 3065-BK  
Our Drum Topper™ snaps directly onto any 55-gallon open or closed-head drum to keep out debris and protect drum tops.



UNIVERSAL POLY-DRUM™ SAFETY FUNNEL

Part # 3004-YE-SF  
A non-sparking safety bung closure with flame arrestor. Ideal for flammable liquids with an optional cover available.

POLY-DRUM™ FUNNELS AND COVERS

Part #	Description	Ext. Diameter in. (cm)	Int. Diameter in. (cm)	Ext. Height in. (cm)	Int. Height in. (cm)	Weight lb. (kg)
3004-YE	Universal Funnel	26 (66)	22 (56)	5.25 (13.3)	4 (10)	3 (1.4)
3040-YE	Universal Funnel Cover	26 (66)	22 (56)	5.5 (14)	4 (10)	3 (1.4)
3004-YE-SF	Universal Safety Funnel	26 (66)	22 (56)	5.5 (14)	4 (10)	5 (2.3)
3005-YE	Poly-Pail Funnel™	Top: 9.25 (23.5) Bottom: 11 (28)	8.5 (22)	2.75 (7)	2.375 (6)	1.75 (.8)
3051-YE	Poly-Pail Funnel™ Cover	9.25 (23.5)		2.4 (6)		1 (.45)
3065-BK	Poly-Drum Topper™	25.5 (64)		3.75 (10)		1.5 (.7)

Regulations: EPA, SPCC and NPDES





DID YOU KNOW?

The proper handling and disposal of construction and project waste is an important part of pollution prevention.

HAZARD HUT<sup>®</sup>  
THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT.

When floor space is unavailable indoors, take your hazardous materials outdoors with Hazard Hut<sup>®</sup>. One-piece molded 100% polyethylene construction allows for no joints or seams to leak. Molded-in side vents reduce fumes, while UV protection makes it a durable performer outside. Removable grates make it easy to clean the 72-gallon sump capacity and ensures leak and spill containment.

Easy access for up to four (4) 55-gallon drums is provided while the double-wall and newly-enhanced hinges and lock latches keep contents secure. Hazard Hut<sup>®</sup> has a heavy-duty, four-way forkliftable design.



Door opening 41.5" W x 48.5" H

Massive sump has removable grates for easy cleaning.

HAZARD HUT<sup>®</sup> POLY-RAMP  
Loading the Hazard Hut<sup>®</sup> is easy with our Hazard Hut<sup>®</sup> Poly-Ramp. Just roll up the ramp and roll on the barrels!

HAZARD HUT<sup>®</sup> & POLY-RAMP

Part #	Ext. Dimension in. (cm)	Int. Dimension in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
4000-YE	63.5 x 68 x 72.5 (161 x 173 x 184)	53.75 x 53.75 x 52.25 (137 x 137 x 133)	268.7 (121.8)	72 (275.5)	4,000 (1,814)
4001-BK	118 x 31x15.25 (300 x 79 x 39)		154.1 (69.9)		1,000 (454)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

POLY-EDGE<sup>™</sup>  
MULTI-FUNCTIONAL STORAGE UNIT OFFERS TRANSPORTABLE CONVENIENCE.

The Poly-Edge<sup>™</sup> can be used as a truck-mounted carrier spill response unit or wall-mounted unit in applications such as manufacturing facilities, laboratories and hospitals.

The lockable, large capacity unit offers versatile storage for tools and absorbents as well as ENPAC<sup>®</sup> Stinger Berms<sup>™</sup> and Prowler<sup>™</sup> Pools.

- Will not rust or corrode.
- Constructed of lightweight 100% polyethylene.
- Available in black and yellow
- Slotted footprint makes mounting easy.
- A special weather and water-resistant gasket keeps stored items dry.
- The perfect truck Spill Kit container!

See details on page 46.



POLY-EDGE<sup>™</sup>

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Mounding Slots in. (cm)	Load Cap. lb. (kg)
1601-BK	Black	35 x 20 x 16 (89 x 51 x 41)	14 (6)	.625 (1.6)	75 (34)
1601-YE	Yellow	35 x 20 x 16 (89 x 51 x 41)	14 (6)	.625 (1.6)	75 (34)

JOB HUT<sup>™</sup>  
OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL...OR SO AFFORDABLE!

If access, efficiency, and a large storage area are what you need then Job Hut<sup>™</sup> is your answer.

An extra large surface area allows for storage of eight (8) 55-gallon drums right on their pallets! The low profile design allows for easy access, and is forkliftable from all sides for effortless handling. Job Hut's newly-enhanced doors and lock provide added strength and security.

Tough polyethylene construction won't rust or corrode, while UV inhibitors make Job Hut<sup>™</sup> extra durable for outdoor use. A large 72-gallon sump capacity eliminates the risk of spills or leaks and structural foam grates remove for easy cleaning. Molded-in vents reduce fumes and condensation inside, and heavy-duty hinges combined with a lock keep contents secure. The Job Hut<sup>™</sup> offers substantial savings when compared to similar metal or concrete storage buildings, while providing superior performance. The optional ramp facilitates loading your drums into the unit. Safe, secure, and cost-effective; one piece-no assembly!

- 100% polyethylene with UV inhibitors for increased durability
- Three removable structural foam grates for an 8,000 lb handling capacity
- Low profile design allows for easy access. Extra-wide 57" x 78" doorway allows for easy forklift entry
- 4-way forkliftable design for ease in handling
- Newly-enhanced! Heavy-duty, double-walled doors and lock for added security
- Built-in 72-gallon sump capacity



Door opening 57" W x 78" H

JOB HUT<sup>™</sup>

Part #	Ext. Dimension L x W x H in. (cm)	Int. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
4010-YE	85.6 x 61.5 x 94 (217 x 156 x 239)	70 x 51 x 82 (178 x 130 x 208)	440 (200)	72 (272.5)	8,000 (3,629)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

MULTI-PURPOSE WORK RAMP<sup>™</sup>  
LOAD 'EM UP!

Loading Drums is a cinch with the Multi-Purpose Work Ramp<sup>™</sup>. Lightweight and easy to handle, ramp attaches to the Job Hut<sup>™</sup> in a snap! Improved non-skid surface eliminates risk of slipping. Features a 10° slope for easy loading. Also compatible with workstations<sup>™</sup> (see page 11).

MULTI-PURPOSE WORK RAMP<sup>™</sup>

Part #	Dimensions in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
5111-BK	25.38 x 46 x 6.13 (64 x 117 x 16)	29.8 (13.5)	1,000 (454)

CHECK OUT OUR POLY-SPILLPALLET HARDCOVER<sup>™</sup> OPTIONS - ON PAGE 10 FOR ADDITIONAL STORAGE OPTIONS.




Newly updated lock & handles.



Grates remove for easy cleaning.



Tie-down feature for secure anchorage.







# IBC 2000i™

INTERMEDIATE BULK CONTAINMENT MADE EASY.

ENPAC's® integrated IBC 2000i™ gives intermediate bulk container users more versatile spill containment. It fits more than 99% of all IBC dispensing units and features a large sump capacity of 385 gallons; more than exceeding EPA 40 CFR 264.175 regulations. The unit also comes with an integrated 5-gallon pail holder for quick and easy dispensing.

The IBC 2000i™ is the only one-piece, light weight, 100% polyethylene IBC spill containment unit that is forkliftable and nestable for convenient shipment and storage. The polyethylene construction will not rust, corrode, or have adverse reactions with chemicals. Optional drain.



The IBC 2000i™ platform has a footprint of 56.75" L x 56.75" W.

Integrated pail holder for quick and easy dispensing.

Grates on the center pedestal offer skid resistance and facilitate loading.

Features a large sump capacity of 385 gallons, exceeding EPA 40 CFR 264.175 regulations.

Removable grates for easy clean up.

Nestable.

Forklift channels for easy transport of empty containment device.

The unit's 8,000 lb load capacity allows two IBCs to be safely stacked on top of the sump.

SEE PG 74 FOR CHEMICAL COMPATIBILITY GUIDE



- Tarps include:
- Fold up working area
  - Document pouch
  - Durable pockets for weighted corners in harsh weather
  - Adjustable corner-cinch bungees

(see Tarp on page 13)

## IBC 2000i™

Part #	Description	Ext. Dimension in. (cm)	Pedestal Dimension in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5469-YE	2000i	73 x 80.5 x 29.5 (185 x 204 x 75)	56.75 x 56.75 x 29.5 (144 x 144 x 75)	262 (118.8)	385 (1,457)	8,000 (3,629)
5469 YE-D	(w/drain)					

5469-TARP	Tarp	76 x 80 x 73.75 (183 x 203 x 187)		14.6 (6.6)		
-----------	------	-----------------------------------	--	------------	--	--

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC



(see Tarp on page 13)

# IBC SPACE-SAVER™

Small footprint takes up minimal floor space! Space efficient alternative for storing, dispensing and containing IBC totes up to 275-gallons. With features like a solid polyethylene construction for high chemical compatibility and a rugged, easily-removable integrated platform; drips, leaks and spills don't stand a chance!

## IBC SPACE-SAVER™

Part #	Description	Ext. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5460-YE	Space-Saver	57 x 57 x 48 (145 x 145 x 119)	240 (108.9)	330 (1,249)	3,000 (1,360)
5460-YE-D	(w/drain)				

5460-TARP	Tarp	60 x 60 x 58 (153 x 153 x 147.3)	11 (4)		
-----------	------	----------------------------------	--------	--	--

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

# DOUBLE IBC UNITS

MORE SIZE, SUMP, AND VERSATILITY

These polyethylene containment bins allow for storage of up to (2) IBC totes. ENPAC Double IBC units are more chemically resistant than comparative steel framed units and with an 8,000 lb load capacity, there is no comparison!

Durable design with polyethylene constructions assures long life.

IDEAL FOR LOW PLATFORM DISPENSING!



(see Tarp on page 13)

## DOUBLE IBC UNITS

Part #	Description	Ext. Dimension in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5480-YE	4000i	113 x 71 x 32 (287 x 180 x 81)	365 (165.6)	750 (2,839)	8,000 (3,629)
5480 YE-D	(w/drain)				
5480-TARP	Tarp	115 x 75 x 95 (292 x 191 x 191)	16 (7.3)		
5482-YE	Low-Top	110 x 55 x 20 (280 x 140 x 51)	265 (120)	385 (1,457)	8,000 (3,629)
5482-YE-D	(w/drain)				
5482-TARP	Tarp	114 x 59 x 58 (290 x 150 x 147.3)	13 (5)		

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC



# DOUBLE IBC DISPENSING STATION

This double IBC containment unit is an all-in-one integral dispensing platform. Its simple design securely holds two IBC containers without the need for additional grates or pallets. Ample sump space allows for contained dispensing into smaller vessels, while the low profile of the unit fits easily into most work areas.

NEW!

## DOUBLE IBC DISPENSING STATION

Part #	Description	Ext. Dimension in. (cm)	Weight lb. (kg)	Sump Cap. gal. (L)	Load Cap. lb. (kg)
5483-YE	Dispensing	72 x 98 x 17.25 (182.8 x 249 x 43.8)	192 (87)	330 (1249)	8000 (3629)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC





# ibcBERM

FLEXIBLE IBC TOTE SPILL CONTAINMENT

The ENPAC ibcBERM uses a unique L-Bracket sidewall support system mounted on the exterior leaving the interior free from interference. Removable L-Brackets allow sidewalls to lay flat for entry and exit. Made from rugged resistant PVC and replaceable L-Brackets, this berm is convenient for containing IBC units or any application that requires a durable, long lasting, portable containment unit.



## STINGER BERM

Part #	Description	Ext. Dimension L x W x H ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
48-452-YE-SS	L-Bracket	4 x 5 x 2 (1.2 x 1.5 x .6)	84 (38.1)	299 (1131.84)
48-462-YE-SS	L-Bracket	4 x 6 x 2 (1.2 x 1.8 x .6)	100 (45.4)	359 (1358.96)
48-552-YE-SS	L-Bracket	5 x 5 x 2 (1.5 x 1.5 x .6)	102 (46.3)	374 (1415.74)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC



# IBC BINS

DEFINING SHIPPING & STORAGE EFFICIENCY.

These freight and forklift-friendly units provide maximum durability with ultimate chemical compatibility. The movable, easy-to-assemble stand can be lifted for quick access to the spill sump for maintenance, cleaning and decontamination. Unique engineered design allows sumps to nest within 2" of each other for optimal, economical storage & shipping results. Ship more product in less space!

Platform option Includes:

Corrugated Pedestal - Link & lock layout allows platform breakdown for storage and shipment with minimal space.



## IBC BINS

Part #	Description	Ext. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5390-BK	IBC Bin (Sump Only)	76 x 76 x 20 (193 x 193 x 51)	90 (41)	385 (1,457)	
5391-BK	IBC Bin w/ Corrugated Pedestal	76 x 76 x 20 (193 x 193 x 51)	158 (72)	385 (1,457)	3,000 (1,361)

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

# LARGE TOTE & EXTRA LARGE TOTE

ENPAC® Totes are the only stackable, nestable, forkliftable, water resistant, mobile totes on the market. These units are available in large and extra-large sizes. Both offer a 500 lb handling capacity.

Combo includes Lid with:

- 4" polyurethane wheels or
- 8" solid rubber wheels.



## TOTE

Part #	Description	Ext. Dimension L x W x H in. (cm)	Int. Dimension L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
1500-YE	Bin Only	44.5x35x30.4 (113x89x77)	34 x 25 x 24.5" (86 x 64 x 62)	49 (22.2)	123 (465)	500 (227)
1505-YE	Lg. Tote w/lid	45 x 35.5 x 30.4 (114 x 90 x 77)	34 x 25 x 24.25 (86 x 64 x 62)	57 (25.8)	123 (465)	500 (227)
1510-YE	Lg. Combo 4" Wheels	45 x 35.5 x 36 (114 x 90 x 91)		72 (32.7)		
1511-YE	Lg. Combo 8" Wheels	45 x 35.5 x 40 (114 x 90 x 102)		74 (34)		
1520-YE	XL Bin Only	51x46.5x33 (129.5x118x84)	42.5 x 37 x 28" (108 x 94 x 71)	54.5 (24.7)	223 (844)	500 (227)
1525-YE	XL Lg. Tote w/lid	51.5 x 47.25 x 33 (131 x 120 x 84)	42.5 x 37 x 28 (108 x 94 x 71)	76 (34.5)	223 (844)	500 (227)
1530-YE	XL Combo 4" Wheels	51.5 x 47.25 x 38 (131 x 120 x 97)		86 (39)		
1531-YE	XL Combo 8" Wheels	51.5 x 47.25 x 42 (131 x 120 x 107)		99.7 (45.2)		

Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

# POLY-COLLECTOR™ 66 & 110

THE INDOOR SYSTEM.

The Poly-Collector™ Portable Hazardous Materials Collection Systems add mobility to containment so you can go where the waste is. These drum-dolly mounted containers are built tough from UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials.

Both models are equipped with the unique Universal Drum Funnel to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once. Both products are ideal for collecting waste oil, antifreeze, and other chemicals. The Poly-Collector™ 110 outer shell holds 103 gallons, while the inner drum holds 55 gallons. The Poly-Collector™ 66 poly outer shell holds 70 gallons, while the inner drum holds 55 gallons. The Poly-Collector™ 110's twist-on lid ensures safe and easy closure.



## POLY-COLLECTOR™ 110

THE OUTDOOR SYSTEM.

Poly-Collectors Include:

- Universal Poly-Drum Funnel™ (Part # 3004-YE)
- Drum Dolly (Part # 8050-BU)
- 55-Gallon Drum (Poly or Steel)
- Poly-Collector 66's outer shell (Part # 8075-YE)
- Poly-Collector 110's outer shell (Part # 1240-YE)

You get it all!

## POLY-COLLECTOR™

Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Height in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
8001-YE	66 (w/steel drum)	Int: 27.1 (69) Ext: 32.5 (83)	Int: 25.75 (65) Ext: 26.4 (67)	Int.: 29.25 (74) Ext.: 42 (107)	Steel inner: 92 (41.7)	70 (265)	600 (272)
8002-YE	66 (w/poly drum)			Int.: 29.25 (74) Ext.: 42.5 (108)	Poly inner: 78 (35.4)	70 (265)	600 (272)
8075-YE	66 (shell only)	Int: 27 (68) Ext: 32.5 (83)	Int: 25 (64) Ext: 27 (68)	Ext.: 31 (79)	30 (13.6)	70 (265)	600 (272)
8080-YE	110 (w/poly drum)	Int: 27.25 (69) Ext: 31.75 (81)	Int: 24.75 (63) Ext: 25.75 (65)	Int.: 41.25 (105) Ext.: 49 (125)	Poly inner: 92.3 (41.9)	103 (390)	650 (295)
8081-YE	110 (w/steel drum)			Int.: 41.25 (105) Ext.: 49 (125)	Steel inner: 107 (48.5)	103 (390)	650 (295)
8050-BU	Drum Dolly	Int: 27.1 (69) Ext: 27.5 (70)		Int.: 1.56 (4)* Ext.: 5.5 (14)*	19 (8.6)		900 (408)

Regulations: EPA 40 CFR 264.175, SPCC and NPDES

\* Where applicable, height listed with casters and funnel assembled





DID YOU KNOW?

ENPAC® has taken pride in being an American-made ECO-conscious company for over two decades.



# SPILL KITS

## OIL-ONLY, AGGRESSIVE & UNIVERSAL

Unlike competing kits, ENPAC Salvage Drum/Overpack spill kits are approved for containment and transport of waste after the spill has been cleaned! Meeting packaging standards and regulations, spills can be cleaned up effectively and hazardous materials can be disposed of safely while shortening response time and decreasing liability.



**20-GALLON SPILL KIT**  
Absorbs up to 11 gallons.

**30-GALLON SPILL KIT**  
Absorbs up to 23 gallons.

**65-GALLON SPILL KIT**  
Absorbs up to 41 gallons.

### SALVAGE DRUM WHEELED SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes	
1320-YE	Universal	20-Gallon	11 (42)	27 (12.2)	1-20 Gal. Salvage Drum, 1 1-Gal Jug ENSORB®, 20 Pads, 1 Lg. Sock, 6 Med. Socks, 1 pack Wipers, 2 Disposal Bags with Ties, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1321-YE	Aggressive				
1322-YE	Oil Only				
1330-YE	Universal	30-Gallon	23 (87)	30 (13.6)	1-30 Gal. Salvage Drum, 1-1-Gal Jug ENSORB®, 50 Pads, 2 Lg. Socks, 6 Med. Socks, 1 pack Wipers, 2 Disposal Bags with Ties, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1331-YE	Aggressive				
1332-YE	Oil Only				
1360-YE	Universal	65-Gallon	41 (155)	85 (38.6)	1-65 Gal. Salvage Drum, 1-1-Gal Jug ENSORB®, 50 Pads, 8 Lg. Socks, 12 Med. Socks, 1 pack Wipers, 4 Disposal Bags with Ties, 2 pair Nitrile Gloves, 2 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1361-YE	Aggressive				
1362-YE	Oil Only				
1390-YE	Universal	95-Gallon	62 (235)	113 (51.3)	1-95 Gal. Salvage Drum, 1-1-Gal Jug ENSORB®, 100 Pads, 10 Lg. Socks, 16 Med. Socks, 1 pack Wipers, 5 Disposal Bags with Ties, 2 pair Nitrile Gloves, 2 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1391-YE	Aggressive				
1392-YE	Oil Only				

Regulations: 29 CFR 1910.120, 40 CFR 112.7, 40 CFR 122.26, 49 CFR 173.3, EPA, SPCC and NPDES

## 95-GALLON LOCKING ENVIROSALV SPILL KIT

Everything needed to clean and securely label and transport your spills. Ideal for locking spills on the job! Absorbs up to 62 gallons.



### ENVIROSALV™ LOCKING SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1393-YE	Universal	62 (235)	121 (54)	1 ENVIROSALV™ 95-Gal. Locking Overpack Salvage Drum, 1 Lock Down Security Kit, 1 - 1-Gal Jug ENSORB®, 100 Pads, 10 Lg. Socks, 16 Med. Socks, 1 pack Wipers, 5 Disposal Bags with Ties, 2 pair Nitrile Gloves, 2 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1394-YE	Aggressive			
1395-YE	Oil Only			

Regulations: 29 CFR 1910.120, 40 CFR 112.7, 40 CFR 122.26, 49 CFR 173.3, EPA, SPCC and NPDES

# WHEELED POLY-OVERPACK® SPILL KITS

Did you know that the typical workplace *lost time accident* costs the employer an average of \$30,000 per incident? ENPAC's complete line of portable containment solves your need for immediate, reliable, and portable spill containment to avoid those losses. Spills are never anticipated, so keep a spill kit ready and mobile for the clean-up job ahead!

- 95-gal UN rated salvage drum can handle 55-gal drums UN/1H2/X113/S
- 50-gal UN rated salvage drum UN/1H2/X125/S
- Contains everything you need: pads, socks, protective wear and more!



Wheeled 50 Poly-Overpack® Spill Kit



Wheeled 95 Poly-Overpack® Spill Kit  
(See page 7 for container specifications)

### SALVAGE DRUM WHEELED SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes	
1350-YE	Universal	50-Gallon	31 (117)	78 (35.4)	50 Gal. Wheeled Salvage Drum, 40 Pads, 5-Lg. Socks, 10-Med. Socks,
1351-YE	Aggressive				1 pack Wipers, 1 Jug ENSORB®, 4 Disposal Bags with Ties, 2 pr Nitrile Gloves,
1352-YE	Oil Only				2 pr Goggles, Emergency Response Guide, Instruction Sheet and SDS(s).
1397-YE	Universal	95-Gallon	62 (235)	113 (51.3)	95 Gal. Wheeled Salvage Drum, 100 Pads, 10- Lg. Socks, 16-Med. Socks,
1398-YE	Aggressive				1 pack Wipers, 1 Jug ENSORB®, 5 Disposal Bags with Ties, 2 pr Nitrile Gloves,
1399-YE	Oil Only				2 pr Goggles, Emergency Response Guide, Instruction Sheet and SDS(s).

Regulations: 29 CFR 1910.120, 40 CFR 112.7, 40 CFR 122.26, 49 CFR 173.3, EPA, SPCC and NPDES

# LARGE & EXTRA LARGE TOTE SPILL KITS

Our compact and portable response kit is mobility heaven! Tote Kit contents include a large absorbent capacity that is great for cleaning up spills while standing up to harsh environments and work conditions. Wheels make this kit easy to use any where.



### TOTE SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1347-YE	Universal Large	95 (360)	180 (81.7)	1 -1505-YE Lg. Tote Combo with 4" Wheel Set*, 150 Pads, 10 Lg. Socks, 30 Med. Socks, 1 - 1.5 Cubic Ft. Bag of ENSORB®, 1 pack Wipers, 15 Disposal Bags with Ties, 1 Emergency Response Guide, 2 pair Nitrile Gloves, 2 pair Goggles, Instruction Sheet and SDS(s).
1348-YE	Aggressive			
1349-YE	Oil Only			
1380-YE	Universal X-Large	150 (568)	220 (99.8)	1 - 1531-YE Tote Combo with 8" Wheel Set*, 200 Pads, 18 Lg. Socks, 60 Med. Socks, 1 - 1.5 Cubic Ft. Bag of ENSORB®, 1 pack of Wipers, 20 Disposal Bags with Ties, 1 Emergency Response Guide, 2 pair Nitrile Gloves, 2 pair Goggles, Instruction Sheet and SDS(s).
1381-YE	Aggressive			
1382-YE	Oil Only			

Regulations: 29 CFR 1910.120, 40 CFR 112.7, 40 CFR 122.26, 49 CFR 173.3, EPA, SPCC and NPDES

\* Wheel set packed in tote, installation instructions included.





# MULTI-RESPONDER SHT™ SPILL KIT

## SERIOUSLY HAZARDOUS AND TOXIC

Dealing with Seriously Hazardous and Toxic materials? Look no further! ENPAC® has created the most extreme weapon when it comes to fighting spills. Complete with the widest range of sorbent tools and protective gear, these kits will stand up to your biggest, toughest, dirtiest challenge.

### 95 GALLON SPILL SHT'S INCLUDE:

- 3 Speedy Duffel Kits  
Part # 1310-YE Universal  
1311-YE Oil-Only  
1312-YE Aggressive
- Additional Gear and Supplies



### 30 & 50 GALLON SPILL SHT'S INCLUDE:

- 3 Hand Carried Kits  
Part # ENP D715 Universal  
ENP D717 Oil-Only  
ENP D716 Aggressive
- Additional Gear and Supplies

SEE PG 74  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE



These kits are the answer to any seriously hazardous and toxic spill that may occur. From oil on water to corrosive acids, these SHT™ Kits are ready to help!

### MULTI-RESPONDER SHT™ KIT

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
13-SHT30	30-Gallon	39 (148)	40 (18)	1 P.P.E. Spill Pak, 1 - 1-Gallon Jug ENSORB®, 1 Hand Carried Universal Spill Kit, 1 Hand Carried Aggressive Spill Kit, 1 Hand Carried Oil Only Spill Kit, 1 Leak Repair Kit, 1 - 20-Gallon Prowler® Pool, 1 Caution Sign, 1 Collapsible Shovel, 1 Dustpan Combo, 1 Broom Head, 1 Telescoping Handle, 1x ChemKlenz Shaker Bottle.
13-WSHT50	50-Gallon	39 (148)	74 (33.6)	1 P.P.E. Spill Pak, 1 - 1-Gallon Jug ENSORB®, 1 Hand Carried Universal Spill Kit, 1 Hand Carried Aggressive Spill Kit, 1 Hand Carried Oil Only Spill Kit, 1 Leak Repair Kit, 1 - 20-Gallon Prowler® Pool, 1 Caution Sign, 1 Collapsible Shovel, 1 Dustpan Combo, 1 Broom Head, 1 Telescoping Handle, 1x ChemKlenz Shaker Bottle.
13-SHT95	95-Gallon	51 (193)	97 (44)	1 P.P.E. Spill Pak, 1 - 1-Gallon Jug ENSORB®, 1 Speedy Duffel Universal Spill Kit, 1 Speedy Duffel Aggressive Spill Kit, 1 Speedy Duffel Oil Only Spill Kit, 1 Leak Repair Kit, 1 - 20-Gallon Prowler® Pool, 1 Caution Sign, 1 Collapsible Shovel, 1 Dustpan Combo, 1 Broom Head, 1 Telescoping Handle, 1x ChemKlenz Shaker Bottle.
13-WSHT95	95-Gallon	51 (193)	105 (48)	1 P.P.E. Spill Pak, 1 - 1-Gallon Jug ENSORB®, 1 Shaker Chemklenz®, 1 Speedy Duffel Universal Spill Kit, 1 Speedy Duffel Wheeled Aggressive Spill Kit, 1 Speedy Duffel Oil Only Spill Kit, 1 Leak Repair Kit, 1 - 20-Gallon Prowler® Pool, 1 Caution Sign, 1 Collapsible Shovel, 1 Dustpan Combo, 1 Broom Head, 1 Telescoping Handle, 1x ChemKlenz Shaker Bottle.

# WALL-MOUNT SPILL LOCKER SERIES

## LARGE & X-LARGE – UNIVERSAL, OIL-ONLY & AGGRESSIVE

Keep your Spill Kits at eye level with ENPAC's newest Spill Lockers. Loaded with everything you will need to absorb your Spills from factory floors to utility kitchens. Two sizes and refills available.



### WALL-MOUNT SPILL LOCKERS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Dimension L x W x H in. (cm)	Kit Includes
13-WML-U Universal Large 13-WML-A Aggressive 13-WML-O Oil Only		15 (56.8)	31 (14.1)	13 x 14 x 30 (33 x 36 x 76)	1 Large Wall Locker, 1-ENSORB® Gallon Jug, 25 Pads, 4 Pillows, 4 Med. Socks, 1 pack Wipers, 4 Disposal Bags with Ties, 1 pair Goggles, 1 pair Nitrile Gloves, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
13-WMXL-U Universal X-Large 13-WMXL-A Aggressive 13-WMXL-O Oil Only		25 (94.6)	47.2 (21.4)	14.5 x 20 x 33 (39 x 51 x 84)	1 X-Large Wall Locker, 1-ENSORB® Gallon Jug, 50 Pads, 6 Pillows, 7 Med. Socks, 1 pack Wipers, 4 Disposal Bags with Ties, 2 pair Goggles, 2 pair Nitrile Gloves, Hand Seal, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).

# ENSORB® SPILL STATIONS

Reduce slip and fall accidents from workplace A-to-Z while saving valuable floor-space! No need to scour the cabinets, everything you need for an efficient clean-up is right at your fingertips. ENPAC's ECO-Friendly ENSORB® super absorbent is mineral-based and is the foundation of this wall mountable kit. Available in standard and deluxe.

## ENSORB® SPILL STATION



## ENSORB® SPILL STATION DELUXE



### ENSORB® SPILL STATIONS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
13-ESS Standard		1 (3.8)	3 (1.4)	1 Wire Rack, 1 ENSORB® 1 Gallon Jug, 10 Trash Bags, 1 Dust Pan, 1 Hand Broom, 1 Universal Spill Kit, Sticker, 1 SDS
13-ESSD Deluxe		1 (3.8)	6 (2.7)	1 Wire Rack, 1 ENSORB® 1-Gallon Jug, 50 Trash Bags, 1 Box Latex Gloves, 1 Dust Pan, 1 Hand Broom, 1 Universal Spill Kit Sticker, 1 Caution Sign, 1 Telescoping Broom Handle, 1 Broom Head, 1 SDS

Regulations: EPA, SPCC and NPDES

# ENSORB® SUPER ABSORBENT SPILL KIT

Finally a kit that can do it all! Mobility and convenience meet with this ENSORB®-powered pack that you can store anywhere spills may happen!



### ENSORB® SUPER ABSORBENT SPILL KIT

Part #	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
ENP D710 Universal	2 (7.6)	9.4 (4.3)	1 Water Resistant Nylon Zippered Tote, 2 - 1-gal. jugs ENSORB®, 1 Broom Head, 1 Telescoping Broom Handle, 1 Dustpan/Brush Combo, 10 Disposal Bags with ties, 1 pair Goggles, 1 pair Nitrile Gloves.





POLY SPILLPACK  
ALL NEW, EASY ACCESS DRUM

The all new ENPAC Poly Spillpacks can be used as a quick access container for spill response materials. The slip top lid slides on and off with ease, saving valuable time and enhancing workplace safety. The tough, roto-molded polyethylene construction is durable, corrosion resistant, and is an economically priced alternative to salvage drums for spill kit containers.

- Designed from chemically resistant polyethylene
- Easy to use non-threaded lid
- Convenience 20, 30, 65 and 95 gallon options



POLY SPILLPACKS®

Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)
1120-YE	20 gallon	22.25 (57)	18 (46)	19 (48)	8 (3.6)	20 (75.7)
1130-YE	30 gallon	22.25 (57)	18 (46)	30 (76)	11 (5)	30 (113.5)
1150-YE	Wheeled 50 gallon	24 (61)	18.5 (47)	45.5 (115)	40 (18.1)	50 (189.3)
1165-YE	65 gallon	27.75 (70)	23 (58)	37.5 (95)	22.5 (10.2)	65 (246.1)
1195-YE	95 gallon	31.5 (80)	25.75 (65)	41.5 (105)	28 (12.7)	95 (359.6)
1199-YE	Wheeled 95 gallon	31.38 (80)	25.75 (65)	57.5 (121)	50 (22.6)	95 (359.6)

Regulations: EPA, SPCC and NPDES, 49 CFR 171.8

POLY SPILLPACK SPILL KITS

When a spill occurs, time becomes your most valuable asset. Rapidly respond to any spill with these easy-access kits. The non-threaded lid design allows for quick retrieval of spill response equipment in a durable, chemically resistant container.



POLY SPILLPACK SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1420-YE Universal 1421-YE Aggressive 1422-YE Oil Only	20-Gallon	10 (37.9)	20 (9)	1 - 20 Gal. Spillpack, 1 1-Gal Jug ENSORB®, 20 Pads, 6 Med. Socks, 1 pack Wipers, 2 Disposal Bags with Ties, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1420-RF Universal 1421-RF Aggressive 1422-RF Oil Only		10 (37.9)	12 (5.4)	
1430-YE Universal 1431-YE Aggressive 1432-YE Oil Only	30-Gallon	21 (79.5)	28 (12.7)	1 - 30 Gal. Spillpack, 1 - 1-Gal Jug ENSORB®, 50 Pads, 6 Med. Socks, 1 pack Wipers, 2 Disposal Bags with Ties, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1430-RF Universal 1431-RF Aggressive 1432-RF Oil Only		21 (79.5)	18 (8.2)	
1460-YE Universal 1461-YE Aggressive 1462-YE Oil Only	65-Gallon	35 (132.5)	61 (27.7)	1 - 65 Gal. Spillpack, 1 - 1-Gal Jug ENSORB®, 50 Pads, 8 Lg. Socks, 1 pack Wipers, 4 Disposal Bags with Ties, 2 pair Nitrile Gloves, 2 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1460-RF Universal 1461-RF Aggressive 1462-RF Oil Only		35 (132.4)	38.5 (17.5) 35 (132.4) 35 (132.4)	
1490-YE Universal 1491-YE Aggressive 1492-YE Oil Only	95-Gallon	55 (208.1)	94 (42.6)	1 - 95 Gal. Spillpack, 1 - 1-Gal Jug ENSORB®, 100 Pads, 10 Lg. Socks, 1 pack Wipers, 5 Disposal Bags with Ties, 2 pair Nitrile Gloves, 2 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1490-RF Universal 1491-RF Aggressive 1492-RF Oil Only		55 (208.2)	66 (30) 55 (208.2) 55 (208.2)	

Regulations: 29 CFR 1910.120, 40 CFR 112.7, 40 CFR 122.26, 49 CFR 173.3, EPA, SPCC and NPDES





## HAND CARRIED & ECONO™ SPILL PAK KITS

Perfect for stashing behind the seat of a truck, in a cabinet or placing in tool box, the Hand Carried and Econo Spill Pak Kits are ideal for spill response on the go! Providing quick and efficient clean-up for your unplanned spills, they can be refilled, but are so economical, we feel they’re disposable!



### HAND CARRIED & ECONO™ SPILL PAK KITS

Part #	Description		Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
ENP D715	Universal	Hand Carried	6 (23)	6 (2.7)	1 Spill Pak Bag, 15 Pads, 3 Medium Socks, 1 Pair Nitrile gloves, 2 Disposal Bags with ties, 1 Instruction Sheet, 1 SDS(s).
ENP D717	Aggressive	Hand Carried			
ENP D716	Oil Only	Hand Carried			
13-SP2U	Universal	Econo	5 (19)	5 (2.3)	1 Spill Pak Bag, 10 Pads, 2 Medium Socks, 1 Pair Nitrile Gloves, 1 Disposal Bag with tie, 1 Instruction Sheet, 1 SDS(s).
13-SP2A	Aggressive	Econo			
13-SP2O	Oil Only	Econo			

Regulations: 40 CFR 112.7, 40 CFR 122.26, 40 CFR 263.30, 40 CFR 263.31, EPA, SPCC and NPDES



## DELUXE LONG HAUL TRUCK SPILL KIT

The Deluxe Long Haul Truck Spill Kit can be used as a truck-mounted container under semi-trucks/trailers, or as a spill response unit in almost any location when mounted to the wall. Attaches easily to trailer undercarriage or walls utilizing molded or slotted holes for multiple mounting options. Contents are safely contained in the lockable ENPAC® Poly-Edge™ which has a durable weather and water resistant gasket seal that keeps all stored items secure and dry. This Deluxe Kit also includes an ENPAC® 100 gallon Prowler™ Pop-Up Pool – for immediate spill containment to the widest range of chemicals – and a complete Leak Repair Kit.

(Lock not included)

### DELUXE LONG HAUL SPILL KITS

Part #	Description	Spill Cap. gal. (L)	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
13-TWSK-U	Universal Long Haul Truck	110 (416)	10 (38)	27 (12.2)	1 Poly-Edge™ Mountable (lockable) Storage Container, 1 Leak Repair Kit, 1 - 100 Gallon Prowler Pop-Up Pool, 25 Pads, 4 Socks, 1 - 1-Gal Jug ENSORB®, 2 Disposable Bags with Ties, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide and Instruction Sheet.
13-TWSK-O	Oil Only				

Regulations: 40 CFR 112.7, 40 CFR 122.26, 40 CFR 263.30, 40 CFR 263.31, EPA, SPCC and NPDES

## ECONO LONG HAUL TRUCK SPILL KIT

A Spill Kit as mobile as you are! Your quick and convenient travel pal for any spill while you’re on the move! Keep it handy in your cab or small enough to store in a toolbox. Includes many of the same items featured in the Long Haul Truck Deluxe.



### ECONO LONG HAUL SPILL KITS

Part #	Description	Spill Cap. gal. (L)	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
13-ELHT-U	Universal	25 (95)	5 (19)	7 (3.2)	7 (3.2)1 - 1Qt. Zip Bag ENSORB®, 1 - 20-Gallon Prowler Pop-Up Pool, 10 Pads, 4 Med. Socks, 1 pair Goggles, 1 pair Nitrile Gloves, 1 Disposal Bag with Tie, 1 Emergency Response Guide and instruction sheet.
13-ELHT-O	Oil Only				

Regulations: 40 CFR 112.7, 40 CFR 122.26, 40 CFR 263.30, 40 CFR 263.31, EPA, SPCC and NPDES



## BATTERY ACID SPILL KITS

### WHY TAKE RISKS WHEN YOU CAN TAKE PRECAUTIONS

Prepare your battery charging and filling area with a 5- or 20-gallon battery acid spill kit. These kits are specifically made to neutralize battery acid spills quickly, absorb them effectively, and equip you with everything needed to stop the spill from spreading and clean-up the exposed area. Helps comply with 29 CFR 1910.178(g)(2) for battery storage, filling and flushing regulations.

### BATTERY SPILL KITS

Part #	Description	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1305-BAT	5-Gallon Pail	4 (15)	8 (3)	1 - 5-Gallon Safety Pail, 1 BatX Neutralizing Shaker, 1 Tyvek Suit, 10 Aggressive Pads, 3 Medium Socks, 1 pair Goggles, 1 pair Nitrile Gloves, 1 Disposal Bag with Tie.
1320-BAT	20-Gallon Salvage Drum	13 (49)	30 (13)	1 - 20-Gallon Overpack Salvage Drum, 1 BatX Neutralizing Shaker, 1 Tyvek Suit, 30 Aggressive Pads, 3 Aggressive Pillows, 3 Medium Socks, 1 pair Goggles, 1 pair Nitrile Gloves, 10 Disposal Bags with Ties.

Regulations: 40 CFR 112.7, 40 CFR 122.26, 40 CFR 263.30, 40 CFR 263.31, EPA, SPCC and NPDES

## SPEEDY DUFFEL™ AND FAST PACK™ SPILL KITS

Compact and portable vehicle response kits for small transportation spills in yellow water-resistant, heavy-duty nylon bags. Convenient nylon handles and straps provide easy transport and response. Great for fueling locations! Refills available.

OTHER COLORS AVAILABLE



Speedy Duffel™ Spill Kit  
20" x 9" x 19"



Fast Pack™ Spill Kit  
8" x 17"



Available in Camouflage. Instead of ordering a Yellow Bag with a –YE part number, order –CM.

## FORKLIFT/VEHICLE SPILL KIT™



The spill kits contents are contained in an extremely durable water resistant safety yellow bag. Easily hangs from any piece of heavy equipment such as a forklift.

## ECONO SAFETY PAIL SPILL KIT™

Looking for portability and value? You found it. The perfect spill kit for everyday economic applications.



### SPILL KITS

Part #	Description		Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1300-YE	Universal	Fast Pack™	5 (19)	7 (3.2)	1 Heavy duty duffel, 1 - 1-Qt. Zip Bag ENSORB®, 10 Pads, 2 Med. socks, 1 Disposal Bag with Tie, 1 pair Nitrile Gloves, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1301-YE	Aggressive				
1302-YE	Oil Only				
1310-YE	Universal	Speedy Duffel™	10 (38)	13 (5.9)	1 Heavy duty duffel, 1 - 1-Qt. Zip Bag ENSORB®, 20 Pads, 2 Lg. socks, 3 Med. Socks, 1 Disposal Bag with Tie, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide, 1 Instruction Sheet and SDS(s).
1311-YE	Aggressive				
1312-YE	Oil Only				
13-5PKU	Universal	Econo Safety Pail	5 (19)	10 (4.5)	1 - 5-Gallon Safety Bucket, 1- 1-Quart ENSORB®, 10 pads, 4 med. socks, 1 Disposal Bag with Tie, 1 pair Nitrile Gloves, 1 pair Goggles, 1 Emergency Response Guide and Instruction Sheet.
13-5PKO	Oil Only				
13-KTSSU	Universal	Forklift/Vehicle	5 (19)	5 (2.3)	1 Waterproof Bag with Buckle Strap, 12 Pads, 2 Socks, 1 Disposal Bag with Tie, 1 pair Nitrile Gloves and 1 Instruction Sheet.
13-KTSSO	Oil Only				

Regulations: 40 CFR 112.7, 40 CFR 122.26, 40 CFR 263.30, 40 CFR 263.31, EPA, SPCC and NPDES



ENPAC® LEAK REPAIR KIT

The ENPAC® Leak Repair Kit can be used to plug leaking gasoline, diesel or biofuel tanks to minimize the amount of fuel lost and the clean up required. Combine the barrier sheet and plug pattie to immediately stop any leak. Prevent water damage to freight by immediately plugging a damaged trailer that is allowing rain-water to get in. Plug either from the inside or the outside to keep the trailer in operation.



ENPAC® LEAK REPAIR KIT

Part #	Kit Includes
13-LRK	1 Plug Pattie, 1 Aluminum Butyl Tape, 1 Super Absorbent Pad, 1 Rubber Barrier Sheet, 2 Zip Ties, 1 pair Nitrile Gloves.



P.P.E SPILL PAK

Includes all the Personal Protection Equipment you will need to arm yourself for the fight against the toughest of spills.

P.P.E. SPILL PAK

Part #	Description	Weight lb. (kg)	Kit Includes
13-PPE	Spill Pak	5 (2.3)	1 Spill Pak Bag, 3 Tyvek Suits, 1 Shield Face Mask & Bracket, 3 Prs. Boot Covers, 3 Prs. Nitrile Gloves, 3 Goggles, 3 Disposal Bags & Ties, 1 Emergency Response Guide.

SPILL KIT ACCESSORIES

POLY-TOP

Poly-top prevents the accumulation of water, snow, dirt and debris on overpack lids while protecting overpacks against weathering and long-term UV degradation. The high-visibility color is an added feature to the Poly-Top that are made to fit 20/30, 65/95, and 50/95-Gallon Wheeled Poly-Overpacks® and Spill Kits.

POLY-TOP

Part #	Description	Diameter in. (cm)	Height in. (cm)	Weight lb. (kg)
2030-TARP	20 & 30 Gallon	24 (61)	12 (30)	1.3 (.6)
6595-TARP	65 & 95 Gallon	33 (84)	23 (58)	3 (1.4)
1259-TARP	50 Gallon Wheeled	27 (69)	20 (51)	2.5 (1.1)
1299-TARP	95 Gallon Wheeled	33 (84)	23 (58)	3 (1.4)



SPILL CAUTION SIGN

Provide a high-visibility reminder that a spill has occurred to advise extra caution.

SPILL CAUTION SIGN

Part #	Description	Height in. (cm)
R14007	Sign	20 (51)



OVERPACK DRUM DOLLY

Easily move drums and overpacks across your workspace with ease!

DRUM DOLLY

Part #	Top Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
8050	Int. 27.1 (69) Ext. 27.5 (70)	Int. 1.6 (4) Ext. 5.5 (14)	19 (8.6)	900 (408)



TAMPER SEAL LABEL

Visual reassurance of a complete, untouched Spill Kit when you need it most!

TAMPER SEAL

Part #	Description	Dimensions in. (cm)	Quantity bag
13-TS	Tamper Seal Label	2 x 7 (5 x 18)	10/Bag



HAZMAT DISPOSABLE BAG

Immediate, high-visibility containment for disposal of every spill type.

HAZMAT DISPOSABLE BAG

Part #	Description	Weight lb. (kg)	Quantity
R14005	Hazmat Bag	55 (24)	250/Case



REPLACEMENT & REFILL KITS

No need to buy the same spill kits over and over again! Purchase an ENPAC® Refill Kit to keep your container ready for immediate spill response.



REPLACEMENT & REFILL KITS

Part #	Description	Absorbs gal. (L)	Weight lb. (kg)
1320-RF	Universal 20-Gallon	11 (12)	20 (9.1)
1321-RF	Aggressive		
1322-RF	Oil Only		
1330-RF	Universal 30-Gallon	23 (87)	25 (11.3)
1331-RF	Aggressive		
1332-RF	Oil Only		
1350-RF	Universal 50-Gallon Wheeled	31 (117)	35 (13.6)
1351-RF	Aggressive		
1352-RF	Oil Only		
1360-RF	Universal 65-Gallon	41 (155)	38 (17.2)
1361-RF	Aggressive		
1362-RF	Oil Only		
1390-RF	Universal 95-Gallon	62 (235)	65 (29.5)
1391-RF	Aggressive		
1392-RF	Oil Only		
1393-RF	Universal 95-Gallon Envirosolv	62 (235)	65 (29.5)
1394-RF	Aggressive		
1395-RF	Oil Only		
1397-RF	Universal 95-Gallon Wheeled	62 (235)	70 (31.8)
1398-RF	Aggressive		
1399-RF	Oil Only		
1347-RF	Universal Large Tote	95 (360)	54 (24.5)
1348-RF	Aggressive		
1349-RF	Oil Only		
1380-RF	Universal X-Large Tote	150 (568)	84 (38.1)
1381-RF	Aggressive		
1382-RF	Oil Only		
1460-RF	- Universal 65-Gallon SpillPack	41 (155)	38.5 (17.5)
1461-RF	- Aggressive	41 (155)	38.5 (17.5)
1462-RF	- Oil Only	41 (155)	38.5 (17.5)
1490-RF	- Universal 95-Gallon SpillPack	94 (235)	66 (30)
1491-RF	- Aggressive	94 (235)	66 (30)
1492-RF	- Oil Only	94 (235)	66 (30)
13-WML-U-RF	Universal Wall Mount Locker Large	15 (56.8)	22 (10)
13-WML-A-RF	Aggressive		
13-WML-O-RF	Oil Only		
13-WMXL-U-RF	Universal Wall Mount Locker X-Large	25 (94.6)	30 (13.6)
13-WMXL-A-RF	Aggressive		
13-WMXL-O-RF	Oil Only		
13-TWSK-U-RF	Universal Long Haul Deluxe	10 (38)	25 (11.3)
13-TWSK-O-RF	Oil Only		





ENSORB® SUPER ABSORBENT™



ENSORB® Super Absorbent™ has unlimited uses! Immediately absorbing liquids of any viscosity, ENSORB® leaves surfaces clean and dry.

- Extraordinary versatility in absorbing any kind of liquid or semi-liquid on contact and permanently encapsulates absorbed materials. This includes all animal, vegetable, mineral, petroleum, and chemical liquids\*.
- Non-Biodegradable and is environmentally safe and friendly.




ENSORB® SUPER CLEANER/DEGREASER

ENSORB® Super Cleaner/Degreaser™ is a versatile multiple-use concentrate. Water-based and environmentally friendly, it's a powerful cleaner that leaves surfaces clean and free of residue.

ENSORB® SUPER CLEANER/DEGREASER			
Part #	Description	Weight lb. (kg)	Quantity case
ENP D312CS	(4) 1 Gallon Bottle	40 (18.1)	4/Case

PRODUCT & DISPOSAL COSTS COMPARISON  
(Based on 1 quart of motor oil)



FEATURES:

- 15 to 20 times the absorption capacity of clay-based products.
- Virtually unlimited uses as a dry absorbent that is safe in all applications.
- Picks up all liquids, of any viscosity, off any hard surface, leaving that surface clean and dry.
- Turns the spilled liquid into a solid that can be disposed of easily.
- Lightweight and simple to use, it dramatically reduces clean up costs, as well as the ever-increasing costs of disposal.
- Not injurious to soil, cement, asphalt, tile, plants, animals, or humans.
- Contains no reactive chemicals, is not toxic or flammable.

\*Note: Cannot be used with Hydrofluoric Acid (HF).

ENSORB® SUPER ABSORBENT™			
Part #	Description	Weight lb. (kg)	Quantity
ENP D225	1.5 Cubic Ft. Bag	11 (5)	1
ENP D503	1 Gallon Jug Dispenser	3 (1.4)	1
ENP D503CS	1 Gallon Jug Dispensers	22 (9.8)	6/Case
ENP D208CS	1 Quart Zip Seal Bags	8 (3.6)	12/Case
ENP D555	55 Gallon Drum	76 (34.5)	1

CHEMKLENZ®

IMMEDIATE SPILL RESPONSE

NEUTRALIZES BOTH LIQUID AND VAPOR HAZARDS



ChemKlenz® is a universal chemical absorbent that neutralizes both acids and bases, including HF and a wide variety of hazardous chemicals.

The entire line consists of highly effective response products which are capable of containing and neutralizing a variety of chemical threats in easy to use delivery systems. Originally for military chemical response applications, they now provide safety for employees, students, staff, and property from chemical hazards.

All units are portable with no premixing required. The products are easy to operate, featuring rapid active, compact delivery systems. Effective over a wide range of conditions; non-toxic, non-corrosive, non-flammable.

Neutralizes:

- Acids
- Bases
- Caustics
- Solvents

- ✓ No Premixing required
- ✓ All Units are portable
- ✓ Non-Toxic
- ✓ Non-Corrosive
- ✓ Non-Flammable



Your simple and immediate response to chemical spills.

CHEMKLENZ® IMMEDIATE SPILL RESPONSE

Part #	Description
FA024-0500-00NS	ChemKlenz 500 gram Shaker Bottle
FD324-0901-00EP	ChemKlenz Shaker Bottle Wall-Mount Station (Shaker Bottle Sold Separately)
FA024-5000-00NS	ChemKlenz 5-Kg Pail
FA024-1000-00NS	ChemKlenz 1-Kg Pressurized Cylinder
FA024-2000-00NS	ChemKlenz 2-Kg Pressurized Cylinder
FA024-4000-00NS	ChemKlenz 4-Kg Pressurized Cylinder
FG015-1840-80NS	ChemKlenz Surface Decon Mitts, 80/Case



THE MARKET'S  
LEADING  
ALL-IN-ONE  
NEUTRALIZER!





# SORBENT PADS

ENPAC® meltblown polypropylene sorbent pads are the most cost-effective absorption technology. Available in oil-only, universal, and aggressive.

## SORBENT PADS

Part #	Description	Capabilities/Size	Quantity
ENP OP100H	Oil-Only Pad	Heavy Weight	100/case
ENP OP100M	Oil-Only Pad	Medium Weight	100/case
ENP OP200S	Oil-Only Pad	Single Weight	200/case
ENP UPB100H	Universal Pad	Heavy Weight, Bonded	100/case
ENP UPB100M	Universal Pad	Medium Weight, Bonded	100/case
ENP UPB200S	Universal Pad	Single Weight, Bonded	200/case
ENP HPB100H	Aggressive Pad	Heavy Weight, Bonded	100/case
ENP HPB100M	Aggressive Pad	Medium Weight, Bonded	100/case



\* Sonic-Bonded, Laminated and other Pads available. Call for further information.



# SORBENT ROLLS

ENPAC® polypropylene sorbent rolls are available in Oil-Only and Universal with or without perforations. Fast-wicking fibers allow them to absorb up to 25 times their weight!



# SORBENT SOCKS

ENPAC® sorbent socks are an excellent choice for surrounding spills and for use around machinery and equipment. Nominal lengths of 4' and 8' available in standard 3" diameter.

Additional Sorbent items available, contact us for more information.

## SORBENT ROLLS & SOCKS

Part #	Description	Length ft. (m)	Width in. (cm)	Weight lb. (kg)	Capabilities/Size	Quantity
ENP ORB30150	Oil-Only Roll	150 (46)	30 (76.2)	22 (9)	Heavy Weight, Bonded	
ENP ORB15150	Oil-Only Roll, Split		15 (38.1)		Heavy Weight, Bonded	
ENP URB30150	Universal Roll		30 (76.2)		Heavy Weight, Bonded	
ENP URB15150	Universal Roll, Split		15 (38.1)		Heavy Weight, Bonded	
ENP HRB30150	Aggressive Roll		30 (76.2)		Heavy Weight, Bonded	
ENP HRB15150	Aggressive Roll, Split		15 (38.1)		Heavy Weight, Bonded	
ENP 40OS34	Oil-Only Sock	4 (1)	3 (8)	32 (14)	Medium	40/case
ENP 20OS38	Oil-Only Sock	8 (2)	3 (8)	32 (14)	Large	20/case
ENP 40US34	Universal Sock	4 (1)	3 (8)	32 (14)	Medium	40/case
ENP 20US38	Universal Sock	8 (2)	3 (8)	32 (14)	Large	20/case
ENP 40HS34	Aggressive Sock	4 (1)	3 (8)	30 (13)	Medium	40/case
ENP 20HS38	Aggressive Sock	8 (2)	3 (8)	30 (13)	Large	20/case

# SORBENT QUICK REFERENCE GUIDE

## GETTING THE RIGHT PRODUCT FOR YOUR NEED

**OIL ONLY :** White and widely used for oils and hydrocarbons (available in meltblown and bonded). Oil-Only Sorbents provide superior water resistance and can absorb up to 25 times their weight. Ideal for absorbing oil off of water during maintenance and repair when needing to avoid soaking up water and water-based fluids.

**UNIVERSAL :** These highly versatile sorbents are grey and used in most all industries. Bonded for added strength and durability, Universal sorbents are a great choice for absorbing a wide range of fluids. These will absorb both water and oil-based liquids.

**AGGRESSIVE :** Also known as Hazmat sorbents, can range in a variety of colors with yellow being the most standard for visible hazardous material recognition. Aggressive sorbents are best used for the clean-up of unknown, toxic, flammable, corrosive and chemical substance spills.







SORBENT PILLOWS

Thirsty loose-filled pillows available in Oil-Only, Universal, and Aggressive pick up your spills quickly and efficiently.



ABSORBS  
UP TO 25  
TIMES IT'S  
WEIGHT!



BOOMS

ENPAC® oil only, oil-select polypropylene sorbent booms are great for picking up all oils and hydrocarbons spilled on water. Fast-wicking white fibers are stuffed into 5” and 8” diameter booms 10’ long. Comes complete with hooks and loops to link booms together for spills over large areas. Ideal for catch basins, sumps, marinas, and industrial applications.

DRUMTOPPER™ PADS

ENPAC® meltblown oil-select polypropylene sorbent pads are the most cost-effective absorption technology today. Fast-wicking fibers absorb up to 25 times their weight.



SORBENTS

Part #	Description	Length in. (cm)	Width in. (cm)	Weight lb. (kg)	Capabilities/Size	Quantity
ENP 40OPIL1010	Oil-Only Pillow	10 (25)	10 (25)	26 (11.8)	Medium	40/case
ENP 16OPIL1818	Oil-Only Pillow	18 (46)	18 (46)		Large	16/case
ENP 40UPIL1010	Universal Pillow	10 (25)	10 (25)		Medium	40/case
ENP 16UPIL1818	Universal Pillow	18 (46)	18 (46)		Large	16/case
ENP 40HPIL1010	Aggressive Pillow	10 (25)	10 (25)		Medium	40/case
ENP 16HPIL1818	Aggressive Pillow	18 (46)	18 (46)		Large	16/case
ENP OB510	Oil-Only Boom	10ft (3m)	5 (13)	26 (11.8)		4/case
ENP OB810	Oil-Only Boom	10ft (3m)	8 (20)	42 (19)		4/case
ENP 25UDT	Universal Drumtopper Pad		Fits 55-gallon drums	5 (2.3)	Heavy Weight, Sonic-Bonded	25/case
ENP 25ODT	Oil-Only Drumtopper Pad		Fits 55-gallon drums	5 (2.3)	Heavy Weight, Sonic-Bonded	25/case

Note: colors, sizes and case counts subject to change without notice.

TRAUMA-SORB™ MEDICAL SORBENTS

ENPAC® is proud to introduce a new line of Sorbents. Trauma-Sorb™ Medical Sorbents provide excellent absorbance of fluids while protecting medical equipment, staff, and the environment. From flat socks to lab sheets, Trauma-Sorb™ has it covered!




TRAUMA-SORB™ FOLDED FLAT SOCK

The Trauma-Sorb™ heavy weight tri-folded flat sock is made with a durable white cellulose material. This product can be unfolded to 11.5” wide to contain spills on floors or other surfaces.

TRAUMA-SORB™ PADS

The Trauma-Sorb™ heavy weight medical pads are made with expanded cellulose to absorb spills quickly and easily. This product provides absorption protection from spills and can be used to cover work floors and surfaces.



TRAUMA-SORB™ LAB SHEETS

The Trauma-Sorb™ heavy weight lab sheets are made with an airlaid material and polyethylene backing. This product provides absorption protection from spills and can be used to cover work surfaces or floors at work stations.

TRAUMA-SORB™ O.R. MAT

The Trauma-Sorb™ operating room mat safely absorbs blood and other body fluids in your operating room, emergency room, or wherever large spills may occur.

Disposable OR mats absorb:

- Saline
- Sterilants
- Betadine
- Blood

Mats also help to avoid slipping on wet floors. Facilitates faster operating room clean-up and turn-around.



TRAUMA-SORB™

Part #	Description	Dimensions L x W in. (cm)	Absorbency gal. (L)	Weight lb. (kg)	Quantity
ENP FGI61450	Flat Socks	4 x 60 (10 x 152)	7.5 (28.39)	7 (3.2)	18/box
ENP FGI101630	Heavy Weight Pads	16 x 18 (41 x 46)	23 (104.5)	14.25 (6.5)	100/bale
ENP FGI101610	Single Weight Pads	16 x 18 (41 x 46)	15 (68.2)	13.25 (6)	200/bale
ENP FGM001624	Heavy Weight Lab Sheet	16 x 24 (41 x 61)	17.83 (67.5)	0.6 (28)	400/case
ENP FGM003272	Operating Room Mat	32 x 72 (81 x 183)	3.17 (12.0)	7.25 (3.3)	25





TRAUMA-SORB™ SPILL KITS

Compact and portable, Trauma-Sorb™ heavyweight absorbent kits protect medical equipment, staff, and the environment in emergency response conditions. Provides absorption protection for saline, sterilants, blood and other body fluids. Convenient nylon handles and straps provide easy transport and response. Refills available.

TRAUMA-SORB™


Part #	Description	Dimensions LxW in. (cm)	Absorbs up to gal. (L)	Weight lb. (kg)	Kit Includes
1315-RD	Speedy Duffel™ Spill Kit	19 x 9 x 20 (48 x 23 x 51)	13 (49.2)	13 (5.9)	Speedy Duffel Heavy-duty Duffel, 1 - Box Flat Socks, 25 - HW Pads, 50-Wipers, 2- Disposal Bags w/Ties, 2 pr Nitrile Gloves, 2 pr Goggles, and SDS(s).
1314-RD	Fast Pack™ Spill Kit	17 x 8 x 8 (43 x 20 x 20)	5 (18.9)	7 (3.2)	Fast Pack Heavy-duty Duffel, 6 - Flat Socks, 10 - HW Pads, 25-Wipers, 1- Disposal Bags w/Tie, 1 pr Nitrile Gloves, 1 pr Goggles, and SDS(s).

IMBIBER BEADS® IMBICATOR®

THE WORLD’S ONLY ENGINEERED ABSORBENT POLYMER FOR HAZARDOUS CHEMICAL SPILLS.

Polypropylene, kitty litter, and solidification agents move over! Imbiber Beads® simply work better. They “capture and contain” a broad range of liquid organics including gasoline, diesel and jet fuels, transformer oils, chlorinated solvents, and many more hazardous chemicals. Imbiber Beads® eliminate “free liquids” and the secondary contamination associated with surface-coating sorbents such as polypropylene and kitty litter.

Imbiber Beads® also “blow away” the competition in another critical area. The elimination of free liquids means up to 99% vapor reduction and up to 600% reduction in the rate of volatile vapor release over polypropylene. It is the vapors that support combustion and the vapors that are toxic when inhaled!



This volume of Imbiber Beads® ...will pick up this volume of gasoline

...and swell to a

3.2 Dia.



Imbiber Beads® are the ONLY color-change-indicating product on the market.



They change from white, to pink, to red...



...As the concentration of organic liquid increases. They're unaffected by water!

IMBIBER BEADS® IMBICATOR®

Part #	Description	Dimensions LxW in. (cm)	Weight lb. (kg)	Quantity case
ENP IE0077	Packets	7 x 7 (18 x 18)	9 (4.1)	30
ENP IE0742	Mini Boom	7 x 42 (18 x 183)	8 (3.6)	5
ENP IE1421	Pillows	14 x 21 (17 x 53)	7 (3.2)	5
ENP IE2135	Blanket	21 x 35 (53 x 89)	8 (3.6)	2
ENP IEBS505000	Imbiber Beads®/Sand mix		20 (91)	1

DRIP SENTINEL™ MAINTENANCE BLANKET™

The ENPAC® Maintenance Blanket™ is designed to be used under vehicles or leaking equipment. The sorbent blanket is made of non-woven geo-textile that is backed by a layer of fuel/chemical resistant polyethylene. The blanket provides a protective sorbent pad between the maintenance item and placement area. The fabric backing provides an extra barrier that (unless punctured) stops any hydrocarbon from getting to the ground. The blanket can be rolled or folded into a compact lightweight unit. It is an inexpensive alternative to heavier, more costly fabric mats.

MAINTENANCE BLANKET™

Part #	Description	Dimensions L x W ft. (m)	Weight lb. (kg)	Spill Cap. gal. (L)
4720-BK	Maintenance Blanket™	12 x 3 (3.7 x .9)	6 (2.7)	6 (23)
4725-BK	Maintenance Blanket™	12 x 6 (3.7 x 1.8)	10 (4)	7 (26.5)
4730-BK	Maintenance Blanket™	12 x 9 (3.7 x 2.7)	12 (5)	8 (30)
4735-BK	Maintenance Blanket™	12 x 12 (3.7 x 3.7)	15 (6)	9 (34)

Regulations: EPA, SPCC and NPDES



DRIP SENTINEL™ HOSE BIBB™

Safely wrap quick-disconnect fittings or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment. Integrated internal sorbent allows for containment up to 1 pint of oil, hydraulic fluid, or other hydrocarbons.

Tether closure system holds the unit around the hose and fitting. Units are made of rugged and chemically resistant material. Lightweight and made in high visibility yellow.

HOSE BIBB™

Part #	Description	Max Opening in. (cm)	Absorption Cap. oz. (ML)	Spill Cap. oz. (ML)	Quantity
4701-YE	Hose Bibb™	2.5 (6)	8 (237)	16 (473)	1
4701-YE-BX	Hose Bibb™				5/case

Regulations: EPA, SPCC and NPDES

DRIP SENTINEL™ HOSE WRAP™

Does your industrial hose or fitting have a leak? Contain it and prevent costly leaks and spills that can cause injuries to your workers with the ENPAC® Hose Wrap™. Made of rugged and chemically resistant material and an integrated sorbent pad. Hose Wrap™ will absorb leaks from hoses and fittings from 2” to 10” in size. Four sizes available to fit most applications; integrated sorbent pad absorbs hydrocarbons.

HOSE WRAP™

Part #	Description	Dimensions in. (cm)	Weight lb. (kg)
4702-YE	Small Hose Wrap™	Fits 1.5 - 3 hose (4 - 8)	.5 (.23)
4704-YE	Medium Hose Wrap™	Fits 4 - 5 hose (10 - 13)	.8 (.4)
4706-YE	Large Hose Wrap™	Fits 6 - 8 hose (15 - 20)	1 (.5)
4710-YE	X-Large Hose Wrap™	Fits 10 hose (25.4)	1.2 (.6)

Regulations: EPA, SPCC and NPDES



Pads are integrated and replaceable.





# STORM SENTINEL® ADJUSTABLE CATCH BASIN INSERT



The Storm Sentinel® adjustable catch basin insert helps companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It is the sure way to catch oil and sediment headed into storm drains and sewers. Optionally equipped with an oil-absorbent media in a screened bag, the Storm Sentinel® guards against any potential discharge.



- 4341 & 4344 fit any size rectangular catch basin's from 16"x20" to 28"x36". XL version fits rectangular catch basin's up to 42"x42".
- 4340 & 4343 fit any size round catch basin from 27" to 29" in diameter.
- Up to 500 GPM overflow rate helps avoid ponding.
- Requires no special tools to install.
- Helps comply with NPDES, 40 CFR 122.26 when used as Best Management Practice in Storm Water Pollution Prevention Plans.
- Custom sizes available.
- Self supporting frame and easy installation.

\*Patents Pending



ENPAC's enhanced design has increased the surface area for greater sediment retention.



## STORM SENTINEL® CATCH BASIN INSERT

Part #	Description	Dimensions in. (cm)
4340-BG	Round Trash, Sediment, Debris	27 up to 29 (68.6 up to 73.7)
4340-BG-BX	Round Trash, Sediment, Debris - Box of 10	27 up to 29 (68.6 up to 73.7)
4340-IB-BG	Trash, Sediment, Debris, Oils, Hydrocarbons	27 up to 29 (68.6 up to 73.7)
4340-22-BG	Round Trash, Sediment, Debris	27 up to 29 (68.6 up to 73.7)
4340-22-IB-BG	Round Trash, Sediment, Debris, Oils, Hydrocarbons	27 up to 29 (68.6 up to 73.7)
4341-BG	Rectangular Trash, Sediment, Debris	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4341-BG-BX	Rectangular - Trash, Sediment, Debris - Box of 10	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4341-IB-BG	Trash, Sediment, Debris, Oils, Hydrocarbons	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4341-IB-BG-BX	Rectangular-Trash, Sediment, Debris, Oils, Hydrocarbons-Box of 10	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4341-NO-BG	Trash, Sediment, Debris - No Overflow	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4341-NO-IB-BG	Rectangular-Trash, Sediment, Debris, Oils, Hydrocarbons w/No Overflow	16 x 20 up to 28 x 36 (41 x 51 up to 71 x 97)
4343-BG	Rectangular Trash, Sediment, Debris Extra Large Rectangular	25 x 25 up to 42 x 42 (64 x 64 up to 107 x 107)
4343-IB-BG	Trash, Sediment, Debris, Oils, Hydrocarbons	25 x 25 up to 42 x 42 (64 x 64 up to 107 x 107)
4341-MOD-12-BG	Rectangular - Trash, Sediment, Debris	12 x 12 up to 16 x 16 (30.4 x 30.4 up to 40.6 x 40.6)
4341-MOD-12-IB-BG	Rectangular - Trash, Sediment, Debris, Oils, Hydrocarbons	12 x 12 up to 16 x 16 (30.4 x 30.4 up to 40.6 x 40.6)

Regulations: EPA, SPCC and NPDES



**TO INSTALL:** Remove grate and adjust wire frame to fit in recess.



Place insert into recess and frame into corners. Replace metal grate.



No part of the insert extends above the surface.



**TO REMOVE:** Simply lift the grate, grab the handle and pull out the insert.

# STORM SENTINEL® ADJUSTABLE CURB INLET INSERT

ENPAC's® Adjustable Curb Inlet Insert was designed to perform as great as our Catch Basin Inserts for inlet openings ranging from 24"-30" wide.

## GREAT FOR USE IN:

- Industrial facilities
- Construction sites
- Parking lots
- Drive-up retail facilities



Competitive units require multiple people to get the job done. With the storm sentinel™, installation and removal is always a 1-person job!

## STORM SENTINEL® CURB INLET INSERT

Part #	Description	Weight lb. (kg)
4346-BG	Trash, Debris & Sediment	2 (.9)
4346-IB-BG	Trash, Debris, Sediment, Oils & Hydrocarbons	3 (1.4)

Regulations: EPA, SPCC and NPDES

# DRAIN DAM

Redirect water into catch basin while absorbing some hydrocarbons.



## DRAIN DAM

Part #	Dimensions in. (cm)	Weight lb. (kg)	Quantity pkg.
4345-BX2	15 x 4 x 4 (38 x 10 x 10)	6 (2.7)	2

The Storm Sentinel is a registered trademark of ENPAC, LLC, U.S. trademark reg. number 2,953,485

# BOSS DEWATERING FILTER BAGS

BOSS Filter Bags rely on the innovative new design and high quality filter material for removing sediment from discharge pump water. Features include a round neck opening (up to 4") with a web strap closure. The filter bag is formed from non-woven, polypropylene geo-textile material made for removing oil, grease, sediment, litter and debris from pump water.



The BOSS Filter Bag is an inexpensive and easy-to-use Best Management Practice (BMP), that will help you comply with NPDES, EPA 40 CFR 122.26 Stormwater Regulations.

## BOSS DEWATERING FILTER BAGS

Part #	Dimensions ft. (m)	Weight lb. (kg)	Flow Rate gal. per minute
430303	3 x 3 (.9 x .9)	1.1 (.5)	500
430606	6 x 6 (1.8 x 1.8)	2.2 (.99)	1,000
431212	12 x 12 (3.7 x 3.7)	4.4 (2)	2,000

The Storm Sentinel is a registered trademark of ENPAC, LLC, U.S. trademark reg. number 2,953,485

**FOR ADDITIONAL OR CUSTOM STORM WATER PRODUCTS,  
PLEASE CONTACT ENPAC® CUSTOMER SERVICE AT  
800-936-7229.**







# FRAMELESS STORM SENTINEL®

## POSITION. TRIM. COMPLY.

The all new ENPAC Frameless Storm Sentinel is an alternative to the original Storm Sentinel. With additional fabric added to each storm sentinel, custom sizes can be made right on the spot by simply cutting around the edges once the drain grate has been placed.

- Inexpensive and easy-to-use Best Management Practice (BMP)
- Comply with stringent NPDES & EPA standards (40 CFR 122.26).
- Vital element of any Stormwater Pollution Prevention Plan
- ODOT Approved.
- Overflow outlets to allow excessive water from heavy rain showers to bypass the system.
- No Overflow also available.
- Custom sizes available.
- Oil-Capturing option available.

NEW!



### FRAMELESS STORM SENTINEL®

Part #	Description	Dimensions in. (cm)	Weight lb. (kg)
4320-BG	Storm Sentinel Inlet Insert - Sediment No Frame	36 x 48 ( 91.4 x 122)	2 (.9)
4320-BG-BX	Storm Sentinel Inlet Insert Sediment Box 10		
4320-NO-BG	Storm Sentinel Inlet Insert - Sediment No Frame/No Overflow	36 x 48 ( 91.4 x 122 )	2 (.9)
4320-IB-BG	Storm Sentinel Inlet Insert - Sediment-Oils No Frame	36 x 48 ( 91.4 x 122 )	2 (.9)
4326-BG	Storm Sentinel Inlet Insert - Sediment No Frame	60 x 60 ( 152.4 x 152.4 )	2 (.9)
4326-NO-BG	Storm Sentinel Inlet Insert - Sediment No Frame/No Overflow	60 x 60 ( 152.4 x 152.4 )	2 (.9)
4326-IB-BG	Storm Sentinel Inlet Insert - Sediment-Oils No Frame	60 x 60 ( 152.4 x 152.4 )	2 (.9)

Regulations: EPA, SPCC and NPDES

The Storm Sentinel is a registered trademark of ENPAC, LLC, U.S. trademark reg. number 2,953,485

# SPILL PROTECTOR™ DRAIN COVER

## SEAL THE SPILLS OUT!

Brought back by popular demand, the durable and chemically resistant Spill Protector™ serves as an effective barrier between drains and spills providing defense and protection against a variety of hazardous materials.

Approved for use with fuels and chemicals, SPILL PROTECTOR™ provides an air-tight seal preventing hazmat liquids from reaching the drain and precious surface water. High-visibility orange is a visual indicator for the drain shield and is available in 4 standard sizes. Easy to use, clean and reuse!



Custom sizes are available.



### SPILL PROTECTOR™ DRAIN COVER

Part #	Dimensions L x W x H in. (cm)	Weight lb. (kg)
4318-SP	18 x 18 x .25 (46 x 46 x .635)	7 (3)
4324-SP	24 x 24 x .25 (61 x 61 x .635)	10 (4)
4336-SP	36 x 36 x .25 (91 x 91 x .635)	15 (6)
4348-SP	48 x 48 x .25 (122 x 122 x .635)	19 (8)

Regulations: EPA, SPCC and NPDES

# CONCRETE WASHOUT

The new Concrete Washout containment unit by ENPAC® blends the durability of steel with the versatility of plastic to create a time-saving tool for your construction site. A steel frame combines with the 385 gallon plastic sump, forming an integral unit that can withstand the rigors of multiple washouts. Its rugged, reusable construction means that the product will pay for itself in no time. Furthermore, the natural properties of the polyethylene sump discourage hardened concrete from sticking to the interior, saving additional time, labor, and money. ENPAC® continues to offer the best combination of quality and convenience with this newest addition to the product line.



NEW!

- Polyethylene container
- Securely attached top steel frame with steel saddle straps
- Strong welded and bolted steel construction
- Durable and built for continuous usage
- Replaceable poly unit
- Provisions available for additional ease-of-use (dumping, transporting, etc.)



### CONCRETE WASHOUT

Part #	Dimensions in. (cm)	Spill Cap. gal. (L)	Weight lb. (kg)
5390-BK-CWO	79 x 78 x 20 (200.7 x 198 x 51)	385 (1457.4)	275 (127.7)

The ENPAC Concrete Washout was not designed to be lifted, suspended, and/or transported with material inside. Therefore, this unit does not have a load rating. “D” rings are intended to tip contents out of the unit.





## STEELPAL™ OUR EXCLUSIVE ADDITION

ENPAC's newest line brings heavy duty strength and security for storing and handling hazardous chemical Drums and IBC Totes! Our innovative designs provide long lasting, compliant secondary spill containment for flammables and other hazardous chemicals.

Key Features Include:

- Certified leak-free with 100% inspected sump welds
- Extra heavy gauge steel for extended life
- Four-way forklift access
- Galvanized steel grating
- Durable chemical-resistant finish



**4-DRUM  
STEELPAL™**



**2-DRUM INLINE STEELPAL™**



**4-DRUM INLINE STEELPAL™**

\*Other sizes available – call for details.

### STEELPAL™

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
9001-BU	1-Drum	34 x 34 x 18 (86 x 86 x 46)	195 (88.5)	66 (249.8)	600 (272)
9002-BU	2-Drum	54 x 34 x 14 (137 x 86 x 36)	205 (93)	66 (249.8)	1,200 (544)
9004-BU	4-Drum	54 x 50 x 10 (137 x 127 x 25)	270 (122.5)	66 (249.8)	2,400 (1,089)
9005-BU	4-Drum Inline	107 x 34 x 10 (272 x 86 x 25)	380 (172)	66 (249.8)	2,400 (1,089)

Regulations: EPA 40 CFR 264.175 SPCC, NPDES and UFC

## IBC AND DOUBLE IBC STEEL TOTES

Safely store hazardous chemicals in Intermediate Bulk Containers (IBC's or Totes) over a compliant spill sump. One and two tote designs offer you the flexibility to choose the right sump for your application.



### STEEL IBC TOTES

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
9469-BU	IBC	60 x 53 x 33 (152 x 135 x 84)	585 (265)	385 (1,457.9)	5,000 (2,268)
9480-BU	Double IBC	120 x 53 x 20 (304 x 135 x 51)	700 (317.5)	385 (1,457.9)	10,000 (4,536)



## 2 AND 4-DRUM HAZMAT LOCKERS

HazMat Lockers are complete with lockable, hinged lid & doors for storing hazardous materials securely anywhere!



## 2 AND 4-DRUM STEEL STACKERS

Most spills occur when transporting chemicals. Safely and securely move chemicals around your facility with our Stacker Transport Pallets with added side rails for efficient moving and stacking.



### HAZMAT LOCKERS & STACKERS

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
9020-BU	2-Drum Locker	54 x 34 x 55 (137 x 86 x 140)	425 (192.8)	66 (249.8)	1,200 (544.3)
9040-BU	4-Drum Locker	56 x 56 x 55 (142 x 142 x 140)	570 (259)	66 (249.8)	2,400 (1,089)
9012-BU	2-Drum Stacker	54 x 34 x 55 (137 x 86 x 140)	310 (140.6)	66 (249.8)	1,200 (544.3)
9014-BU	4-Drum Stacker	55 x 50 x 54 (140 x 127 x 137)	385 (174.6)	66 (249.8)	2,400 (1,089)

Regulations: EPA 40 CFR 264.175 SPCC, NPDES and UFC

## PALLET RACK SUMP INSERTS

Designed to fit your pallet racks, this economical Sump Insert installs quickly and can help you comply with containment regulations while keeping you safe and spill-free! Grounding Straps Available. Call for Details.



**PREFERRED  
FOR STORING  
FLAMMABLES!**

### RACK SUMP INSERTS

Part #	Dimensions L x W in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. PSF
9140-BU	For Racks 96 x 36 (241 x 74)	335 (152)	58 (220)	250
9150-BU	For Racks 108 x 36 (272 x 74)	392 (178)	65 (246)	250
9160-BU	For Racks 96 x 42 (241 x 91)	385 (174.6)	70 (265)	250
9170-BU	For Racks 108 x 42 (272 x 91)	452 (205)	79 (299)	250

Regulations: EPA 40 CFR 264.175 SPCC, NPDES





# HAZMAT STORAGE BUILDINGS

## COMPLETE HAZMAT CONTAINMENT

Loaded with features like a galvanized sump and passive ventilation, Outdoor Drum Storage Buildings are the #1 rated products for outdoor storage of flammables and combustibles!

For added safety and security, the lockable, hinged doors are equipped with an inside release and can withstand wind load up to 90mph (145kph).

Note: Two (2) 13"/33cm vent hoods ship unattached but are included in the external length dimension.



10-DRUM HAZMAT STORAGE BUILDING

Features Include:

- Galvanized grating above a spill compliant sump
- Lockable, hinged doors
- Passive ventilation
- Exterior grounding lug
- Anchoring point
- NFPA 701 placard



2-DRUM HAZMAT STORAGE BUILDING

### 14-DRUM HAZMAT STORAGE BUILDING

Available in sizes from 2-Drum to 14-Drum storage, there is a building to fit every need!



ADDITIONAL  
OPTIONS AND  
RATINGS  
AVAILABLE

HAZMAT STORAGE BUILDING							
Part #	Description	Ext. Dimensions LxWxH in. (cm)	Door Opening LxH in. (cm)	Doors	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
9502-WH	2-Drum	96 x 58 x 98 (244 x 147 x 249)	54 x 80 (137 x 208)	1	1,700 (771)	103 (390)	1,200 (544)
9504-WH	4-Drum	96 x 70 x 98 (244 x 178 x 249)	54 x 80 (137 x 208)	1	1,900 (861)	128 (485)	2,400 (1,089)
9506-WH	6-Drum	118 x 70 x 98 (300 x 178 x 249)	54 x 80 (137 x 208)	1	2,400 (1,088)	170 (644)	3,600 (1,633)
9508-WH	8-Drum	143 x 70 x 98 (363 x 178 x 249)	54 x 80 (137 x 208)	1	2,900 (1,315)	218 (825)	4,800 (2,177)
9510-WH	10-Drum	168 x 70 x 98 (427 x 178 x 249)	108 x 80 (274 x 208)	2	3,400 (1,542)	267 (1,011)	6,000 (2,722)
9512-WH	12-Drum	193 x 70 x 98 (490 x 178 x 249)	108 x 80 (274 x 208)	2	3,800 (1,723)	315 (1,192)	7,200 (3,266)
9514-WH	14-Drum	236 x 70 x 98 (599 x 178 x 249)	54 x 80 (137 x 208)	3	5,100 (2,313)	398 (1,507)	8,400 (3,810)

Regulations: EPA 40 CFR 264.175, FM 6049, NFPA 30, NFPA 70, NFPA 400, IBC, UFC, UBC and IFC.

## STEEL LOADING RAMP

Make loading your storage building a breeze with the Steel Loading Ramp. Easily use, detach and store with any of our Drum Storage Buildings!



### STEEL LOADING RAMP

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
9515	Ramp	51.5 x 72 x 6.25 (131 x 183 x 16)	277 (125.6)	600 (272)

## STORAGE BUILDING SHELVING KITS

Have the convenience of additional sump, storage, & shelving with our easy-to-assemble kits. Made specifically to fit the Hazmat Storage Buildings, these are perfect for holding safety and dispensing gear.



6 TO 8-DRUM

10 TO 14-DRUM

(Compatible with Hazmat Storage Buildings on Page 64)

### SHELVING KITS

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)	Kit Includes
9516	6 to 8 Drum	66 x 14 x 2 (168 x 36 x 5)	23 (10.4)	7.8 (29.5)	150 (68)	1 - 66" x 14" x 2" Shelf, 3 - Steel Uprights, 3 - Brackets, Mounting Hardware
9517	10 to 14 Drum	98 x 14 x 2 (249 x 36 x 5)	33 (15)	11.6 (43.9)	200 (91)	1 - 96" x 14" x 2" Shelf, 4 - 36" Steel Uprights, 4 - Brackets, Mounting Hardware



SINGLE IBC STORAGE LOCKER

## IBC STORAGE LOCKERS

Convenient, completely compliant sumps for 350-gallon totes is just one great feature to these non-combustible IBC Outdoor Storage Lockers. Lockable hinged doors provide added security for your liquids while meeting EPA and UFC requirements. The unique platform design allows for immediate access to the sump for easy cleanup of drips, drops, and spills.



Key Features Include:

- Rated for up to 90 mph (145kph) winds
- Lockable, hinged doors
- Full-face opening for easy access
- Industry's highest chemical resistance

PREFERRED  
CONSTRUCTION  
FOR STORING  
FLAMMABLES!

DOUBLE IBC STORAGE LOCKER

IBC STORAGE LOCKERS								
Part #	Description	Ext. Dimensions LxWxH in. (cm)	Int. Dimensions LxWxH in. (cm)	Door Opening LxH in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)	
9569-BU	IBC	98 x 70 x 100 (249 x 178 x 254)	69 x 62 x 63 (176 x 158 x 160)	54 x 60 (137 x 152)	1,300 (589.7)	540 (2,044)	5,000 (2,268)	
9580-BU	Double IBC	153 x 70 x 88 (389 x 178 x 224)	123 x 62 x 63 (312 x 158 x 160)	108 x 62 (274 x 157)	2,500 (1,134)	450 (1,703)	10,000 (4,536)	

Regulations: EPA 40 CFR 264.175, FM 6049, NFPA 30, NFPA 70, NFPA 400, IBC, UFC, UBC and IFC.





STEEL SPILL DECKS™  
LOW PROFILE FLAMMABLE STORAGE

Our economical and compliant 5” Steel Spill Decks™ offer containment solutions for general house-keeping and maintenance in storage and dispensing areas. Constructed of heavy gauge and corrosion resistant galvanized steel, these decks can be grouped and joined together with the included binders and anchors to form leak-free dispensing stations.



- Optional ramps for ease of handling on and off deck surfaces.
- 100% inspected welds for leaktightness
- Relocatable
- Expandable
- Easy install & clean up
- Joint binders and anchors available upon request



STEEL SPILL DECKS™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. psf
9645-GS	4' x 5'	49 x 61 x 5 (124 x 155 x 13)	432 (196)	66 (249)	350
9646-GS	4' x 6'	49 x 73 x 5 (124 x 185 x 13)	501 (227)	74 (280)	350
9655-GS	5' x 5'	61 x 61 x 5 (155 x 155 x 13)	513 (232.7)	77 (291.5)	350
9656-GS	5' x 6'	61 x 73 x 5 (155 x 185 x 13)	595 (270)	93 (352)	350


SPILL DECK RAMPS

Available in lengths matching Spill Deck dimensions, these solid steel ramps allow for effortless material handling on and off decks.

SPILL DECK RAMP

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)
9640-GS	4' Ramp	48 x 25 x 5 (122 x 64 x 13)	67 (30.4)
9650-GS	5' Ramp	60 x 25 x 5 (152 x 64 x 13)	83 (37.6)
9660-GS	6' Ramp	72 x 25 x 5 (183 x 64 x 13)	109 (49.4)

SEE PG 76  
FOR CHEMICAL  
COMPATIBILITY  
GUIDE



SINGLE CYLINDER DOLLY™ HD

Just as durable and half the size. The Single Cylinder Dolly™ HD is designed for demanding industrial facilities or tough outdoor applications in which transport of a single cylinder is required. Accommodates one cylinder, up to 15” in diameter, including class 300 SCF industrial gas cylinders and No. 5 acetylene cylinders. Rugged, solid wheels standard on Part # 7301-BK-A to maximize maneuverability over rough terrain.



DUAL CYLINDER DOLLY™  
EASIER CYLINDER LOADING, BETTER MANEUVERABILITY,  
AND LARGE TRAY FOR TOOLS.

The Dual Cylinder Dolly™ is designed to be a more functional, maneuverable, and better balanced transporter for gas cylinders than conventional dollies or forklifts. Ideal for industrial or construction operations, the Dual Cylinder Dolly™ can accommodate a variation of two cylinders including class 300 SCF industrial gas cylinders and No. 5 acetylene cylinders. Specifically designed for joint movement of multi-sized cylinders with featured 10” and 13” compartments to guarantee your cylinder’s perfect fit! The dolly’s lightweight yet durable polyethylene construction and effective counter balancing makes it easy to handle with minimum physical effort. Tough 16.5” diameter pneumatic wheels offer the best maneuverability over any terrain.



Unlike metal cylinder carts, the Dual Cylinder Dolly™ is spark-resistant and the rugged polyethylene construction will not rust or corrode under harsh weather conditions.



20.5” built-in tray holds tools, valves and torches.

\*Can fit up to (1) 13” & (1) 11” cylinder.

CYLINDER DOLLY™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
7301-BK	Single HD	23.75 x 23 x 46 (60 x 58 x 117)	28 (12.7)	250 (113.4)
7301-BK-A	Single HD ATD	23.75 x 23 x 46 (60 x 58 x 117)	35 (15.9)	250 (113.4)
7302-BK	Dual	37 x 23.5 x 45 (94 x 60 x 114)	56.9 (25.8)	500 (227)

Regulations: OSHA 29 CFR 1910.253

UNIVERSAL CYLINDER BRACKET™

Ideal for low-cost wall or truck mounted storage. Design your own configuration to hold one, two, three, or x amount of cylinders with extendable modular flexibility. Units link together to customize the amount of cylinders needed. Attaches to any wall or truck bed securely and easily. Accommodates cylinders from 3” to 10” in diameter and saves space on any wall. Straps included.



ENHANCED  
DESIGN



CYLINDER BRACKET™

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)
7216-YE	Universal Cylinder Bracket	15.3 x 6.3 x 3.3 (38.7 x 15.9 x 8.3)	1 (.5)

Regulations: OSHA 29 CFR.1910







6-PACK CYLINDER RACK™  
(SHOWN WITH OPTIONAL RAMP)

Maximize floor space while eliminating clutter and safety hazards by properly storing your industrial cylinders. Accurately sized to easily move through standard doorways. Forkliftable! Handles cylinders 3” to 10” diameter. Add optional lower strap to bottom for extra security (Part # 7205-BK).

CASTER FRAME

Gives the 6-Pack Cylinder Rack™ mobility to go anywhere!



Note: Use of forklift while loaded is not rec-

CYLINDER RACK™

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
7202-YE	6-Pack Rack	48 x 31 x 41 (122 x 79 x 104)	61.8 (23.5)	1,200 (544)
7203-BK	6-Pack Ramp	46 x 20 x 6 (117 x 51 x 15)	20.5 (9.3)	1,000 (454)
7204-BK	Caster Frame	30 x 31.5 x 4.5 (76 x 80 x 11)	50 (23)	1,200 (544)

Regulations: OSHA 29 CFR.1910

2-CYLINDER POLY-STAND™

Ideal for inexpensive wall-mounted storage. Accommodates two cylinders with diameters of 3” to 12-3/8”.

4-CYLINDER POLY- STAND™

The 4-Pack Cylinder Stand™ is forkliftable and floor mountable. Holds four (4) cylinders up to 11-3/8” (29cm) in diameter. Add optional lower strap to bottom for extra security (Part # 7205-BK).

POLY-STAND™

Part #	Description	Dimensions LxWxH in. (cm)	Weight lb. (kg)	Load Cap. lb. (kg)
7212-YE	2-Cylinder	28 x 14 x 30 (71 x 36 x 76)	14 (6.4)	400 (181)
7213-YE	4-Cylinder	41 x 29 x 46.5 (104 x 74 x 118)	46 (21)	800 (364)
7205-BK	Strap	22.5 x 1	1 (0.5)	

Regulations: OSHA 29 CFR 1910.253



Note: Use of forklift while loaded is not recommended.

BOLLARD COVERS

Available in multiple sizes and with reflective tape, the Bollard Post Covers install quickly and offer improved visibility, safety and reduced maintenance.

The 1/8” thick HDPE covers can be color customized or marked with logos, warnings, or accessories. Made from durable materials with UV inhibitors for long life and lasting color. These covers will keep your facility, fixtures, machinery, and vehicles in great shape!



Custom heights, colors, logos and reflective tape also available. For reduced maintenance, we guarantee they



Nestable for shipment savings and conve-



High visibility, red reflective tape included.



7” & 4” GUARD

Bollard Covers easily install in seconds!



Step 1 - Install self-adhesive grip tabs.



Step 2 - Place cover over grip tabs.



Step 3 - Admire your installed Bollard Cover!

GUARD COVER

Part #	Description	Ext. Diameter in. (cm)	Int. Diameter in. (cm)	Height in. (cm)	Weight lb. (kg)
79452YR	4” Post	4.95 (12.6)	4.7 (11.9)	52 (132.1)	3.5 (1.6)
79464YR	4” Post	4.95 (12.6)	4.7 (11.9)	64 (162.6)	4.4 (2)
79752YR	7” Post	7.35 (18.7)	7.1 (18)	52 (132.1)	5 (2.3)
79760YR	7” Post	7.35 (18.7)	7.1 (18)	60 (152.4)	5.5 (2.5)
79772YR	7” Post	7.35 (18.7)	7.1 (18)	72 (182.9)	6 (2.7)
79872YR	8” Post	9.15 (23.2)	8.9 (22.6)	72 (182.9)	7 (3.2)
791160YR	11” Post	11.35 (28.8)	11.1 (28.2)	60 (152.4)	8.2 (3.7)



[illegible][illegible]

**FOR SPECIFICATIONS OR QUESTIONS, CALL  
1.800.936.7229  
OR VISIT AT [WWW.ENPAC.COM](http://WWW.ENPAC.COM)**



Go to [getscanlife.com](http://getscanlife.com) on your mobile device to scan this code for exclusive company and



Join us on Facebook and Twitter  
(@enpacllc) for news and updates.









## STEEL - CHEMICAL COMPATIBILITY GUIDE #5

### CHEMICAL RESISTANCE FOR STEEL PRODUCTS

CHEMICAL	RATING	Butadiene	N	Ethanol	N	Heptane	Y	Methyl Isobutyl Ketone	Y
		2-Butanone	Y	Ethyl Acetate	N	Hexane	Y	Pentane	Y
Acetic Acid (50%)	N	Butylene	Y	Ethyl Ether	Y	Kerosene	Y	Petroleum Ether	Y
Acetone	Y	Chlorofluorocarbons	N	Ethylene Glycol	N	Methanol	N	Toluene	Y
Aniline	N	Cyclohexane	Y	Fuel Oil	Y	Methylene Chloride	N	Trichloroethylene	N
Benzene	N	Cyclehexanone	N	Gasoline	Y	Methyl Ethyl Ketone	Y	Xylene	Y

## CODES AND REGULATIONS

### DOT 49 CFR 173.3 (c) Salvage Drums:

**SUMMARY:** Packages of hazardous materials that are damaged, defective, or found leaking and hazardous materials that have spilled or leaked may be placed in a metal or plastic removable head salvage drum that is compatible with lading and shipped for repackaging or disposal under the following conditions:

- Drum must be a UN 1A2, 1B2, 1N2 or 1H2 tested and marked for Packing Group III or higher performance standards for liquids or solids and a leakproof test of 20 kPa (3 psi).
- Capacity of the drum may not exceed 450 L (119 gallons).
- Each drum shall be provided when necessary with sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed. All cushioning and absorbent material used in the drum must be compatible with the hazardous material.
- Packaging must be marked “SALVAGE” or “SALVAGE DRUM”.  
(The overpack requirements of Section173.25 do not apply to drums used in accordance with this paragraph.)

### EPA 40 CFR 264.175 Containment:

Ref (b)(3) The containment system must have sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.

### EPA 40 CFR 112 Spill Prevention, Control and Countermeasure (SPCC):

**SUMMARY:** The purpose of the SPCC regulation is prevention of oil discharge into navigable waters and related areas, rather than cleanup after a spill has occurred. The regulation generally affects all facilities with at least 1,320 gallons above ground storage capacity, or 42,000+ gal-lons underground storage capacity. The SPCC requires affected facilities to prepare and file an action plan (the SPCC Plan).

Some affected facilities include: onshore and offshore drilling, platforms, barges and mobile facilities; fixed and mobile onshore or offshore production; oil refining and storage; any industrial, commercial, agricultural or public facility that uses or stores oil; some waste treatment operations; loading racks, transfer hoses and related equipment; vehicles and pipelines. Oils, fats and greases of any kind or in any form are specifically included in the regulation.

The SPCC Plan must include elements such as: Operating procedures to prevent oil spills; Control measures to prevent spilled oil from entering surface water; Countermeasures such as Secondary Containment for spills and bulk storage compliance; Professional Engineer certification; Management approval; Facility inspections; Security; Training and more. **More information is available at [www.epa.gov/oilspill](http://www.epa.gov/oilspill).**

### EPA 40 CFR 122.26 Stormwater Regulations, National Pollutant Discharge Elimination System (NPDES):

**SUMMARY:** The NPDES permit program controls water pollution by regulating point sources and non-point sources that discharge pollutants into United States waters. These regulations are a key component of EPA’s Clean Water Act. The goal is to protect the quality of waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface and ground waters.

NPDES requires Minimum Control Measures to be put into place by activities in affected Urbanized Areas (UA). Visit [www.epa.gov/owm](http://www.epa.gov/owm) (US EPA Office of Wastewater Management), Appendix 6 to determine particular affected places.

This program includes the development and implementation of the Stormwater Pollution Prevention Plan (SWPPP). The SWPPP identifies: Potential Sources of Pollution and Exposed Materials; a history of past spills and leaks; BMPs; Non-Structural controls (Good Housekeeping Practices, Spill Prevention and Response); Structural controls such as Containment including Pollution Incident Prevention Plans (PIPP) and Spill Prevention, Control, and Countermeasures (SPCC) plans.

### 29 CFR 1910.120 Hazardous Waste Operations and Emergency Response:

**SUMMARY:** Suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks or ruptures may occur.

### 29 CFR 1910.22 Workplace Housekeeping:

**SUMMARY:** Every workroom floor shall be maintained in a clean and, so far as possible, a dry condition.

### 29 CFR 1910.1450

**SUMMARY:** Laboratories must have containment and clean-up materials for spills and leaks to reduce occupational exposure to hazardous chemicals.

### 29 CFR 1910.178(g)(2)

**SUMMARY:** Facilities shall be provided for flushing and neutralizing spilled electrolyte, for fire protection, for protecting charging apparatus from damage by trucks, and for adequate ventilation for dispersal of fumes from gassing batteries. (Battery Storage)

### 40 CFR 263.31

**SUMMARY:** Transport and carriers must clean up any hazardous waste discharge that occurs during transportation.

### 49 CFR 171.8 Overpack Containers:

**SUMMARY:** An Overpack is a larger container in which a smaller one can be placed. Made from any material (from traditional metal to hard plastic). Overpack drums are protective packaging to contain non-hazardous materials or provide outer protection. Note: Standard Overpacks are not for hazard waste transport. In these cases, a Salvage Drum is needed.

### UFC 79.406 Uniform Fire Code:

**SUMMARY:** When used as a substitute for spill and damage control and secondary containment, pallets shall comply with: liquid-tight sump; sump capacity of at least 66 gallons ; compatable substances; provide sump protection from rain water.

### IFC 2704.2.3 International Fire Code:

**SUMMARY:** When used as an alternative to spill control and secondary containment for outdoor storage, containment pallets shall comply with all of the following: liquid-tight sump accessible for visual inspection shall be provided, The sump shall be designed to contain not less than 66 gallons, Exposed surfaces shall be compatible with material stored, Containment pallets shall be protected to prevent collection of rainwater within the sump.

### NFPA 30 Flammable and Combustible Liquids:

**SUMMARY:** Warehouses, separate buildings containing flammable and combustible liquids whose flash point does not exceed 100°F.

### NFPA 70 National Electrical:

**SUMMARY:** Covers the installation of electrical conductors, equipment, and raceways; signaling and communications conductors, and optical fiber cables.

### NFPA 400 Hazardous Materials:

**SUMMARY:** Applies to the storage, use, and handling of hazardous materials in all occupancies and facilities including nitrites, corrosives, flammables, peroxide formulations, oxidizers, water-reatives, compressed gases, and cryogenic fluids.

### OSHA 29 CFR 1910.253 Storage of Cylinders:

**SUMMARY:** Cylinders shall not be kept in unventilated enclosures such as lockers and cupboards. (b)(2)(ii) Cylinders should be kept at least 20 feet (6.1m) from highly combustible materials, should be placed away from elevators, stairs and gangways. (b)(3)(i) For storage in excess of 2,000 cubic feet (56m(3)) total gas capacity of cylinders or 300lb (135.9kg) of liquefied petroleum gas, seperate rooms or compartments shall be provided.

### FM (Factory Mutual) Global 6049:

**SUMMARY:** A combination of pressure-relieving (venting) and pressure resisting exterior construction which is intended to mitigate over-pressure damage to the building in case of a vapor-air deflagration. The design of relieving and resisting features must be engineered to account for fuel, surface area, or the enclosure, vent area and structural loads imposed by the deflagration.

## HOMELAND SECURITY AUTHORIZED EQUIPMENT LIST

#### 7.2.2.4: Kit, Chemical Sampling/Evidence, Containment Vessels (AEL Ref# 07CS-01-KVES)

**ENPAC PRODUCTS:** • Poly-Overpack<sup>®</sup> Salvage Drums sizes 20-gallon - 110-gallon.

#### 8.2.6: Equipment, Technical Decontamination-Wet (AEL Ref# 08D2-06-TDEW).

<b>ENPAC PRODUCTS:</b>	• Stinger Yellow Jacket™ Decontamination Berms. • Stinger™ Containment Berms, both the snap-up and snap-foam styles.	• SpillPal™ • Prowler™ Pools • Hazmat Pool™ • 2-, 4-, 6-, & 8-Drum Workstations™	• QVAC™ 100 • Sorbents • Spill Kits
------------------------	---	---	---

#### 8.2.11: Device, Liquid Decontamination Equipment (AEL Ref# 08D2-10-LDCD)

<b>ENPAC PRODUCTS:</b>	• Stinger Yellow Jacket™ Decontamination Berms. • Stinger™ Containment Berms, both the snap-up and snap-foam styles.	• SpillPal™ • Prowler™ Pools • Hazmat Pool™ • 2-, 4-, 6-, & 8-Drum Workstations™	• QVAC™ 100 • Sorbents • Spill Kits
------------------------	---	---	---

#### 8.2.12: Drum, Waste Water Containment (AEL Ref# 08D2-11-WWCD)

**ENPAC PRODUCTS:** • Poly-Overpack<sup>®</sup> 95 Salvage Drum

#### 9.2.3.2: Supplies, Biohazard Disposal (AEL Ref# 09MS-03-BIOD)

<b>ENPAC PRODUCTS:</b>	• Poly-Overpack <sup>®</sup> Salvage Drums sizes 20-gallon - 110-gallon.	• Thermo-Sorb <sup>®</sup> Sorbents	• Medical Spill Kits
------------------------	---	-------------------------------------	----------------------

#### 16.2.1: Container, Packing, Biohazard (AEL Ref# not specified)

<b>ENPAC PRODUCTS:</b>	• Poly-Overpack <sup>®</sup> Salvage Drums sizes 20-gallon - 110-gallon.	• Spill Kits • Trauma-Sorb	
------------------------	---	-------------------------------	--





ENPAC®, the original company of the ENPAC Group, has introduced over 800 market-leading products since 1988. ENPAC® initially began by developing and manufacturing products to meet specific government regulations for the handling of hazardous materials beginning with the Poly-Overpack® Salvage Drum. Since then, the ENPAC Group has expanded with the addition of PolyFlex LLC, Phoenix Associates LLC, and our most recent start-up, Black Diamond ECO Solutions LLC. All of our companies proudly design and manufacture American Made, Mother Nature Approved® products.



### CERTIFIED QUALITY ON TIME, EVERY TIME.

Phoenix Associates is an industry leading manufacturer of rubber gaskets, seals, o-ring's, and is an ISO 9001:2008 certified manufacturer.

### PRODUCTS YOU WANT AT THE PRICE YOU NEED

BlackDiamond offers economy priced and eco-conscious products that include Spill Pallets, Containment Berms, RainWater Barrels, Spill Kits, RainWater Bladders, and more.

[WWW.PHOENIXASSOCIATES.COM](http://WWW.PHOENIXASSOCIATES.COM)  
[WWW.BLACKDIAMONDECO.COM](http://WWW.BLACKDIAMONDECO.COM)  
[WWW.ENPAC.COM](http://WWW.ENPAC.COM)





## DID YOU KNOW?

*...that the average  
hazmat spill can cost up to  
\$30,000 in clean-up  
and other expenses?*

## EVER WONDER?

*...how much an  
“ounce of prevention”  
is really worth?*

[www.ENPAC.com](http://www.ENPAC.com)

**PROTECTING YOUR  
BOTTOM LINE  
24/7.**




© ENPAC ® 2018 ENPAC ® has the right to change, add to, and delete from its product line at any time without notice. Nothing in the catalog shall be construed as granting, by implication, estoppel, or otherwise, any license or right to use any trademark without the prior written consent of the mark holder. The designations <sup>TM</sup>, ®, ©, <sup>SM</sup> or any other intellectual property symbols reflect registration and/or use in the context of United States laws as such relate to such intellectual property symbols and images. The trademarks, service marks, copyrights, logos, and intellectual property used in the catalog are owned by ENPAC ® or their respective holders.

1.800.9ENPAC9 (1-800-936-7229)

View our catalog online at [www.enpac-catalog.com](http://www.enpac-catalog.com)



Distributed By:



Join us on Facebook and Twitter  
for news and updates.