




SPILL PROTECTOR™ DRAIN COVER



A PROTECTIVE COVER FOR DRAINS, GRATES, AND MANHOLES

Part Number	Dimensions
4318-SP	18"x18"x.25"
4324-SP	24"x24"x.25"
4336-SP	36"x36"x.25"
4348-SP	48"x48"x.25"
*Custom sizes also available	

Safely use any of the following with the
Spill Protector™ Drain Cover:

Aluminum Salts	Gasoline	Naptha
Barium Salts	Glycol Ether	Propylene Glycol
Butanol	Jet Fuel (JP-5)	Sodium Hydroxide (50%)
Boric Acid	Hexane	Tetrachloroethylene
Calcium Chloride	Kerosene	Triethylamine
Cupric Chloride	Methanol	Turpentine
Formaldehyde	Mineral Oil	Water

3 EASY STEPS

to assure maximum effectiveness:

- 1** Make sure the Spill Protector™ Drain Cover is the correct size.
 - For best results, use a Spill Protector™ Drain Cover that is 6" larger than the outside of the drain.
- 2** Apply the Spill Protector™ Drain Cover.
 - Be sure all stones, branches, and debris are removed from the drain you are covering.
 - Remove the plastic film from the Spill Protector™ Drain Cover and save it to replace after use.
 - Center the Spill Protector™ Drain Cover over the drain, grate, or manhold you are sealing.
 - For a faster seal, you may step on the Spill Protector™ Drain Cover. Never attempt this if the spill has already reached the drain.
- 3** Always wash the Spill Protector™ Drain Cover for reuse and storage.
 - Wash the Spill Protector™ Drain Cover in warm water with a non-abrasive detergent or petroleum solvent cleaner. Thoroughly dry with a cloth and re-apply the plastic film.*
 - Using the plastic film provided, roll the Spill Protector™ Drain Cover and place it back into the box provided for storage. **IMPORTANT:** Do not store without protective plastic film.
 - Do not store the Spill Protector™ Drain Cover in direct sunlight.
 - Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions such as temperature, humidity and UV radiation. Typical product life expectancy is 5 years. Inspect the stored product regularly to ensure it is in a usable state.

*Note: Always follow your state and local regulations regarding proper decontamination and waste handling procedures.